

Package ‘flightsbr’

December 4, 2023

Type Package

Title Download Flight and Airport Data from Brazil

Version 0.4.0

Description Download flight and airport data from Brazil’s Civil Aviation Agency (ANAC) <<https://www.gov.br/anac>>. The data includes detailed information on all aircrafts, aerodromes, airports, and airport movements registered in ANAC, on airfares and on every international flight to and from Brazil, as well as domestic flights within the country.

License MIT + file LICENSE

URL <https://github.com/ipeaGIT/flightsbr>

BugReports <https://github.com/ipeaGIT/flightsbr/issues>

Depends R (>= 2.10)

Imports data.table (>= 1.14.0), httr (>= 1.4.1), parzer, pbapply, rvest

Suggests dplyr, ggplot2 (>= 3.3.1), rmarkdown (>= 2.6), knitr, testthat

VignetteBuilder knitr

Encoding UTF-8

NeedsCompilation yes

RoxygenNote 7.2.3

Author Rafael H. M. Pereira [aut, cre]
(<<https://orcid.org/0000-0003-2125-7465>>),
Ipea - Institute for Applied Economic Research [cph, fnd]

Maintainer Rafael H. M. Pereira <rafa.pereira.br@gmail.com>

Repository CRAN

Date/Publication 2023-12-04 15:20:05 UTC

R topics documented:

| | |
|----------------------------------|----------|
| flightsbr | 2 |
| latest_flights_date | 3 |
| read_aircrafts | 3 |
| read_airfares | 4 |
| read_airports | 5 |
| read_airport_movements | 6 |
| read_flights | 7 |
| Index | 9 |

flightsbr

flightsbr: Download Flight and Airport Data from Brazil

Description

Download flight and airport data from Brazil's Civil Aviation Agency (ANAC) <https://www.gov.br/anac>. The data includes detailed information on all aircrafts, aerodromes, airports, and airport movements registered in ANAC, and on every international flight to and from Brazil, as well as domestic flights within the country.

Usage

Please check the vignettes and data documentation on the [website](#).

Author(s)

Maintainer: Rafael H. M. Pereira <rafa.pereira.br@gmail.com> ([ORCID](#))

Other contributors:

- Ipea - Institute for Applied Economic Research [copyright holder, funder]

See Also

Useful links:

- <https://github.com/ipeaGIT/flightsbr>
- Report bugs at <https://github.com/ipeaGIT/flightsbr/issues>

latest_flights_date *Check the date of the latest flight data available*

Description

Check the date of the latest flight data available

Usage

```
latest_flights_date()
```

Value

A numeric date in the format `yyyymm`.

Examples

```
## Not run: if (interactive()) {  
  
  latest_date <- latest_flights_date()  
  
}  
## End(Not run)
```

read_aircrafts *Download aircrafts data from Brazil*

Description

Download data of all aircrafts registered in the Brazilian Aeronautical Registry (Registro Aeronáutico Brasileiro - RAB), organized by the Brazilian Civil Aviation Agency (ANAC). A description of all variables included in the data is available at <https://www.gov.br/anac/pt-br/sistemas/rab>.

Usage

```
read_aircrafts(date = 202001, showProgress = TRUE)
```

Arguments

| | |
|--------------|---|
| date | Numeric. Date of the data in the format <code>yyyymm</code> . Defaults to <code>202001</code> . To download the data for all months in a year, the user can pass a 4-digit year input <code>yyyy</code> . |
| showProgress | Logical. Defaults to <code>TRUE</code> display progress. |

Value

A "data.table" "data.frame" object. All columns are returned with class of type "character".

See Also

Other download flight data: [read_flights\(\)](#)

Examples

```
## Not run: if (interactive()) {
# Read aircrafts data
aircrafts <- read_aircrafts(showProgress = TRUE)

}
## End(Not run)
```

read_airfares

Download data on airfares flights in Brazil

Description

Download data on air fares of domestic and international flights in Brazil. The data is collected by Brazil's Civil Aviation Agency (ANAC). A description of all variables included in the data for domestic airfares is available at <https://www.anac.gov.br/aceso-a-informacao/dados-abertos/areas-de-atuacao/voos-e-operacoes-aereas/tarifas-aereas-domesticas/46-tarifas-aereas-domesticas>. A description of all variables included in the data for international airfares is available at <https://www.gov.br/anac/pt-br/assuntos/dados-e-estatisticas/microdados-de-tarifas-aereas-comercializadas>.

Usage

```
read_airfares(
  date = 202001,
  domestic = TRUE,
  showProgress = TRUE,
  select = NULL
)
```

Arguments

| | |
|--------------|---|
| date | Numeric. Date of the data in the format yyyyymm. Defaults to 202001. To download the data for all months in a year, the user can pass a 4-digit year input yyyy. |
| domestic | Logical. Defaults to TRUE download airfares of domestic flights. If FALSE, the function downloads airfares of international flights. |
| showProgress | Logical. Defaults to TRUE display progress. |
| select | A vector of column names or positions to keep. The rest of the columns are not read. The order that the columns passed determines the order of the columns in the result. |

Value

A "data.table" "data.frame" object. All columns are returned with class of type "character".

Examples

```
## Not run: if (interactive()) {  
# Read air fare data  
af_201506 <- read_airfares(date = 201506, domestic = TRUE)  
  
af_2015 <- read_airfares(date = 2015, domestic = TRUE)  
}  
## End(Not run)
```

| | |
|---------------|---|
| read_airports | <i>Download airports data from Brazil</i> |
|---------------|---|

Description

Download data of all airports and aerodromes registered in Brazil's Civil Aviation Agency (ANAC).

Data source: <https://www.gov.br/anac/pt-br/assuntos/regulados/aerodromos/lista-de-aerodromos-civis-ca>

The data dictionary for public airports can be found at <https://www.anac.gov.br/aceso-a-informacao/dados-abertos/areas-de-atuacao/aerodromos/lista-de-aerodromos-publicos-v2/70-lista-de-aerodromos-p>

The data dictionary for private airports can be found at <https://www.anac.gov.br/aceso-a-informacao/dados-abertos/areas-de-atuacao/aerodromos/lista-de-aerodromos-privados-v2>.

Usage

```
read_airports(type = "all", showProgress = TRUE)
```

Arguments

| | |
|--------------|---|
| type | String. Whether the function should download data on all, public or private airports. Defaults to all, returning fewer columns. Downloading public and private airports separately will return the full set of columns available for each of those data sets. |
| showProgress | Logical. Defaults to TRUE display progress. |

Value

A "data.table" "data.frame" object.

Examples

```
## Not run: if (interactive()) {  
# Read airports data  
all_airports <- read_airports(type = 'all')  
  
public_airports <- read_airports(type = 'public')
```

```
private_airports <- read_airports(type = 'private')
}
## End(Not run)
```

read_airport_movements

Download airport movement data from Brazil

Description

Download airport movements data from Brazil's Civil Aviation Agency (ANAC). The data covers all passenger, aircraft, cargo and mail movement data from airports regulated by ANAC. Data only available from Jan 2019 onwards. A description of all variables included in the data is available at <https://www.anac.gov.br/aceso-a-informacao/dados-abertos/areas-de-atuacao/operador-aeroporto/dados-de-movimentacao-aeroporto/60-dados-de-movimentacao-aeroporto>.

Usage

```
read_airport_movements(date = 202001, showProgress = TRUE, cache = TRUE)
```

Arguments

| | |
|--------------|--|
| date | Numeric. Date of the data in the format <code>yyyymm</code> . Defaults to <code>202001</code> . To download the data for all months in a year, the user can pass a 4-digit year input <code>yyyy</code> . |
| showProgress | Logical. Defaults to <code>TRUE</code> display progress. |
| cache | Logical. Whether the function should read cached data downloaded previously. Defaults to <code>TRUE</code> . If <code>FALSE</code> , the function will always download the data and overwrite cached data. |

Value

A "data.table" "data.frame" object. All columns are returned with class of type "character".

Examples

```
## Not run: if (interactive()) {
# Read airport movement data
amov202006 <- read_airport_movements(date = 202006)

amov2020 <- read_airport_movements(date = 2020)
}
## End(Not run)
```

| | |
|--------------|---|
| read_flights | <i>Download flight data from Brazil</i> |
|--------------|---|

Description

Download flight data from Brazil's Civil Aviation Agency (ANAC). The data includes detailed information on every international flight to and from Brazil, as well as domestic flights within the country. The data include flight-level information of airports of origin and destination, flight duration, aircraft type, payload, and the number of passengers, and several other variables. A description of all variables included in the data is available at <https://www.gov.br/anac/pt-br/assuntos/regulados/empresas-aereas/Instrucoes-para-a-elaboracao-e-apresentacao-das-demonstracoes-contabeis/descricao-de-variaveis>.

Usage

```
read_flights(  
  date = 202001,  
  type = "basica",  
  showProgress = TRUE,  
  select = NULL,  
  cache = TRUE  
)
```

Arguments

| | |
|--------------|--|
| date | Numeric. Date of the data in the format <code>yyyymm</code> . Defaults to <code>202001</code> . To download the data for all months in a year, the user can pass a 4-digit year input <code>yyyy</code> . The parameter also accepts a vector of dates such as <code>c(202001, 20206, 202012)</code> . |
| type | String. Whether the data set should be of the type <code>basica</code> (flight stage, the default) or <code>combinada</code> (On flight origin and destination - OFOD). |
| showProgress | Logical. Defaults to <code>TRUE</code> display progress. |
| select | A vector of column names or positions to keep. The rest of the columns are not read. The order that the columns passed determines the order of the columns in the result. |
| cache | Logical. Whether the function should read cached data downloaded previously. Defaults to <code>TRUE</code> . If <code>FALSE</code> , the function will always download the data and overwrite cached data. |

Value

A `"data.table"` `"data.frame"` object. All columns are returned with class of type `"character"`.

See Also

Other download flight data: [read_aircrafts\(\)](#)

Examples

```
## Not run: if (interactive()) {  
# Read flights data  
f201506 <- read_flights(date = 201506)  
  
f2015 <- read_flights(date = 2015)  
}  
## End(Not run)
```


Index

- * **download air fares data**
 - read_airfares, 4
- * **download airport data**
 - read_airports, 5
- * **download airport movement data**
 - read_airport_movements, 6
- * **download flight data**
 - read_aircrafts, 3
 - read_flights, 7
- * **support function**
 - latest_flights_date, 3
 - _PACKAGE (flightsbr), 2

flightsbr, 2

flightsbr-package (flightsbr), 2

latest_flights_date, 3

read_aircrafts, 3, 7

read_airfares, 4

read_airport_movements, 6

read_airports, 5

read_flights, 4, 7