

musescore

Handbook

Downloaded from musescore.org on Jun 14 2021
Released under [Creative Commons Attribution-ShareAlike](https://creativecommons.org/licenses/by-sa/4.0/)

GETTING STARTED	19
LEARNING MUESCORE	19
Tours	19
Getting Started score	19
Video tutorials	20
Other tutorials	20
Videos	20
GET SUPPORT	20
Handbook	20
Context help	20
Forums	20
How To's	20
Post a question	20
Report a bug	21
External links	21
INSTALLATION	21
Installation	21
Initial preferences	21
INSTALL ON WINDOWS	24
Install	24
Start MuseScore	27
Advanced users: Silent or unattended install	27
Uninstall	27
Troubleshooting	27
External links	27
INSTALL ON MACOS	27
Install	27
Uninstall	28
Install with Apple Remote Desktop	28
INSTALL ON LINUX	28
AppImage	28
Step 1: Download	28
Step 2: Give the file permission to execute	29
Step 3: Run the AppImage	29
Install the AppImage	29
Distribution Packages	30
Debian	30
Fedora	30
KDE neon 18.04 (bionic)	30
Ubuntu, Kubuntu, Xubuntu, ...	31
External links	32
INSTALL ON CHROMEBOOK	32
Desktop program	32
External links	32
LANGUAGE, TRANSLATIONS, AND EXTENSIONS	32
Change language	32
Resource Manager	33
Install/uninstall extension	33
Update translations	34
See also	34
External links	34
CHECKING FOR UPDATES	34
Automated update check	34
Check for update	34
See also	34
BASICS	35
CREATE A NEW SCORE	35
Start Center	35
Create new score	35
Enter score information	35
Choose template file	36
Choose instruments (or voice parts)	37
Add instruments	37
Add Staff / Add Linked Staff	37
Change order of instruments	38
Delete an instrument	38
Choose key signature (and tempo)	38
Choose time signature, tempo, pickup measure, and number of measures	39
Adjustments to score after creation	40
Add / delete / adjust measures	40
Add/edit text	40

Change instrument set-up	40
Hide a staff	40
Adjust layout and formatting	40
Templates	40
System templates folder	40
User templates folder	40
See also	41
External links	41
NOTE INPUT	41
Basic note entry	41
Step 1. Select a starting position	41
Step 2. Enter Note Input mode	41
Step 3. Select a duration	41
Step 4. Enter the note or rest	42
Select a note/rest duration	42
Additional durations	42
Input devices	42
Computer keyboard	42
Enter notes/rests	42
Move notes up/down	43
Add accidentals	43
Chords	43
Insert notes	43
Delete notes	43
Keyboard shortcuts	44
Mouse	44
MIDI keyboard	44
Virtual Piano Keyboard	45
Note input modes	45
Coloring of notes outside an instrument's range	45
Small notes/small noteheads	45
Change notes or rests already entered	45
Change duration	46
Change pitch	46
Change voice	46
Change rest to note and vice versa	46
Note properties	46
See also	46
External links	47
EDIT MODE	47
Enter edit mode	47
MuseScore versions 3.4 and above	47
MuseScore versions prior to 3.4	47
Exit edit mode	47
Text	47
Lines	47
Notes	47
Offset notes	47
Adjust note stem length	48
Keyboard shortcuts	48
See also	48
PALETTES	48
View or hide the Palette area	49
Open/close a palette	49
Single Palette mode	49
Apply symbols from a palette	49
Customize the palette list	50
Change the order of palette names in the list	50
Create a new palette	50
Hide a palette from the list	50
Show a hidden palette in the list	50
Delete a palette	50
Customize palettes	50
Add an existing score element to a palette	50
Add a symbol to a palette from the Master Palette	51
Change symbol order in a palette	51
Change the position and size of a symbol in a palette cell	51
Remove a symbol from a palette	51
Palette menu	51
Behavior of applied text and lines	52
See also	52
WORKSPACES	52
Switch between workspaces	52
Docking/undocking	52
Create a new workspace	53
Edit a workspace	53
Save custom workspace	53
See also	53
INSPECTOR	53
Displaying the Inspector	53
What the Inspector does	54
"Reset to style default" and "Set to style" buttons	54
Inspector categories	54
Element	54
Element Group	54

Segment	55
Chord	55
Note	55
Select	55
Beam	55
Clef	55
Articulation	55
Fretboard diagram	56
Line	56
Text Line Details	56
Properties dialogs	56
See also	56
MEASURE OPERATIONS	56
Select	56
Single measure	56
Range of measures	56
Insert	57
Insert an empty measure into the score	57
Insert multiple measures	57
Append	57
Append an empty measure to the end of a score	57
Append multiple measures to the end of a score	57
Remove	57
Remove a single measure	57
Remove a range of measures	57
Remove empty trailing measures	57
Delete measure contents	57
Properties	57
Staves	58
Measure duration	58
Other	58
Exclude from measure count	58
Break multimeasure rests	58
Measure number mode	59
Layout stretch	59
Add to measure number	59
Play Count	59
Numbering	59
Split and join	59
Join measures	59
Split a measure	59
External links	59
VOICES	60
How voices are displayed	60
When to use voices	60
How to enter notes in different voices	60
Deleting and hiding rests	61
Restoring deleted rests	61
Exchange voices of notes	61
Move notes to another voice (without swapping)	61
Navigate between voices	61
See also	61
External links	61
COPY AND PASTE	62
Summary of commands	62
Notes	62
Copy or cut	62
Paste	62
Swap with Clipboard	62
Copy pitch of a single note only	62
Other elements	62
Copy or cut	63
Paste	63
Quick repeat	63
Duplicate	63
Paste half/double duration (version 3.1 and above)	63
Selection filter	63
See also	64
External links	64
SELECTION MODES	64
Select a single object	64
Select a single note	64
Select a chord	64
Select a single measure	64
Select an overlapping element	64
Select a continuous range of objects	64
1. Shift + click selection	65
Select chord symbols, lyrics etc. (as of version 3.5)	65
Select a range of measures	65
2. Shift selection	65
3. Drag selection	65
4. Select All	65
5. Select section	65
6. Selection Filter	65
Select a list of objects	66
Modify an existing selection (as of version 3.5)	66
Select all similar	66

What selections are useful for	66
See also	67
UNDO AND REDO	67
VIEWING AND NAVIGATION	67
View menu	67
Show sidebars/panels	67
Zoom in/out	67
Toolbars	68
Show/hide toolbars	68
Customize toolbar area	68
Workspaces	69
Show Status bar	69
Split display	69
Visibility options	69
Mark irregular measures	69
Full screen	69
Page/Continuous View	69
Page View	69
Continuous View	70
Single Page View	70
Side panels	70
Navigation	70
Commands	70
Navigator	70
Timeline	70
Find / Go to	71
See also	71
CONCERT PITCH	71
See also	71
External links	71
OPEN/SAVE/EXPORT/PRINT	71
Open	72
Save	72
Export	72
Print	72
See also	72
SHARE SCORES ONLINE	73
Create an account	73
Share a score directly from MuseScore	73
Upload a score on MuseScore.com	74
Edit a score on MuseScore.com	74
Switch to the direct method of updating an online score	75
External links	75
NOTATION	75
BARLINES	75
Change barline type	75
Insert barline	75
Split a measure	76
Custom barlines	76
Connect barlines	76
See also	76
CLEFS	76
Add a clef	77
Add/change clef at the beginning of a measure	77
Add/change a mid-measure clef	77
Remove a clef	77
Courtesy clefs	77
Hide clefs	77
Display clef only in the first measure (for all staves)	77
Display clef only in the first measure (for a particular staff)	78
Hide all clefs in a particular staff	78
KEY SIGNATURES	78
Add a new key signature	78
Add new key signature to all staves	78
Add new key signature to one staff only	78
Replace an existing key signature	78
Replace key signature for all staves	78
Replace key signature for one staff only	78
Remove a key signature	79
Naturals on key signature changes	79
Key signature changes and multimeasure rests	79
Courtesy key signatures	79
Custom key signatures	79
ACCIDENTALS	80
Add accidental	80

Change enharmonic spelling	81
Respell pitches	81
See also	81
External links	81
TIME SIGNATURES	81
Add or replace a time signature	81
Delete a time signature	81
Create a time signature	81
From the Time Signatures palette	81
From the Master palette	82
Fractional time signatures	82
Time signature properties	82
Change default beaming	82
Additive (composite) meters	83
Local time signatures	83
Resize time signature	83
Pickup measures and cadenzas	83
Time signature changes and breaks	83
See also	83
External links	83
ARPEGGIOS AND GLISSANDI	84
Add symbol	84
Adjust dimensions	84
Custom symbols	84
Arpeggios	84
Glissandi (slides)	84
Adjust start and end points of a glissando	85
Wind instrument articulations	85
Slide in/out	85
External links	85
ARTICULATIONS AND ORNAMENTS	85
Articulations	85
Ornaments	86
Add articulation/ornament	86
Add accidental to an ornament	86
Add fermata to a barline	86
Keyboard shortcuts	86
Adjust position	86
Articulation and ornament properties	87
See also	87
External links	87
BENDS	87
Apply a bend	87
Edit bend	87
Text and line properties	87
Bend shape and width	87
Edit graphical display	88
Adjust height	88
Adjust position	88
Custom bends	88
External links	88
BEAMS	88
Adjust automatic note beaming	88
Change beaming of individual notes	89
Beam symbols and their effects	89
Adjust beam angle	89
Adjust beam height	90
Make beam horizontal	90
Adjust feathered beams	90
Local relay layout	90
Flip note beam	90
Reset Beam Mode	91
See also	91
External links	91
BRACKETS	91
Add	91
Delete	91
Change	91
Edit	91
Style	91
BREATHS AND PAUSES	92
Add symbol	92
Adjust pause length	92
GRACE NOTES	92

Create grace notes	92
Add a grace note	92
Add a chord of grace notes	92
Change pitch	93
Change duration	93
Manual adjustment	93
Horizontal position	93
Other adjustments	93
External links	93
HAIRPINS	93
Add a hairpin	93
Adjust length and height	93
Cresc. and dim. lines	94
Copy hairpins	94
Edit hairpin properties	94
Playback of hairpins	94
LINES	95
Applying lines to the score	95
To apply a line to just one note	95
To apply a line across a range of notes	95
To apply a line from a note to the end of that measure	95
To apply a line across a range of measures	95
Lines and playback properties	95
Adjust vertical position	96
Change length	96
Using keyboard shortcuts	96
By dragging (as of version 3.5)	96
Fine adjustment	96
Text lines	96
Custom lines	96
Copying lines	96
Extended ornament lines	97
External links	97
MEASURE RESTS	97
Full measure rest	97
To create one or more full measure rests	97
To create a full measure rest in a particular voice	97
Multimeasure rest	97
To display multimeasure rests	97
Break multimeasure rest	97
OCTAVE LINES	98
Apply an octave line	98
Change length	98
Custom lines	98
External links	98
SLURS	98
Add slur in note-input mode	98
Add slur in Normal mode	99
Method 1	99
Method 2	99
Adjust slur	99
Extended slurs	100
Dotted/dashed slurs	100
See also	100
TIES	100
Add ties in Note Input mode	100
Add ties in Normal mode	100
Method 1	100
Method 2	101
Add extra tied notes to a previously tied chord	101
Add ties to unison notes	101
Flip a tie	101
See also	101
External links	101
TREMOLO	102
Add a Tremolo	102
Single note/chord tremolo	102
Two note/chord tremolo	102
External links	102
REPEATS AND JUMPS	102
Simple repeats	102
1st and 2nd endings	102
Playback	103
Turn repeat playback on/off	103
Adjust repeat section playback	103
Repeat symbols and text	103

Jumps	103
Markers	104
Examples of jumps	104
See also	104
External links	104
TUPLETS	104
Create a triplet	105
Create a triplet in normal mode	105
Create a triplet in note input mode	105
Create other triplets	105
Custom triplets	105
Triplet examples	106
Delete a triplet	106
Change display of triplets	107
Using the Inspector	107
Using the Triplets Style dialog	107
External links	107
VOLTAS	107
To add a volta to the score	107
To change the number of measures that a volta covers	107
Volta properties	108
Playback	108
Play count	108
External links	109
TRANSPPOSITION	109
Manual transposition	109
Automatic transposition	109
Transpose Chromatically	109
To Key	109
By Interval	109
Transpose Diatonically	110
Options	110
Transposing instruments	110
Concert pitch	110
Change staff transposition	110
External links	110
DRUM NOTATION	110
Percussion staff types	110
Note input methods	111
MIDI keyboard	111
Piano keyboard	111
Computer keyboard	111
Mouse	112
Drum input palette	112
Edit Drumset	112
Sticking	113
Add drum roll	113
External links	113
TABLATURE	113
Create a new tablature staff	114
With the New Score wizard	114
With the Instruments dialog	114
By changing staff type	114
Edit string data	114
Change tuning	114
Add a string	115
Delete a string	115
Mark unfretted string "open"	115
Change number of instrument frets	116
Change tablature display	116
From Staff / Part Properties	116
From the Instruments dialog	116
Combine pitched staff with tablature	116
Create a new staff/tablature pair with the New Score Wizard	116
Create a new staff/tablature pair in an existing score	116
Create a staff/tablature pair from an existing staff	117
Enter notes in tablature	117
Using a computer keyboard	117
Historical tablature	117
Using a mouse	117
Select note duration	117
Edit notes	117
Change fret number	118
Change string number	118
Crosshead notes	118
Summary of keyboard commands	118
Note input mode	118
Normal mode	118
External links	119
SOUND AND PLAYBACK	119
EXTERNAL LINKS	119

MID-STAFF INSTRUMENT CHANGES	119
Effect of instrument change	119
Add an instrument change	119
See also	120
External links	120
MIXER	120
Opening the Mixer	120
Track Area	120
Master Gain	121
Channel display arrow	121
Mute and Solo	121
Pan	121
Volume	121
Track name	121
Details Area	121
Name	122
Channel	122
Drumset	122
Sound (formerly Patch)	122
Volume	122
Pan	122
Track color	122
MIDI controls	122
Port and Channel	122
Reverb / Chorus	122
Mute Voice	122
Hide Details Button	123
Mid-staff sound change (pizz., con sordino, etc.)	123
See also	123
External links	123
PIANO ROLL EDITOR	123
Opening the Piano Roll Editor	123
Overview	124
Navigation	125
Selecting Notes	125
Editing Notes	125
Controls	126
First Row	126
Second Row	126
Keyboard	128
Customization	128
PLAY MODE	128
Playback toolbar	128
Playback commands	128
Start/stop playback	128
During playback	128
Loop playback	128
Play panel	129
PLAYBACK: CHORD SYMBOLS / NASHVILLE NUMBERS	129
Turn playback on/off	129
For all scores (as of version 3.5.1)	129
For the current score	129
As of version 3.5.1	129
As of version 3.5	129
Change playback sound	130
Change playback volume / Mute track	130
Turn symbol sound on/off when editing	130
Interpretation and voicing of chord symbols	130
SOUNDFONTS AND SFZ FILES	131
SoundFonts	131
Install a SoundFont	131
Uninstall	132
SFZ	132
Install an SFZ	132
Uninstall	132
Synthesizer	132
Mixer	132
List of downloadable soundfonts	132
GM SoundFonts	132
Orchestral soundfonts	132
Piano soundfonts	132
SF2 Pianos	132
SFZ Pianos	133
Unzipping downloaded soundfonts	133
Troubleshooting	133
See also	133
External links	133
SWING	134
Apply swing to a score section	134
Triplet in tempo marking	135
Return to straight rhythm	135

Apply swing globally	135
External links	136
SYNTHESIZER	136
Overview	136
Save/Load Synthesizer settings	136
Fluid	137
To load a soundfont	137
To reorder the soundfonts	137
To remove a soundfont	137
Zerberus	137
Volume	138
Effects	138
Zita 1 reverb	138
SC4 compressor	138
Tuning	139
Dynamics (versions 3.1 and above)	139
See also	140
External links	140
TEMPO	140
Add a tempo marking	140
Edit tempo	140
Edit tempo text	141
Overriding the tempo marking	141
Ritardando and accelerando playback	141
Fermatas	141
See also	142
External links	142
DYNAMICS	142
Add a dynamic	142
Adjust properties	142
To edit the velocity of a dynamic	142
To adjust the range	142
To change the placement (above or below staff)	142
Customize a dynamic	142
Single Note Dynamics (SND)	143
External links	143
CAPO PLAYBACK	143
Add capo to a single staff	143
Add capo to linked staff/tablature	143
Add capo to unlinked staff/tablature	143
Remove capo	143
TEXT	143
TEXT BASICS	144
Add text	144
Text formatting	144
Adjust position of text objects	144
Text anchors	145
TEXT EDITING	145
Enter/exit text edit mode	145
Keyboard shortcuts	145
Symbols and special characters	146
Special character shortcuts	146
See also	146
TEXT STYLES AND PROPERTIES	146
Text styles	146
Text objects	147
Save and load text styles	148
See also	148
STAFF AND SYSTEM TEXT	148
Staff text	148
Staff text properties	148
System text	149
System text properties	149
See also	149
External links	149
CHORD SYMBOLS	149
Enter a chord symbol	149
Keyboard commands	149
Chord symbol syntax	150
Edit a chord symbol	150
Transpose chord symbols	150
Chord symbol text	150

Chord symbol style	150
Appearance	150
Note spelling	150
Automatic Capitalization	151
Positioning	151
Capo	151
Nashville Number System	151
Roman Numeral Analysis	151
Enter RNA	151
Examples of RNA	152
Playback (as of version 3.5)	152
External Links	152
FINGERING	152
Add fingering to a single note	152
Add fingering to several notes	153
Easy fingering input mode (version 3.1 and above)	153
Adjust position of fingering	153
Single fingering	153
Multiple fingering	153
Edit fingering text	153
LYRICS	153
Enter a lyrics line	153
First line	153
Subsequent lines	154
Special characters	154
Verse numbers	154
Melisma	154
Elision (Lyric) slur / Synalepha	155
Edit Lyrics	155
Adjust properties of lyrics	155
Adjust position of individual lyrics lines	155
Copy lyrics to clipboard	156
Paste lyrics from clipboard	156
See also	156
External links	156
REHEARSAL MARKS	156
Add a rehearsal mark	156
Manual Placement	156
Automatic placement	156
Add an alphanumeric rehearsal mark	156
Add a measure-number rehearsal mark	157
Automatically resequence rehearsal marks	157
Text style	157
Search for a rehearsal mark	157
See also	157
External links	157
FORMATTING	157
LAYOUT AND FORMATTING	157
Ways to affect layout	157
Style	158
Score	158
Page	158
Sizes	159
Header, Footer	159
Measure Numbers	160
System	160
Clefs	160
Accidentals	160
Measure	160
Barlines	160
Notes	160
Beams	161
Tuplets	161
Arpeggios	161
Slurs/Ties	161
Hairpins	161
Volta	162
Ottava	162
Pedal	162
Trill	162
Vibrato	162
Bend	162
Text Line	162
Articulations, Ornaments	162
Fermatas	163
Staff Text	163
Tempo Text	163
Lyrics	163
Dynamics	164
Rehearsal Marks	164
Figured Bass	164
Chord Symbols	164
Fretboard Diagrams	164
Text Styles	164
OK / Cancel / Apply buttons	164
Page Settings...	165

Add / Remove System breaks	165
Stretch	165
Increase / Decrease layout stretch	165
Reset stretch	165
Reset Style	165
Reset Beams	165
Reset Shapes and Positions	166
Load / Save style	166
See also	166
External links	166
MEASURE	166
Introduction	166
Options	166
PAGE SETTINGS	167
Page size	168
Odd/Even Page Margins	168
Scaling	168
Unit	168
First page number	168
Apply to all Parts	168
BREAKS AND SPACERS	169
Breaks	169
Add a break to a measure	169
Using a keyboard shortcut	169
Using a palette break symbol	169
Add a break to a frame	169
Delete breaks	169
Move a break	170
Section break	170
Spacers	170
Add a spacer	170
Adjust a spacer	170
Delete a spacer	171
See also	171
FRAMES	171
Horizontal frame	171
Insert/append horizontal frame	171
Adjust width of horizontal frame	171
Add text or image to horizontal frame	171
Vertical frame	171
Insert/append vertical frame	171
Adjust height of vertical frame	172
Edit vertical frame properties	172
Add text or image to vertical frame	172
Insert horizontal frame in vertical frame	172
"Title" frame	172
Text frame	172
Insert/ append text frame	173
Edit text frame properties	173
Create a frame	173
Insert a frame into the score	173
Append a frame to the score	173
Delete a frame	173
Apply a break	173
See also	173
External links	173
IMAGES	173
Add image	174
Cut/copy and paste image	174
Modify image	174
See also	174
External links	174
IMAGE CAPTURE	174
Save a snapshot	174
Image capture menu	175
See also	175
External links	175
ALIGN ELEMENTS	175
Snap to grid	175
ADVANCED TOPICS	176
ACCESSIBILITY	176
Introduction	176
Initial setup	176
Finding your way around	176
The score window	177

Score reading	177
Moving forwards or backwards in time	178
Moving between notes at a given point in time	178
Filtering score reading	178
Score playback	178
Score creation and editing	178
Creating a new score	178
Note input	179
Selection	179
Palettes	179
Menus and Shortcuts	180
Customization	180
External links	180
ALBUMS	180
Create album	181
Load album	181
Print album	181
Join scores	181
Save album	181
AUTOMATIC PLACEMENT	181
Default position	181
Change the default placement of an element	182
Manual adjustments	182
Adjust position of element	182
Place element above/below staff	182
Disable automatic placement	182
Stacking order	182
CROSS-STAFF NOTATION	182
See also	183
External links	183
EARLY MUSIC FEATURES	183
Unbarred (or unmetred) notation	183
Example	183
Mensurstrich	184
Ambitus	184
Mensural time signatures	184
Period tablature	185
See also	185
FIGURED BASS	185
Adding a new figured bass indication	185
Text format	185
Digits	185
Accidentals	185
Combined shapes	186
Parentheses	186
Continuation lines	186
Duration	187
Editing existing figured basses	187
Style	187
Proper syntax	188
Summary of keys	189
FILE FORMATS	189
MuseScore native format	189
MuseScore format (*.mscz)	189
Uncompressed MuseScore format (*.mscx)	189
MuseScore backup file (*.mscz.) or (*.mscx.)	189
Graphic files (export only)	190
PDF (*.pdf)	190
PNG (*.png)	190
SVG (*.svg)	190
Audio files (export only)	190
WAV audio (*.wav)	190
MP3 (*.mp3)	190
FLAC audio (*.flac)	191
Ogg Vorbis (*.ogg)	191
Share with other music software	191
MusicXML (*.musicxml, *.xml)	191
Compressed MusicXML (*.mxl)	191
MIDI (*.mid, *.midi, *.kar)	191
MuseData (*.md) (import only)	191
Capella (*.cap, *.capx) (import only)	191
Bagpipe Music Writer (*.bww) (import only)	191
BB (*.mgu, *.sgu) (import only)	191
Overture (*.ove) (import only)	191
Guitar Pro (various—import only)	192
Power Tab Editor (*.ptb) (import only)	192
See also	192
External links	192
FRETBOARD DIAGRAMS	192
Fretboard Diagrams overview	192

Overview of the standard guitar chord palette	193
Overview of creating modified or custom chords	193
To add a Fretboard Diagram	193
Chord Symbols linked to Fretboard Diagrams	193
Use of Chord Symbols with Fretboard Diagrams	194
To adjust a Fretboard Diagram's element properties (position, color, stacking order...)	194
To adjust global/default Fretboard Diagram style properties	194
To edit a Fretboard Diagram	195
Editing Fretboard Diagram properties	195
Finger dot editing (basic use)	196
Finger dot editing (advanced use)	196
External links	197
FRETBOARD DIAGRAMS (PRIOR TO VERSION 3.1)	197
Add a fretboard diagram	197
Edit a fretboard diagram	197
To adjust a diagram's element properties	198
To adjust a diagram's style properties	198
LAYER (EXPERIMENTAL)	198
See also	200
MIDI IMPORT	200
Available operations	201
MASTER PALETTE	201
Symbols	202
Find a symbol	202
Apply a symbol	203
Connect symbols	203
See also	203
NOTE INPUT MODES	203
Step-time	203
Re-pitch	203
Rhythm	203
Real-time (automatic)	204
Real-time (manual)	204
Real-time Advance shortcut	204
Insert	204
Normal mode	205
See also	205
External links	205
NOTEHEAD SCHEMES	205
NOTEHEADS	207
Notehead groups	207
Change notehead group	207
Change notehead type	207
Shared noteheads	207
Change offset noteheads to shared	208
Examples of notehead sharing	208
Remove duplicate fret marks	208
External links	208
PARTS	208
Part Playback	209
Create all parts	209
Create specific parts	209
Customize parts	210
Add instruments to a part	210
Remove instruments from a part	210
Select staves for an instrument	210
Select voices for an instrument	210
Delete a Part	211
Export parts	211
Save parts	211
Print a part	211
PLUGINS	211
What are Plugins?	211
Installation	211
Windows	211
macOS	212
Linux	212
Enable/disable plugins	212
Create/edit/run plugins	212
Plugins installed by default	213
ABC Import	213
Notes → Color Notes	213
Create Score	213
helloQml	213
Notes → Note Names	213

Panel	213
random/random2	213
run	213
scorelist	213
ScoreView	213
Walk	214
See also	214
External links	214
PREFERENCES	214
General	214
Canvas	215
Note input	215
Note Input	216
MIDI Remote Control	216
Score	216
Default Files	217
View	217
I/O	217
PortAudio (API / Device)	217
MIDI Input/Output/Output Latency	218
Jack Audio Server	218
Audio Engine	218
Import	218
Export	218
Shortcuts	219
Update	220
Advanced	220
See also	221
RECOVERED FILES	221
Saving after session recovery	221
Finding recovered files	221
See also	221
External links	221
SCORE COMPARISON	221
Introduction	221
Select score	222
Choose view	222
View comparison	222
Leave comparison	222
Example	222
SCORE PROPERTIES	223
Edit meta tags	223
Pre-existing meta tags	223
Entering Work / Movement / Part metadata	224
Header/Footer	224
See also	225
STAFF / PART PROPERTIES	225
Staff Types	226
Staff / Part Properties: all staves	226
Staff / Part Properties: plucked strings only	227
Advanced Style Properties	227
Template	227
Standard and Percussion staff options	228
Tablature staff options	228
Tablature staff options: Fret Marks	228
Tablature staff options: Note Values	229
Preview	230
Change instrument	230
External links	230
STAFF TYPE CHANGE	230
Add a Staff Type Change	230
Staff type change properties	230
Example	231
TIMELINE	231
Introduction	231
Overview	231
Meta labels	231
Instrument labels	232
Meta rows	232
Main grid	232
Meta	232
Basic interaction	232
Select a measure	232
Select multiple measures	232
Drag selection	232
[Shift] selection	232
[Ctrl] selection	232
Clearing selection	232
Meta values selection	232
Scrolling	232

Standard scrolling	232
[Shift] scrolling	232
[Alt] scrolling	233
Dragging	233
Labels interaction	233
Rearranging meta labels	233
Collapsing the meta labels	233
Hiding instruments	233
Zooming	233
Context menus	233
Meta labels context menu	233
Meta rows context menu	233
Instrument context menu	233
TOOLS	234
Transpose	234
Explode	234
Implode	234
Apply implode to a single staff	234
Apply implode to multiple staves	234
Voices	234
Measure	234
Remove selected range	234
Fill with slashes	235
Toggle rhythmic slash notation	235
Respell pitches	236
Regroup Rhythms	236
Resequence rehearsal marks	236
Unroll Repeats (version 3.1 and above)	236
Copy lyrics to clipboard	236
Image capture	236
Remove empty trailing measures	236
See also	236
External links	237
SUPPORT	237
HELPING TO IMPROVE TRANSLATIONS	237
Software translation	237
Website and handbook translation	237
See also	237
REVERT TO FACTORY SETTINGS	237
Via menu	237
Via command line	237
Instructions for Windows	238
Instructions for MacOS	238
Instructions for Linux	238
See also	239
BUG REPORTS AND FEATURE REQUESTS	239
Bug reports	239
Feature requests	239
Cross linking issues	239
External links	239
APPENDIX	239
KEYBOARD SHORTCUTS	239
Navigation	239
Note input	240
Duration	240
Voices	240
Pitch	240
Interval	240
Layout	241
Articulations	241
Text entry	241
Lyrics entry	241
Display	241
Miscellaneous	241
See also	241
COMMAND LINE OPTIONS	241
NAME	242
SYNOPSIS	242
DESCRIPTION	242
Batch conversion job JSON format	245
ENVIRONMENT	246
FILES	246
EXAMPLES	246
Convert a score to PDF from the command line	246
Run a batch job converting multiple documents	246

MIDI import operations	247
DIAGNOSTICS	247
SEE ALSO	247
STANDARDS	247
HISTORY	247
AUTHORS	248
CAVEATS	248
BUGS	248
NEW FEATURES IN MUESCORE 3.6	248
New score setup and layout features	248
Automatic instrument ordering	248
Automatic brackets and braces	249
Vertical justification of staves	249
Indentation of first systems	250
Applying new features to existing scores	250
Applying new automatic instrument ordering and bracketing	251
Applying vertical justification of staves	251
Other engraving changes in 3.6	251
Beam spacing	252
Ledger line length	252
Stem caps and flag positions	252
Bracketed accidentals	253
Accidentals in Emmentaler	253
NEW FEATURES IN MUESCORE 3	253
Automatic Placement	253
Default position	253
Manual adjustments	254
Disabling automatic placement	254
Stacking order	254
Text Formatting	254
Text Styles	254
Text Properties	254
Custom Formatting	255
Staff Type Change	255
Temporary and Cutaway Staves	255
System Dividers	255
Staff Spacing	255
Don't Break	255
Parts from Voices	255
Explode and Implode	256
Insert mode	256
Split/Join Measures	256
Timeline	256
Score Comparison Tool	256
Mixer	257
Piano Roll Editor	257
Capo changes	257
Fretboard Diagrams	257
External links	257
KNOWN LIMITATIONS OF MUESCORE 3.X	257
Local time signatures	257
Regroup Rhythms	257
Tablature staff linked with standard staff	257
Mixer	257
Header & footer	258
UPGRADE FROM MUESCORE 1.X OR 2.X	258
How to upgrade MuseScore	258
Opening 1.x or 2.x scores in MuseScore 3	258
Relayout	258
Getting the sound from MuseScore 1.x	258
KNOWN INCOMPATIBILITIES	258
Hardware incompatibilities	258
Software incompatibilities	258
AVG Internet Security hangs MuseScore	259
Font problem on macOS	259
Font problem on Linux	259
Save As dialog empty on Linux	259
GLOSSARY	259
A	259
B	260
C	260
D	261
E	261
F	261
G	261
H	261
I	261
J	261
K	261

L	262
M	262
N	262
O	262
P	262
Q	262
R	262
S	263
T	263
U	264
V	264
External links	264

This handbook is for MuseScore version 3.0 and above. It is maintained and translated by the MuseScore community. [Find out how you can help](#). In case of doubt consult the [English online version of the handbook](#).

(If you are still using MuseScore 2.x, you can access [the old handbook](#).)

Getting started

This chapter helps you to install and run MuseScore for the first time. It will introduce you to the various learning and help resources.


Learning MuseScore

MuseScore provides a number of learning resources to help the new user get started.


Tours

When you run MuseScore for the first time, the **Startup Wizard** appears to help you set up some basic features of the software. One of these features is called **Tours**, and, as the name suggests, gives you a guided tour of the program.

To activate this feature, on the **Tours** page of the Startup Wizard, tick "Yes" in response to "Would you like to see these tours?"



This will allow the **Tour** to run when the program opens, introducing you to the main features of the user interface.



- **To end the tour:** press the Close button
- **To stop the Tour showing when you open MuseScore:** Uncheck "Continue taking Tours"
- **To enable the Tour again** (when program reopens): Select Help → Tours → Show Tours
- **To see all the Tours again** (when program reopens): Select Help → Tours → Reset Tours

Currently offered tours

- Introduction to User Interface
- Entering notes and rests in a score
- Entering symbols from a palette
- Navigating the score with Timeline
- Navigating the score with keyboard
- Entering multimeasure rests
- Autoplace positioning of symbols
- Modify properties with Inspector
- Selecting elements
- Add and edit lines in score

Getting Started score

The interactive **Getting Started** score is a practical introduction to the basics of entering a score. When you open MuseScore for the first time, it will be displayed in the main window of the [Start Center](#): just click to open it. Follow the instructions written in blue, and you will be led through the basic steps of score writing.

Note: If you don't see the Getting Started score, you can find it in the right hand panel of the Start Center. Click the right

.or left arrows to browse through the options until it appears

Video tutorials

MuseScore offers a full set of instructions videos, each covering a specific subject. You can access these videos in several ways

- From the MuseScore homepage at [MuseScore.org](https://musescore.org): [Support/Tutorials](#)
- In the [Start Center](#): browse to the Videos page in the right-hand panel
- (Use the list of links in the [Videos](#) section (below
- Look up directly by searching for "MuseScore in Minutes" on [You Tube](#)

Other tutorials

(In the [Tutorials](#) section on musescore.org you will also find tutorials on more specific topics (e.g. MuseScore Drumline

Videos

- [Lesson 1- Score setup](#)
- [Lesson 2 - Working with MuseScore](#)
- [Lesson 3 - Note Input](#)
- [Lesson 4 - MIDI keyboard input](#)
- [Lesson 5 - More Input Ideas](#)
- [Lesson 6 - Text, Lyrics, and Chords](#)
- [Lesson 7 - Tablature and Drum Notation](#)
- [Lesson 8 - Repeats and Endings, Part 1](#)
- [Lesson 9 - Repeats and Endings, Part 2](#)
- [Lesson 10 - Articulations, Dynamics and Text](#)
- [Lesson 11 - Layout and Parts](#)

Get Support

.If you experience a problem while working with MuseScore, there are several ways to get help and support

Handbook

:To access the Handbook

- From the [MuseScore](#) website: select **Support** → [Handbook](#) from the menu
- From the MuseScore program: select **Help** → [Online Handbook](#) from the menu

.You can browse through the Handbook using the menus, or do a [search](#)

Context help

If you select an element in your score and press F1, a webpage opens displaying a list of links associated with that element in the [Handbook](#)

Forums

MuseScore offers a number of on-line [Forums](#) for user collaboration. You may be able to find an answer here to your problem among the existing posts. A [general search](#) of the website will return a list of relevant hits to all forums and the Handbook

How To's

Some tasks require the use of several different techniques. These can be difficult to find an answer for in the Handbook. Solutions for these *may* be found in the [How To's](#)

Post a question

.If you cannot find the answer to your problem, you can ask a question in the [Support and bug reports](#) forum

:When you post your question

- Try to be as precise as you can, when you describe what you want to do, and which steps you have already tried
- Attach the score that shows the problem. This will make it much easier for others to understand the problem — use the "File attachments" option at the bottom of the page, just above the Save and Preview buttons
- You may format the text using [these tips](#)

Report a bug

If you encounter something you think is a bug, the first step is to post it in the [Support and bug reports](#) forum. This will allow others to help check if it is a genuine bug, and to advise workarounds, so you can continue your scorewriting. You will find more details on this in [Bug reports and Feature requests](#)

External links

([How to write a good bug report: step-by-step instructions](#) [Isolate bug](#) (MuseScore HowTo) •

Installation

MuseScore exists for various different operating systems, including Windows and macOS, as well as many [Linux distributions](#) and several [BSD variants](#). All are available from the [MuseScore download](#) page


Installation

:When you have downloaded the software, follow the installation instructions for your operating system


- [.Install on Windows](#)
- [.Install on macOS](#)
- [.Install on Linux](#)
- [.Install on Chromebook](#)

Initial preferences


:The first time you start MuseScore after the installation, you will be asked to confirm your basic preferences




First, you can choose to authorize MuseScore (3.4 or later) to collect usage data, click on **Yes, send anonymous reports** OR **Don't send** to continue




The settings for language is retrieved from your installation, and should normally not need to be changed. Just click Next to :continue




:followed by



:Select your keyboard layout in the drop down list, clickNext to continue



You will now be asked if you wish to take theTours. If you are new to MuseScore keep the 'Yes' option checked, and click :Next to continue



.Finally click Finish to start MuseScore


Install on Windows

Install


If you're on Windows 10, a 32-bit version of MuseScore can be installed from the Windows Store. Clicking [here](#) will open MuseScore's page in the Store app. There you will only have to click Get the app > and MuseScore will be downloaded, installed and subsequently automatically updated.

Otherwise you can get the Windows installer from the [download](#) page of the MuseScore website. Click on the link to start the download (pick your choice of 64-bit or 32-bit). Your Internet browser will ask you to confirm that you want to download this file. Click Save File


When the download finishes, double-click on the file to start the installation. Windows may prompt you with a security window to confirm this before running the software. Click Run to continue. The installation process will now start




:If you click Cancel, here or later, you'll see




.If instead you click Next to continue, the setup wizard displays the terms of the free software license



Read the terms of the license, make sure the box next to "I accept the terms in the License Agreement" is checked, and .click Next to continue. Next the installer will ask you to confirm the location in which to install MuseScore




If you are installing a newer version of MuseScore but still want to keep the old version on your computer, then you should change the folder (note that MuseScore 3 can coexist with MuseScore 2 and 1 with no changes needed). Otherwise click Next to continue




.Click Install to continue

Give the setup wizard a few minutes to install the necessary files and configurations. You'll see



and finally



.Click Finish to exit the installer. You may delete the installer file you downloaded

Start MuseScore

.To start MuseScore, from the menu, select Start → All Programs → MuseScore 3 → MuseScore 3

Advanced users: Silent or unattended install

You can install MuseScore silently with the following command •

```
-msiexec /i MuseScore-X.Y.msi /qb
```

.Append ALLUSERS=1 if you want to install it for all users of the system rather than just the current one

Uninstall

You can uninstall MuseScore from the menu by selecting Start → All Programs → MuseScore 3 → Uninstall MuseScore; OR via Windows' Control Panel. Note that this will not remove your scores nor your MuseScore settings

Troubleshooting

The installer might be blocked by the system. If you don't manage to install MuseScore, right-click the downloaded file and click Properties. If there is a message *"This file came from another computer and might be blocked to help protect this computer"*, click on "Unblock", "OK" and double-click on the downloaded file again

External links

- [\(How to install MuseScore on Windows without administrator rights\)](#)
- [\(How to run MuseScore as Administrator on Windows\)](#)
- [\(How to fix MuseScore installation error on Windows\)](#)
- [MSI command-line options](#)
- [Standard installer command-line options](#)

Install on macOS


Install

You will find the DMG (disk image) file on the [download](#) page of the MuseScore website. Click on the macOS link to start the download. When the download is complete, double-click the DMG file to mount the disk image



.Drag and drop the MuseScore icon to the Applications folder icon

If you are not logged in as administrator, macOS may ask for a password: click **Authenticate** and enter your password to proceed.



When the application has finished copying, eject the disk image. You can now launch MuseScore from the Applications folder, Spotlight, or Launchpad.

Note: As of macOS 10.15 "Catalina", the system has to be told to permit MuseScore to be allowed to access user parts of the file system. The first time you use it on Catalina, it will ask you if you wish to permit it; of course, answer "yes", but if you bypass this by accident, you can set it via System Preferences > Security and Privacy > Privacy > Files and Folders. Unlock with your Admin credentials, then navigate to MuseScore (whichever version(s) you have and want), add it or them to the list of apps, and select "Documents" and "Downloads" folders, or as you prefer.

Uninstall

.(Simply delete MuseScore from Applications folder (Admin access will be required to do that, however

Install with Apple Remote Desktop

You can deploy MuseScore to multiple computers with the "Copy" feature of ARD. Since MuseScore is a self-contained application you can simply copy the application to the '/Application' folder on the target machines. It is also possible to install multiple versions of the application as long as their names differ.

Install on Linux

MuseScore packages for various Linux distros are available from the [download](#) page. The easiest to install is the [AppImage](#), which can be run on any Linux distribution, but a range of other [specialist packages](#) are available if you prefer. [Building from source](#) is another possibility.

AppImage

[AppImages](#) can run on virtually any Linux distribution: all the files needed are contained within the AppImage itself, just like a portable App. The following procedure allows you to run the MuseScore AppImage on your system

Step 1: Download

Applimages come in different versions. Make sure you download the right one for your system. To check the architecture of your system

.Open the Terminal .1
Type .2

```
arch
```

or

```
uname -m
```

:"The output will be something like "i686", "x86_64" or "armv7

- .(i686 (or similar) - 32-bit Intel/AMD processor (found on older machines
- .(x86_64 (or similar) - 64-bit Intel/AMD processor (modern laptop and desktop computers, most Chromebooks
- armv7 (or later) - ARM processor (phones & tablets, Raspberry Pi 2/3 running Ubuntu Mate, some Chromebooks, (usually 32-bit at present

Go to the [download](#) page and find the ApplImage that best matches your architecture. Once downloaded, the file will be named "MuseScore-X.Y.Z-\$(arch).ApplImage

Step 2: Give the file permission to execute

:There are two ways to do this

:From the File Manager

- ."Right-click on the ApplImage and select "Properties .1
- .Open the "Permissions" tab .2
- ."Enable the option labelled "Allow executing file as a program .3

.The process may be slightly different in other file managers

:From the Terminal

This command works on all Linux systems (Note: The code below assumes that the ApplImage is in the Downloads folder. (If not the case then amend the file path accordingly

```
cd ~/Downloads  
chmod u+x MuseScore*.ApplImage
```

Step 3: Run the ApplImage

- .To run the program, just double-click it •

.Note: You can move the ApplImage to wherever it is most convenient. And to "uninstall" it, just delete it

Install the ApplImage

The above procedure allows you to run the MuseScore ApplImage but doesn't integrate it with the rest of your system: it doesn't appear in your App menu, and MuseScore files are neither associated with the program nor do they have the correct icon on them

:To remedy this, you need to actually install the program as follows

Type the following (Note: The code below assumes that the ApplImage is in the Downloads folder. If not the case (then amend the file path accordingly

```
cd ~/Desktop  
MuseScore*.ApplImage install/.
```

:Or, alternatively, you can combine the operation into one command

```
desktop/MuseScore*.ApplImage install/~
```

:Use the "--help" and "man" options to get more information about the available command line options

```
MuseScore*.ApplImage --help # displays a complete list of command line options!  
(MuseScore*.ApplImage man # displays the manual page (explains what the options do).
```

Distribution Packages

Debian

Ideally before, otherwise while or after) installing MuseScore itself, you can install one or more soundfont packages (if none is installed, the dependencies will pull in a suitable soundfont automatically)

- `musescore-general-soundfont-small`: the standard MuseScore_General soundfont in SF3 format, as shipped with MuseScore for other operating systems
- `musescore-general-soundfont`: the MuseScore_General HQ soundfont in SF3 format, as available via the Extensions manager
- `musescore-general-soundfont-lossless`: the MuseScore_General HQ soundfont in uncompressed SF2 format: takes up a lot more space on your hard disc, but offers the highest sound quality and extremely fast startup times
- `fluidr3mono-gm-soundfont`: the old soundfont shipped with MuseScore 2.0 (antecessor of MuseScore_General), use only if resources are very tight or you need it
- `timgm6mb-soundfont`: the old soundfont shipped with MuseScore 1.3; cannot substitute the others; use only if you need it; extremely tiny

Note: only the MuseScore_General soundfont (HQ or regular) supports single-note dynamics (SND), and you need at least version 0.1.6 of those soundfonts (from unstable or backports) for SND support

The command `sudo update-alternatives --config MuseScore_General.sf3` can be used at any time to select the default soundfont (used by MuseScore if you install more than one (note `timgm6mb-soundfont` cannot be selected here

Then, install the `musescore3` package for MuseScore 3.x (the current stable version) or `musescore` for MuseScore 2.x (there's also `musescore-snapshot` for the unstable developer preview). The packages are available in the following distributions

- `musescore3`: sid (unstable), bullseye (testing/Debian 11), buster-backports (stable/Debian 10), stretch-backports-sloppy (oldstable/Debian 9)
- `musescore`: buster (stable/Debian 10), stretch-backports (oldstable/Debian 9), jessie-backports-sloppy (oldoldstable/Debian 8)
- (`musescore-snapshot`: experimental (usable on unstable)

See <https://backports.debian.org/Instructions/> for instructions on how to add an official Debian backports repository to your system and install packages from there

Note: without the appropriate backports, older versions may be available: MuseScore 2.0.3 on stretch, MuseScore 1.3 on jessie. Using the latest 2.3.2 version for 2.x-format scores instead (or conversion to 3.x) is strongly recommended

Fedora

:Import the GPG key .1

```
rpm --import http://prereleases.musescore.org/linux/Fedora/RPM-GPG-KEY-Seve
```

Go to the [download](#) page of the MuseScore website. Click on the link for the stable Fedora download and choose the correct rpm package for your architecture

Depending on your architecture, use one of the two sets of commands to install MuseScore.3

for arch i386

```
su  
yum localinstall musescore-X.Y-1.fc10.i386.rpm
```

for arch x86_64

```
su  
yum localinstall musescore-X.Y-1.fc10.x86_64.rpm
```

.If you have difficulty with sound, see [Fedora 11 and sound](#). See also the hints for the various distributions on the [download page](#)

(KDE neon 18.04 (bionic

The KDE neon packages are built on a different repository than the normal Ubuntu PPAs, as this is the only way for us to build packages for KDE neon. Due to limitations of the OpenSuSE Buildservice used, this currently only provides (amd64 (64-bit PC) packages, no ARM packages (Slimbook or Pinebook remix

.All commands listed below must be entered in a terminal, in *one* line each

Remove the Ubuntu PPAs (all three of them) from your system if you've ever configured it before. This is generally .1
in `/etc/apt/sources.list` or one of the files below `/etc/apt/sources.list.d/`; if you used `add-apt-repository` (the recommended way) to
*enable the PPA, you can remove them with: `sudo rm -f /etc/apt/sources.list.d/muscore-ubuntu-ubuntu-muscore`

!KDE neon is **not** compatible with the Ubuntu PPAs

Install a few standard packages (usually they are already there, but just in case they aren't) to be able to securely .2
:download the repository signature key

`sudo apt-get install wget ca-certificates`

:Download (via secure HTTPS connection) and install the repository signing key .3

- `wget -O - https://download.opensuse.org/repositories/home:/mirabile:/muscore/bionic-neon/Release.key` | `sudo apt-key add`

:Enable the repository .4

`echo deb https://download.opensuse.org/repositories/home:/mirabile:/muscore/bionic-neon ./ | sudo tee /etc/apt/sources.list.d/muscore.list`

:Make the new packages available .5

`sudo apt-get update`

:(Now, it's time to install one or more soundfont packages (ideally install the one you want *before* installing MuseScore

- `muscore-general-soundfont-small`: the standard MuseScore_General soundfont in SF3 format, as shipped with MuseScore for other operating systems
- `muscore-general-soundfont`: the MuseScore_General HQ soundfont in SF3 format, as available via the Extensions manager
- `muscore-general-soundfont-lossless`: the MuseScore_General HQ soundfont in uncompressed SF2 format: takes up *a lot* more space on your hard disc, but offers the highest sound quality and extremely fast startup times
- `fluidr3mono-gm-soundfont`: the old soundfont shipped with MuseScore 2.0 (antecessor of MuseScore_General), use only if resources are very tight or you need it
- `timgm6mb-soundfont`: the old soundfont shipped with MuseScore 1.3; cannot substitute the others; use only if you need it; extremely tiny

.If you skip this step, a suitable soundfont will be automatically installed when you install MuseScore itself in the final step

Note: only the MuseScore_General soundfont (HQ or regular) supports single-note dynamics (SND), and you need **at least version 0.1.6** of those soundfonts (from our repository) for SND support

The command `sudo update-alternatives --config MuseScore_General.sf3` can be used at any time to select the default soundfont
(used by MuseScore if you install more than one (note `timgm6mb-soundfont` cannot be selected here

Finally, you can install the latest stable version of MuseScore with `sudo apt-get install muscore3` and the old 2.x version with
(`sudo apt-get install muscore` (the `muscore-snapshot` package with an instable developer preview is also available

... ,**Ubuntu, Kubuntu, Xubuntu**

!(**WARNING**: these instructions are **not** for KDE neon users (see above

MuseScore 2.x (the old version) is available from 18.10 (cosmic) to 19.10 (eoan) out of the box. Older Ubuntu releases carry older versions (18.04 (bionic) has 2.1, 16.04 (xenial) has 2.0, 14.04 (trusty) and 12.04 (precise) have 1.3 and 1.2, respectively). Similar to the Debian instructions, we recommend using the latest 2.3.2 version for old 2.x scores instead, or migrating those scores to MuseScore 3

Besides the versions supplied by the distribution itself, the MuseScore Debian packager provides newer versions of
(MuseScore for older Ubuntu releases in official PPAs (package archives

Please activate the Stable releases of MuseScore 3 repository on your system and then install the `muscore3` package, available for all releases from 18.04 (bionic) onwards. (It is not feasible to provide MuseScore 3 for older Ubuntu releases, (as those lack the minimum Qt version required by MuseScore 3

If you wish to install the older MuseScore 2, activate the Stable releases of MuseScore 2 PPA and install the `muscore` package, available for 12.04 (precise), 14.04 (trusty), 16.04 (xenial), and 18.04 (bionic) onwards. (Some intermediate releases may have slightly older MuseScore versions still available, but it's best to update to the next LTS.) On the ancient 12.04 (precise) and 14.04 (trusty) releases, this will upgrade the Qt library in your system, which may break unrelated software (and on 12.04 even the C++ libraries are upgraded), mind you; best to upgrade to a newer LTS

There's also a MuseScore Nightly Builds (unstable development builds) PPA, from which the daring can install the

.musescore-snapshot package, for LTS, that is, 18.04 (bionic) only

!WARNING: these PPAs are *only* suitable for Ubuntu/Kubuntu/Xubuntu/... but **not** for Debian or KDE neon

As with Debian, you can install one or more soundfont packages (ideally install the one you want *before* installing MuseScore, but if you don't, a suitable one will be installed alongside MuseScore)

- musescore-general-soundfont-small: the standard MuseScore_General soundfont in SF3 format, as shipped with MuseScore for other operating systems
- musescore-general-soundfont: the MuseScore_General HQ soundfont in SF3 format, as available via the Extensions manager
- musescore-general-soundfont-lossless: the MuseScore_General HQ soundfont in uncompressed SF2 format: takes up *a lot* more space on your hard disc, but offers the highest sound quality and extremely fast startup times
- fluidr3mono-gm-soundfont: the old soundfont shipped with MuseScore 2.0 (antecessor of MuseScore_General), use only if resources are very tight or you need it
- timgm6mb-soundfont: the old soundfont shipped with MuseScore 1.3; cannot substitute the others; use only if you need it; extremely tiny

Note: only the MuseScore_General soundfont (HQ or regular) supports single-note dynamics (SND), and you need **at least version 0.1.6** of those soundfonts (possibly from the PPA) for SND support

The command `sudo update-alternatives --config MuseScore_General.sf3` can be used at any time to select the default soundfont (used by MuseScore if you install more than one (note `timgm6mb-soundfont` cannot be selected here

External links

([How to run the MuseScore Applmage on Linux](#)) (MuseScore HowTo, video)

Install on Chromebook

Desktop program

MuseScore's desktop program will work natively on Chrome OS's Linux machine called Crostini. Follow the steps described in the video

1. Install Linux Virtual Machine called Crostini. Go to Settings > Linux > Turn On
2. Download Musescore Applmage package
3. Configure Applmage to run. Set `chmod +x` for the Applmage file
4. Run Applmage with `./` followed by the Musescore package file name
5. Install required libraries if necessary, e.g

```
sudo apt-get install libvorbisfile3
sudo apt-get install libnss3
```

Install Applmage (using the `install` command line option) to avoid running it from Linux command line each time

!Enjoy

External links


- Watch this [interactive video](#) for more details
- ([How To How to run MuseScore on ChromeOS](#)) (MuseScore HowTo)
- For more detailed instructions that also provide better integration with ChromeOS, see [Install MuseScore on Chromebook](#)

Language, translations, and extensions

MuseScore works with your "System" language (the one used for most programs, and generally depending on your country and the language settings of the PC, or account

Change language

1. (...From the menu, select Edit → Preferences... (Mac: MuseScore → Preferences
2. In the General tab, select the desired language from the drop-down list in the Language section




Resource Manager

The **Resource Manager** is used to install and uninstall extensions, and to handle the update of translations. To access the menu use one of the following options

- From the menu bar, select Help → Resource Manager

- From the menu bar, select Edit → Preferences... (Mac: MuseScore → Preferences...), open the General tab, and click on the Update translations button



Install/uninstall extension

:To install or uninstall an extension

- .Select the Extensions tab in the **Resource Manager** .1
- .Select the extension .2
- .Click the Install or Uninstall button .3

Note: Extensions currently include the MuseScore Drumline (MDL) (as of version 3.0) and the MuseScore General HQ (soundfont) (as of version 3.1)

Update translations

:(To update translation(s

- .Select the Languages tab in the **Resource Manager** .1
- .Click on the Update buttons for the language(s) you want to update .2

Note: Almost all menus and dialogs will switch to the changed/updated translations immediately, but some won't use them until the program is restarted

See also

[Helping to improve translation](#) •

External links

[\(How to change the language in MuseScore](#)  (MuseScore HowTo •


Checking for updates

Note: These options are only available in the Mac and Windows versions of MuseScore (except the version from the Windows Store), as only those can be updated directly from MuseScore.org. Linux distributions (and the Windows Store) have different mechanisms to make updates available

.For the versions of MuseScore that can be directly updated, there are two ways to check for updates

Automated update check


- ;(…From the menu, select Edit → Preferences… (Mac: MuseScore → Preferences .1
- .Select the Update tab .2
- :(Ensure the box marked "Check for new version of MuseScore" is ticked. (It should be ticked by default .3



If you enable this option, MuseScore will check for updates on every start. On the Mac and Windows versions (excluding the Windows Store version), this option enables an auto-updater that will download and install updates automatically

Check for update

- :From the menu, select Help → Check for Update .1



A dialog will appear with the update status: either "No Update Available" or "An update for MuseScore is available:" .2 followed by a link to download it

See also

[Preferences: Update](#) •

Basics


The previous → "Getting started" chapter guided you through the installation process. This chapter shows you how to set up a new score using the MuseScore Wizard, and how to enter and edit basic music notation. The various parts of the program window are described—toolbars, Inspector, palettes etc.—as well as viewing and navigation options.

Create a new score

To create a new score, open the New Score Wizard (see Create new score, below): this can also be accessed via the Start Center.

Start Center

:This is the window that is displayed when you open MuseScore for the very first time



:To open the Start Center (if not already visible), use any of the following options

- Press F4
- ...From the menu bar, select File → Start Center

:To stop the Start Center from showing up when you open MuseScore

- From the menu bar, select Edit → Preferences... (Mac: MuseScore → Preferences...) and uncheck "Show start center" in the Program Start section of the General tab

:From the Start Center you can


- (Create a new score (by clicking on the icon with the plus sign
- View thumbnails of previously-opened scores: click on a thumbnail to open it
- ... Open a score from your computer's file system: click on Open a score
- Open the "**Getting Started**" tutorial score. Use the arrow buttons in the right-hand pane to access the link
- Search sheet music on musescore.com
- (Access various other facilities (see right-hand pane

Create new score

:To open the **New Score Wizard** when the Start Center is not open, use one of the following options

- Click on the New Score icon in the toolbar on the top left of the window
- (Use keyboard shortcut Ctrl+N (Mac: Cmd+N
- ...From the menu, select File → New


Enter score information



.Step 1: Enter score information

Enter the title, composer or any other information as shown above, then click on **Next >**. This step is optional: you can also
 .(add this information after the score has been created (see [Vertical frame](#)

Choose template file



.Step 2: Choose template file

In the left column is a list of solo, ensemble and orchestral *templates*, divided into categories according to musical styles. If you have previously stored any custom templates in your user templates folder, these are displayed under the heading, **."Custom Templates"**. You can also use the **Search bar** (top left) to find specific templates


:To choose a score template

Click on the name of a score template to select it, then click **Next >**; alternatively, just double-click the score template •
 .(name. This will automatically take you to the next page of the Wizard (see [Choose key signature and tempo](#), below

If you wish to create a score template from scratch, click on **Choose Instruments"** (under "General"), then click **Next** •

".>"; alternatively, just double-click "Choose instruments

(Choose instruments (or voice parts



:The **Choose Instruments** window is divided into two columns

The **left column** contains a list of instruments or voice parts to choose from. This list is categorized into instrument families and clicking a category shows the full list of instruments in each family

The default entry is "Common instruments" but you can choose from others as well, including "Jazz instruments" and "Early music". There is a search box at the bottom of the instrument window: typing the name of an instrument there will search for it in "All instruments"

The **right column** starts off empty, but will eventually contain a list of instruments for your new score in the order that they will appear

Add instruments

:To add instruments to the score, use any of the following options

- Select one or more instruments in the left column and click **Add**
- Double-click an instrument in the left column

The instrument names, and their associated staff lines, now appear in the list of instruments in the right column. You can add more instruments or voice parts, as needed. Each instrument added in this way is allocated its own Mixer channel


Once an instrument track is added to your score, you can edit its sound features by using the Mixer's track area. You will find a vertical panel in the Mixer menu for that new instrument in the lower half of the panel, next to the volume (master Gain) slider. All instruments in the score will have their own panel, with their names at the bottom of the panel. If you can't see the names, drag the vertical scroll bar downward until the instrument track labels are visible. Then just click on a panel, and edit the volume, name, instrument choice, chorus, reverb, etc. The changes will take effect immediately

Note: If you want staves to share the same instrument, use the Add staff or Add linked staff commands instead (see below)

Add Staff / Add Linked Staff

:To add a staff to an *existing* instrument in the score

1. Select a **staff** of the instrument in the score list on the right-hand side (e.g. see "Staff 1" in the image below). Click **Add Staff** Or **Add Linked Staff**
2. Adjust the **Staff type**, if applicable



:Summary of commands

Examples	Share mixer ?channel	?Edit staves independently	Staff added	Command
Guitar staff/tab, Piano grand staff	Yes	Yes	Unlinked	Add Staff
Guitar staff/tab	Yes	No. Edit in one staff updates others	Linked	Add Linked Staff

.See also, [Combine pitched staff with tablature](#)

Change order of instruments

:To change the order of instruments (or staves) in the score


Click either an instrument name or a staff in the right-hand column, and use the arrow buttons to move it •
.higher/lower

Delete an instrument

To **delete** an instrument, or staff line from the score

.Select an instrument or a staff line in the right-hand column and clickRemove •


(Choose key signature (and tempo



.(Step 3: Choose key signature (and tempo

.Select the desired key signature, then click Next > to continue. Prior to version 3.5, you can also set the tempo here •

Choose time signature, tempo, pickup measure, and number of measures



.Step 4: Choose time signature etc

:Here, you can set

- The initial **time signature**
- A pickup measure (*anacrusis* or *upbeat* measure), and its duration
- The initial number of measures in the score (the default is 32, but you can add/remove measures from the score edit window)
- (Tempo (prior to version 3.5, this is set on the Choose key signature (and tempo) page instead

.Click Finish to create your new score

Adjustments to score after creation

:Any settings you make in the New Score Wizard can always be changed when you start work on the score itself

Add / delete / adjust measures

- [.Insert measures](#)
- [.Append measures](#)
- [.Delete measures](#)
- [.Create a pickup measure](#)

Add/edit text

- [.\(Add text \(Text basics](#)
- [.Edit text](#)

Change instrument set-up

:To add, delete, or change the order of instruments

From the menu, select [Edit → Instruments...](#); or use the keyboard shortcut, [I](#). This opens the **Instruments** dialog which is •
• (virtually identical to the [Choose Instruments](#) dialog in the **New Score Wizard** (see [above](#)

• (See also [Change instrument](#) (Staff properties

Hide a staff

- **.To hide a staff permanently:** Open the [Instruments](#) dialog (I) and untick the "Visible" box for that staff
- **.To hide a staff under certain conditions:** See the "Hide" options in the [Score dialog](#), and [Staff Properties](#)

Adjust layout and formatting

.To adjust the distance between staves and systems, set page margins etc., see [Layout and formatting](#)

Templates

A **Template** is simply a standard MuseScore file that has been stored in one of two "templates" folders: any files in these folders are automatically displayed on the "[Choose template file](#)" page of the New Score Wizard. Two templates folders are created by default

- [.A system templates folder](#)
- [.A user templates folder](#)

System templates folder

This folder contains the templates installed with MuseScore and should **not** be modified. It can be found in the following locations

Windows: Usually at [C:\Program Files\MuseScore 3\templates](#) OR [C:\Program Files \(x86\)\MuseScore 3\templates](#) (Actually
• [\(%ProgramFiles%\MuseScore 3\templates](#) OR [%ProgramFiles\(x86\)%\MuseScore 3\templates](#), respectively

Linux: Under [/usr/share/mscore-xxx](#) if you installed from the package manager. If you compiled MuseScore on Linux yourself,
• (then look under [/usr/local/share/mscore-xxx](#) (with xxx being the version you are using

• **MacOS:** Under [/Applications/MuseScore 3.app/Contents/Resources/templates](#)

User templates folder

Any templates that you create for future use should be stored here. Once in the user "templates" folder, they will automatically appear on the "[Choose template file](#)" page of the New Score Wizard—under the heading "Custom
• "Templates

:The default location of the user templates folder is as follows

• **Windows:** [%HOMEPATH%\Documents\MuseScore3\Templates](#)

• **MacOS and Linux:** [~/Documents/MuseScore3/Templates](#)

:To configure the location of your private templates folder

- From the menu, select [Edit → Preferences... → General](#)

See also

- [Key signature](#)
- [Time signature](#)
- [Clef](#)
- [Tempo](#)
- [Staff properties](#)

External links

- [Video tutorial: MuseScore in Minutes: Lesson 1 - Score Setup](#)

Note input

MuseScore allows you to enter music notation from *many* of four [input devices](#): computer keyboard, mouse, MIDI keyboard, or virtual piano keyboard. The default [input mode](#) is **step-time**, in which notes or rests are entered one at a time. However, other [input modes](#) are also available

:After exiting the [New Score Wizard](#), your new score will consist of a series of measures filled with measure rests



:As you enter notes in a measure, the measure rests are changed to appropriate rests to fill the remainder of the measure



:Notes of different durations on the same beat are entered by using [voices](#)



Basic note entry

This section introduces you to the basics of entering notes and rests [in step-time](#) from a *computer keyboard*. It is also recommended that you work through the tutorial, "Getting Started: An introduction to note entry in MuseScore". This is available from the [Start Center](#)

Step 1. Select a starting position

Select a starting position for note input by clicking on a note or rest, or [selecting a measure](#), with the mouse. If you don't select a starting point, the cursor automatically defaults to the beginning of the score when you enter **Note Input** mode. ("Step 2" [below](#))

Step 2. Enter Note Input mode

:To enter **Note Input** mode, use either of the following options

- .(Click on the "N" icon (on the extreme left of the **Note Input** toolbar
- .Press N on your computer keyboard

:To exit **Note Input** mode, use any of the following options

- .Press N
- .Press Esc
- .Click on the toolbar "N" button

Step 3. Select a duration

:Still in **Note Input** mode, select a note duration using either of the following

- .(Click on a corresponding note icon in the **Note Input toolbar** (directly above the document window



- .(Enter the keyboard shortcut for that duration (see [below](#))

Step 4. Enter the note or rest

To enter a note pitch from A–G, simply press the corresponding letter on your computer keyboard or place it using
 .(your mouse/touchpad (and a 'normal' left-click
 .To enter a rest, press 0 (zero) or right-click your mouse •

This method of entry also works if you are *not* in Note Input mode—as long as you have a note/rest selected, or the score
 .(is newly-created (in which case note entry will default to the beginning

Select a note/rest duration

:The following keyboard shortcuts are used to select note/rest duration in Note Input mode

- 64th** (hemidemisemiquaver): 1 •
- 32nd** (demisemiquaver): 2 •
- 16th** (semiquaver): 3 •
- Eighth** (quaver): 4 •
- Quarter** (crotchet): 5 •
- Half** (minim): 6 •
- Whole** (semibreve): 7 •
- Double whole** (breve): 8 •
- Longa**: 9 •
- (Dot: .** (changes the selection into a dotted note/rest •

.See also: [Tuplets](#)

Additional durations

Double, triple and quadruple dots: Apply from the note input toolbar in the advanced workspace; or via a custom
 .[shortcut](#)

.**128th** note (quasihemidemisemiquaver): Ditto •

256th, 512th or 1024th durations: First enter a 128th note (or longer), then half it as many times as needed using
 .the shortcut Q

Input devices

:Music notation can be entered by

- .[Computer keyboard](#) •
- .[Mouse](#) •
- .[MIDI keyboard](#) •
- .[Virtual Piano Keyboard](#) •
- .Any combination of the above •

Computer keyboard

This section expands on "[Basic note entry](#)" (see above) and introduces you to the full range of commands available for
 .entering notes or rests from the computer keyboard

Enter notes/rests

You can enter a **note** by typing the corresponding letter on your keyboard. Thus, after entering Note Input mode, type: 5 C
 .D E F G A B C



Note: When you enter a note using the keyboard, MuseScore places it closest to the previous note entered (above or
 .(below

.To enter a **rest**, type "0" (zero). Thus, after entering Note Input mode, type: 5 C D 0 E



.**Note:** The duration selected in the toolbar applies to both notes *and* rests

.If you want to enter a **dotted note**, press . (period/full stop) after selecting the duration

.For example, after entering Note Input mode, type: 5 . C 4 D E F G A



.If you want to enter a triplet (such as a triplet): see Tuplets

.If you want to write music with two or more simultaneous lines of independent melody on the same staff, see Voices

Move notes up/down

:To move a note up or down by a semitone

.Press the ↑ or ↓ arrow •

:To move a note up or down diatonically

.↓+Press Alt+Shift+↑ Or Alt+Shift •

:To move a note up or down by one octave

.(↓+Press Ctrl+↑ (Mac: Cmd+↑) Or Ctrl+↓ (Mac: Cmd •

Add accidentals

When a note is moved up or down with an arrow key (see above), any accidental required is automatically generated by the program. Accidentals can also be added manually—see Accidentals

Chords

:If you want to add a chord note *above* your previous entry

.Press and hold shift, then enter a note from A to G •

:Thus, typing C, D, Shift+F, Shift+A, E, F results in



:To add a note at a specific interval above or below one or more notes

.1;Ensure that one or more notes are selected .1

.2;Use one of the following options .2

o;From the menu, select Add → Intervals and choose an interval from the list o

o Press Alt+1-9 for intervals *above* (intervals *below* are also possible by adding relevant shortcuts to the list in o

o.(Preferences

Note: To create chords with notes of different durations, you will need to use more than one voice

Insert notes

Normally, when you enter music in MuseScore, any existing notes or rests are overwritten. There are, however, several ways to *insert* notes

• Insert extra measures into the score

• Cut and paste a section of the score forward, then enter music into the gap

• To insert a note, press Ctrl + Shift (Mac: Cmd + Shift) + the note name (A to G). This will insert a note of the selected duration and move the rest of the notes to the right in the same measure. If the measure exceeds the duration of the time signature, the blue plus will appear above the measure as in Insert Mode

Delete notes

To delete a single note

• (Select the note and press Del (Mac: Backspace

To delete a chord

- .Press Esc to ensure that you are in Normal mode .1
- .Press shift and click on a note to select the chord .2
- .(Press Del (Mac: Backspace) .3

.The delete command can also be applied to a range of notes/chords

Keyboard shortcuts

:Here is a list of useful editing shortcuts available in Note Input mode

- .(# Up): Increase the pitch of a note by a semitone (uses) ↑ •
- .(b Down): Decrease the pitch of a note by a semitone (uses) ↓ •
- .Alt+1-9: Add interval (unison to ninth) above current note •
- J: Change a note up or down to its enharmonic equivalent (e.g. D# to Eb). This alters the spelling in both concert •
- pitch and transposed modes. See Accidentals
- Ctrl+J (Mac Cmd+J): Change a note up or down to its enharmonic equivalent. This alters the spelling only in the •
- current mode. See Accidentals
- Alt+Shift+↑: Increase the pitch of a note using key signature •
- Alt+Shift+↓: Decrease the pitch of a note using key signature •
- R: Repeat the last entered note •
- Q: Halve the duration of the last entered note •
- w: Double the duration of the last entered note •
- Shift+Q: Decrease duration by a dot (for example, a dotted quarter note/crotchet becomes a quarter note/crotchet and •
- (a quarter note/crotchet becomes a dotted eighth note/quaver
- Shift+W: Increase duration by a dot (for example an eighth note/quaver becomes a dotted eighth note/quaver and a •
- (dotted eighth note/quaver becomes a quarter note/crotchet
- Backspace: Undo last entered note •
- (Shift+←: Exchange last entered note with the note before it (repeat to keep moving note earlier •
- Shift+→: Exchange note moved with Shift+← with the note that follows it •
- (X: Flip direction of note stem (can be reset to Auto position in Inspector •
- (Shift+X: Move note head to opposite side of stem (can be reset to Auto position in Inspector •
- (Ctrl+Alt+1-4: Switch to corresponding voice •

Mouse

.It's easy to enter notes with the mouse, but it is not the fastest way to enter lots of notes

- .Click on the desired note duration symbol in the Note input toolbar .1
- .Click on the score to add a pitch of the selected duration .2
- .To *add* more notes to an existing chord, simply repeat step 2 .3
- .To *replace* an existing chord (rather than adding to it), press shift before clicking .4
- .To add a rest, right-click .5

Note: If you hover the cursor over the score in Note Input Mode it will show you a preview of the note or rest you are about to add

MIDI keyboard

.You can also insert pitches using a MIDI keyboard

- Connect your MIDI keyboard to the computer and switch the former on .1
- (Start MuseScore (this must be done **after** the keyboard is switched on) .2
- Create a new score .3
- Click the rest (selecting it) in measure 1 to indicate where you want note input to begin.4
- Press N to enter note input mode .5
- Select a note duration such as 5 for quarter notes (crotchets), as described above .6
- .Press a note on your MIDI keyboard .7

The pitch should be added to your score. If the pitch does not appear, either use the toolbar and click 'Toggle MIDI Input' or follow these steps

- (...From the menu, select Edit → Preferences... (Mac: MuseScore → Preferences) .1
- ."Click on the Note Input tab and check "Enable MIDI Input" .2
- .Click OK to exit. You will need to restart MuseScore to apply the change .3

Note: The default method of entry, Step-time allows you to enter one note at a time. Other note input modes are also available: see Note input modes

If you have multiple MIDI devices connected to your computer, you may need to inform MuseScore which is the MIDI keyboard

- (...From the menu, select Edit → Preferences... (Mac: MuseScore → Preferences) .1

- 1. Click on the I/O tab and select your device under the section labeled "MIDI input"
- 2. Click OK to exit. You will need to restart MuseScore to apply the change

Virtual Piano Keyboard

You can also input notes using the on-screen **piano keyboard**

- **(To toggle the display on and off)** Press P (or select View → Piano)
- **To resize the keyboard:** Position the mouse pointer over the piano keys, hold down ctrl (Mac: Cmd) and move the mouse scroll wheel up (larger) or down (smaller)


The method of note entry is similar to that for a MIDI keyboard

- 1. Ensure that you are in Note Input mode
- 2. To enter a

- **Single note:** Click on the appropriate piano key
- **Chord:** Select the note you wish to add to, press and hold shift, then click on a piano key (in versions before 2.1, use Ctrl (Mac: Cmd). Repeat as required

Note input modes

MuseScore offers a variety of note input modes in addition to Step-time. All can be accessed by clicking the small arrow next to the "N" button on the left of the Note Input toolbar



- (Step-time (default)): The default mode of note entry. See Basic note entry (above)
- Repitch: Replace pitches without changing rhythms
- Rhythm: Enter durations with a single click or keypress
- Real-time (automatic): Perform the piece at a fixed tempo indicated by a metronome beat
- Real-time (manual): Perform the piece while tapping a key or pedal to set the beat
- Insert: (Called "Timewise" until version 3.0.2) Insert and delete notes and rests within measures, automatically shifting subsequent music forwards or backwards

Coloring of notes outside an instrument's range

Depending on the skill of the musician, certain notes are considered beyond the range of a particular instrument. For informational purposes, MuseScore *optionally* colors notes red if they are outside the range of a "professional" player, and olive green/dark yellow if outside the range of an "early amateur." The colors appear on the computer screen, but not on printed copies



To enable/disable note coloration and to set "professional" and "amateur" ranges, see Usable pitch range (Staff properties: all staves)

Small notes/small noteheads

- 1. Select the note(s) you want in small size
- 2. Check the "Small" checkbox in the Inspector. The one in the Note section is used to only change the size of the individual notehead; the one in the Chord section will change the note head, stem, beam, and flag sizes all together

By default, the small size is 70% of the normal size. You can change that setting in Format → Style... → Sizes

Change notes or rests already entered

Change duration

Version 3.3.3 and above

.Make sure you are in Normal mode .1
Select one or more notes/rests, or note-stems/hooks. Apply the desired duration shortcut (listed above), or click on the .2
.equivalent duration icon in the toolbar

Prior to version 3.3.3

.Make sure you are in Normal mode .1
Click on a note or rest. Apply the desired duration shortcut (listed above), or click on the equivalent duration icon in the .2
toolbar

Note: Increasing the duration will overwrite the notes or rests that follow it; decreasing the duration will add rests between
.it and the notes or rests following

:For example, to change three sixteenth rests into a single dotted eighth rest

- .1 .Click on the first sixteenth rest
- .2 .Hit 4 to turn it into an eighth rest
- .3 .Hit . to turn it into a dotted eighth rest

.As the duration increases, it overwrites the other two sixteenth rests following it

Change pitch

:To change the pitch of a single note

- .1 .Make sure that you're not in note input mode and that you have no other notes selected
 - .2 :Select the desired note and use any of the following methods
 - o ;Drag the notehead up or down with the mouse
 - o ;(Press the keyboard arrows: ↑ (Up) or ↓ (down)
- Type a new note letter name (A...G). Use Ctrl+↓ or Ctrl+↑ to correct the octave, if necessary (Mac: Cmd+↓ or
o .Cmd+↑). This will automatically turn on note input mode

.To change the enharmonic spelling of a note, select it and use the `j` command. For more information, see [Accidentals](#)

.To change the pitches of a passage of music by a constant interval, you can use [Transposition](#)

To change the pitches of a passage of music to a different melody, while keeping the rhythm unchanged, use [Re-pitch](#)
.mode

If your score contains a lot of misspelled accidentals, you might try the Respell Pitches command (see [Accidentals](#):
.(Respell pitches

Change voice

.To change one or more notes to a different voice, see [Voices](#)

Change rest to note and vice versa

:To change a rest to a note of the same duration

- .1 .(Make sure you are not in note input mode (press Esc to exit
- .2 .Select the rest
- .3 .Enter the desired pitch by entering a note letter, A–G

:To change a note to a rest of the same duration

- .1 .(Make sure you are not in note input mode (press Esc to exit
- .2 .Select the note
- .3 .(Press 0 (Zero)

Note properties

- .To adjust the horizontal position of a note/chord: see [Offset notes](#) •
- To edit note properties in general (spacing, offset, size, color, notehead direction, playback etc.): see [Inspector and](#) •
[object properties](#)
- To adjust the layout of all notes in the score: see [Layout and formatting](#), especially the sections about [notes](#), •
[accidentals](#) and [tuplets](#)

See also

- [Note input modes](#) •
- [Drum notation](#) •
- [Tablature](#) •
- [Tuplet](#) •
- [Voices](#) •
- [Shared noteheads](#) •
- [Preferences](#) •

External links

- [\(How to enter a chord](#) ↗ (MuseScore HowTo •
- [\(How to enter a rest](#) ↗ (MuseScore HowTo •
- [\(How to span a stem over two staves](#) ↗ (MuseScore HowTo •
- [\(How to add cue notes](#) ↗ (MuseScore HowTo •
- [Video tutorial: MuseScore in Minutes: Lesson 3 - Note input](#) ↗ •
- [Video tutorial: MuseScore in Minutes: Lesson 4 - MIDI Keyboard Input](#) ↗ •
- [Video tutorial: MuseScore in Minutes: Lesson 5 - More Input Ideas](#) ↗ •
- [Video: Semi-Realtime MIDI Demo Part 1: New note entry modes](#) ↗ •
- [Video tutorial: Musescore Quicktips: Note Entry](#) ↗ •

Edit mode

Edit mode allows you to perform a wide range of editing operations on individual score elements, such as

- .Adjust the length and shape of slurs, lines, barlines etc •
- .Add, delete and format text in text objects •
- .(Adjust the position of *most* score elements (but not text) •

Enter edit mode

MuseScore versions 3.4 and above

:For lines, hairpins, slurs, note-stems, note-beams, and barlines, use one of the following methods

- .Click on an element •
- .Right-click on an element and, from the menu, select **Edit Element** •

:For other elements, use one of the following methods

- .Double-click an element •
- .(Click on an object already selected (*text-based objects only*) •
- .Right-click on an element and, from the menu, select **Edit Element** •
- .Click on an element and press **Alt+Shift+E** •

MuseScore versions prior to 3.4

:Use one of the following methods

- .Double-click an element •
- .Right-click on an element and, from the menu, select **Edit Element** •
- .Click on an element and press **Alt+Shift+E** •

Exit edit mode

:To exit Edit mode use any of the following

- .Press **Esc** •
- .Click on a blank area of the document window •

Text

.For text edit mode, see [Text editing](#)

Lines

.See [Lines: Change length](#), and [Adjust slur](#)

Notes

Offset notes

Sometimes it is necessary to shift a note to the right or left—to avoid a collision with another element or to override
:automatic notehead sharing for example

Press the arrow key in the direction (left or right) that you wish to nudge the note (or use Ctrl+← or Ctrl+→ for larger
;Enter Edit mode on the desired note .1
;(adjustments
.Press the Esc key. This will allow the note stem to be redrawn .3

.Alternatively, you can select the notehead and change the "Horizontal offset" (under "Chord") in the Inspector

Adjust note stem length

;Enter Edit mode on the desired note stem .1
;Use keyboard shortcuts (below) to extend or shorten the stem .2
.Exit edit mode .3

.Alternatively, you can select the stem and change the "Length Offset" (under "Stem") in the Inspector

To *reposition* a note stem, you should select it and adjust the "X" or "Y" setting for the "Offset" under "Automatic
.placement" in the "Element" section of the Inspector

Keyboard shortcuts

In **Edit mode** the following keyboard commands can be used to change the position of either (1) a **score element** (e.g.
:(.ornament, accidental etc.) or (2) an **adjustment handle** (e.g. slur, line etc

.Move left 0.1 staff space :← •
Move right 0.1 staff space :→ •
Move up 0.1 staff space :↑ •
Move down 0.1 staff space :↓ •
Ctrl+← (Mac: Cmd+←): Move left one staff space •
Ctrl+→ (Mac: Cmd+→): Move right one staff space •
Ctrl+↑ (Mac: Cmd+↑): Move up one staff space •
Ctrl+↓ (Mac: Cmd+↓): Moves down one staff space •
Alt+←: Move left 0.01 staff space •
Alt+→: Move right 0.01 staff space •
Alt+↑: Move up 0.01 staff space •
Alt+↓: Move down 0.01 staff space •

:The following commands only apply to **adjustment handles**

.Shift+←: Move end handle's **anchor** left by one note/rest •
.Shift+→: Move end handle's **anchor** right by one note/rest •
.Tab: Go to next handle •


.To undo all edits, ensure you are *not* in edit mode and press Ctrl+R

See also

Text editing •
Slur •
Bracket •
Line •
Beam •
Hairpin •

Palettes

A **Palette** is a folder containing musical symbols which can be applied to the score. Musescore's default palettes contain
collections of related symbols, but you can customize palettes to display almost any kind of symbol, line or text. Palettes
.form the main part of a workspace



Musescore comes with two sets of *preset* palettes: a **Basic** and an **Advanced** set (contained in similarly-named workspaces). But that is only the start. You can add your own symbols and text either to the existing palettes or to palettes you create in new workspaces. In other words, *you can customize each workspace to exactly meet your particular scoring needs*. See Customize palettes

View or hide the Palette area

The default position of the Palette area is to the left of the document window. To view or hide it

- From the menu, select `View → Palettes`, or use the keyboard shortcut `F9`

To undock the Palette area

- Click the double-chevron symbol (circled in the image above), or double-click the top bar of the panel

To re-attach the panel, double-click on the top bar again. See Side panels for more information

Open/close a palette

- Click on the arrow next to the palette name, or double-click the palette name (in versions prior to MuseScore 3.3, *click once* on either the arrow or the palette name)

Symbols assigned to the palette are shown in a grid below the palette name. If you have customized one of Musescore's default palettes, clicking **More** will show any symbols you have deleted

Single Palette mode

If you only want one palette open at a time, right-click at the top of the workspace and check the `Single Palette` box. Any opened palette will now close when you open a different one

Apply symbols from a palette

Versions 3.4 or above

- Select one or more score elements, then click the desired palette symbol. Or, drag and drop the symbol onto the desired score element in the staff

Versions prior to 3.4

- Select one or more score elements, then *double-click* the desired palette symbol. Or, drag and drop the symbol onto the desired score element in the staff

If you are dragging a symbol to the score and decide you don't want to apply it, press `Esc`

.Tip: To prevent accidental rearrangement of contents during use, right-click a palette name and uncheck **Enable Editing**

You can search for symbols or palette names by typing in the **Search** box at the top of the list. As you type, symbols and/or palettes with names matching your keystrokes are displayed below, updating continuously as your typed input changes. Displayed symbols can come from any palette, which makes this a powerful way to locate symbols without visually searching through various palettes

.Symbols can be applied directly from the search results as described above

.To restore the list of palette names, which is temporarily hidden by the search results, click **X** in the search box

.Anything added to the score from a palette can be copied, pasted, and duplicated: see [Copy and paste](#)

Customize the palette list

Change the order of palette names in the list

.Drag the name of a palette up or down to any desired position •

Create a new palette

At the top of the palette list, click **Add Palettes** → **Create custom palette**. Or, right-click anywhere on the list of palette names .1
.and choose **Insert New Palette**

.Type the name of the new palette in the **Create Palette** dialog .2

.See [Customize palettes](#) to learn how to add symbols to the new palette

Hide a palette from the list

Hiding a palette depends on whether it is one of MuseScore's default palettes or one you created yourself using the .method above

:To hide a MuseScore default palette

.Right-click the name of the palette you want to hide and click **Hide Palette** •

:To hide a palette you created

.Right-click the name of the palette you want to hide, click **Hide/Delete Palette**, then click **Hide** in the dialog •

Show a hidden palette in the list

.Click **Add Palettes** at the top of the palette list and click **Add** beside the palette name •

Delete a palette

.Only palettes you created yourself can be deleted

.Right-click the name of the palette you want to delete, click **Hide/Delete Palette**, then click **Delete permanently** in the dialog •

You cannot delete MuseScore's default palettes. If you don't intend to use a default palette, hide its name from the list .instead

Customize palettes

You can modify any MuseScore default or user-created palette. Symbols may be added or deleted and layouts can be .rearranged

From MuseScore 3.3 onwards, all preset palettes in the Basic and Advanced workspaces can be customized directly (if .(you are using a previous version you will need to [create a new workspace](#) first

:Before customizing a palette

Right-click on the palette name and make sure that **Enable Editing** is checked. It is automatically checked for new .1
.palettes you create yourself

.Make sure the palette is opened .2

Add an existing score element to a palette

Press and hold **Ctrl+Shift** (Mac: **Cmd+Shift**), then drag the score element from the score onto a palette. The score •
.element could be a symbol, line, text, dynamic, fretboard diagram, [imported image](#) etc

Add a symbol to a palette from the Master Palette


- 1. If the Master Palette is not visible, select View → Master Palette from the menu, or use the keyboard shortcut Shift+F9 (Mac: fn+Shift+F9).
- 2. Drag the symbol from the Master Palette window onto a palette.

Change symbol order in a palette

- Drag the symbol to the cell in which you wish to display it. Nearby symbols will automatically move to make space available.

Change the position and size of a symbol in a palette cell

- Right-click the cell and click Properties. The following dialog is displayed



- *Name*: The tooltip that appears when you mouse over the cell
- *Content offset X, Y*: Adjusts the position of the symbol in the cell
- *Content scale*: Makes the symbol appear larger or smaller in the cell
- *Draw staff*: Draws the five lines of a musical staff behind the symbol

Note: Changing these values only affects the appearance of symbols within the palette. It does not change their sizes or offsets on the score page.

Remove a symbol from a palette


- Right-click the symbol and click Delete. Or, select the symbol and click the trash icon to the right of the palette name

The **More** command functions differently in a user-created palette. It displays one palette at a time from the palette list, allowing you to add symbols from that palette by dragging or by selecting an item and clicking Add to. Use < and > to step through the palettes in the list.

Palette menu

The following menu appears either by right-clicking the name of a palette or by clicking the .. to the right of the name

- *Hide Palette*: Removes the name of the palette from the list of available palettes
- *Hide/Delete Palette*: Allows you to either hide or permanently delete a palette you created yourself. Shown in place of the above menu item
- *Insert New Palette*: Creates a new empty palette. Identical to Add Palettes → Create custom palette
- *Enable Editing*: Allows you to modify the contents and layout of the palette
- *Reset Palette*: Discards any customizations made to a palette and restores its default contents and layout
- *Save Palette...*: Saves the current palette as an .mpal file
- *Load Palette...*: Loads a palette from an .mpal file and displays the palette name in the list
- *Palette Properties...*: Displays the following dialog, where you can adjust the appearance of a palette



- .Name: The name shown in the palette list ◦
- .Cell Size: Width, Height: The dimensions of each individual cell in the palette ◦
- .Element Offset: Adjusts the vertical offset of all symbols in the palette ◦
- .Scale: Makes all symbols in the palette appear larger or smaller ◦
- .Show grid: Draws a border around each palette cell ◦

Behavior of applied text and lines

If the symbol you are adding to the score from a palette contains text element (e.g. staff text, dynamic, fingering, volta etc.), then properties such as font type, font size, text color and alignment will adapt according to the following rules

.Text properties which have not been altered by the user will adopt the relevant text styles .1

Custom text properties—those changed by the user before saving the symbol to a custom palette—remain as .2
.customized


By contrast, the line properties of lines applied from a palette *always* remain unchanged (i.e. as set by the user before .(saving to a custom workspace, or as predefined in the Basic/Advanced workspaces

See also

- [Master palette](#)

Workspaces

The **workspace** consists of several components, the main one being the palette area situated to the left of the document .window



.Each **palette** is a folder containing musical symbols (usually related) which can be applied to the score

To open or close a palette: Click on the arrow next to the palette name, or double-click the palette name (in •
(versions prior to MuseScore 3.3, click *once* on either the arrow or the palette name

:To view or hide the palette area of the workspace

• .Press, F9; alternatively, from the menu, select **View** → Palettes

MuseScore provides two preset workspaces: **Basic** (the default option) and **Advanced** (a version with more palettes and symbols). These contain symbols drawn from the various sections of the Master palette. In addition, you can create your .(own custom workspaces (below

Switch between workspaces

:Use one of the following methods

- Select a new workspace from the drop-down menu to the right of the Note Input Toolbar (in versions prior to 3.3. this .(is located at the bottom of the workspace panel
- .From the menu, select **View** → Workspaces, and click on one of the options


Docking/undocking

.To dock or undock a workspace, see [Side panels](#)

Create a new workspace

:To create a new workspace

- ;(Select an existing workspace (use the [Switch between workspaces](#) option if required) .1
- :Click the + button (next to the dropdown list), which displays the following dialog .2



- ;Note: this can also be opened from the menu: View → Workspace → New .3
- ;Enter a name for the new workspace .3

:Tick the components that you want joined to the workspace, namely .4

Toolbars: Allows you to customize the tool button display and the order in which they are displayed. Access .1
this via View → Toolbars → Customize toolbars .2

Menu bar: Allows you to change the menus and menu items displayed in the Menu bar. NOT IMPLEMENTED .3
;YET .4

GUI components: Saves information with the workspace about the position of the GUI (Graphical user .1
;(interface) components, and whether they are open or not. (e.g. Inspector, Timeline .2

GUI Preferences: Saves the preferences selected for the GUI elements in Edit → Preferences, such as Theme .1
;and Canvas settings .2

.Press Save. The new workspace is added to the panel .5

Edit a workspace

Note: In versions prior to MuseScore 3.3, only *new* workspaces can be edited—the Basic and Advanced workspaces are .1
presets only. See [Create new workspace](#) .2

.To change the **palette display**: see [Palette menu](#) •

.To change the **palette contents**: see [Custom palettes](#) •

To change the overall **workspace display**: Select View → Workspace → Edit. This displays a window with the same .1
(options as the [Create New Workspace](#) dialog (above .2

Save custom workspace

Any changes you make to the workspaces are automatically saved to the program (no further action required). Each .1
:custom workspace is saved as a separate file in a folder called "workspaces." Its location is as follows .2

- (Windows:** C:\Users\[USERNAME]\AppData\Local\MuseScore\MuseScore3\ (actually %LOCALAPPDATA%\MuseScore\MuseScore3 •
- MacOS:** ~/Library/Application Support/MuseScore/MuseScore3 •
- Linux:** \${XDG_DATA_HOME:-~/local/share}/MuseScore/MuseScore3 •

See also

- [Palettes](#) •
- [Master palette](#) •

Inspector


Displaying the Inspector

:The **Inspector** appears by default on the right of your screen. To show or hide it

.(From the menu, select View and check or uncheck Inspector; alternatively, use the shortcut F8 (Mac: fn+F8) •

:To undock the **Inspector** panel

.Click the double-chevron symbol or double-click the top bar of the panel •




.To re-attach the panel double-click on the top bar again. See also:[Side panels](#)


What the Inspector does

When you select any object in the score window, its properties are automatically displayed in the **Inspector** where they can be edited. Multiple elements can also be selected and edited together—as long as they are of the same type. However, if the selected objects are of *different* types, then the Inspector restricts you to editing color, visibility, and automatic placement only.

Reset to style default" and "Set to style" buttons"

:When you select a score object, two types of buttons are clearly visible on the right-hand side of the Inspector


Reset to style default . Press this button to reset a particular property to the default value—i.e. the one shown in the [Style menu](#)

Set as style: . Press this button to make the value of a particular property the new default for the style. This will update the [Style menu](#) and all other objects governed by that style

Note: You can also edit styles directly from the [Style menu](#)

Inspector categories

Properties are conveniently listed under **categories** in the Inspector. **Categories** can be identified by their bold lettering. For example, if you select a barline, you will see the following displayed at the top of the Inspector



:For details of the various categories and their properties, see below

Element

All score elements—except frames, breaks and spacers—display this category in the Inspector when selected. The options are as follows

- Visible:** Uncheck this box to make selected elements **invisible**; alternatively, use the shortcut v (toggle). Invisible elements do not appear in the music when printed out or exported as a PDF or image. If you still want them to remain on display in the document window, make sure that the "Show Invisible" option is selected in View → Show Invisible. Invisible elements will then be colored light gray
- Color:** Click on the rectangle to open a "Color Select" dialog. Adjust the color and opacity of selected elements
- Automatic placement:** See [Automatic placement](#)
- Minimum distance:** Minimum distance from other elements when automatic placement is enabled
- Offset X/Y:** Allows you to position selected elements exactly (in terms of space units). A positive number moves the elements right or down; a negative number moves the elements left or up. [Snap to grid](#) buttons are also provided
- Stacking order (Z):** See [Automatic placement: Stacking order](#)


Element Group

This category is displayed only when you have selected a mixture of different types of elements, and allows editing of .color, visibility, and automatic placement only

Segment

Leading Space: Use this to increase or decrease the space before an element. This also affects any associated .lyric syllables

Chord



Offset X/Y: This changes the position of every note in the same voice as the selected note(s). If you want to make .(changes to the position of *just one note*, use the Element category instead

- .**Small:** Make noteheads and stem small
- .**Stemless:** Make chord stemless
- .**Stem direction:** Choice of Auto, Up, or Down

Note

This category allows you to make changes to selected notes (but for note position—seeElement). It contains the following properties


Small: Make notehead smaller (you can specify the relative size of all small notes from the menu *Format → Style... → (... Sizes*

- .**Head group:** See Notehead groups
- .**Head type:** See Notehead types
- .("Mirror head: Position notehead to the left or right of the stem (default is "Auto
- .**Fix to line:** When ticked, the note is fixed to the top line of the standard 5-line staff
- .**Line:** A positive number moves the "fixed" note down; a negative number moves it upwards
- .**Play:** Unticking this box silences the note
- .**Tuning:** Adjust tuning of note to the nearestcent
- .**Velocity type:** Sets the MIDI velocity of notes directly. Choose one of two options
- .**Offset:** Make the value shown in "Velocity"*relative* to the previous dynamic marking ○
- .**(User:** Make the value shown in "Velocity"*absolute* (i.e. the MIDI velocity is *unaffected* by dynamic markings ○
- .**Velocity:** Set the MIDI velocity according to the option displayed in "Velocity type

Select

:This category appears differently according to the selection you have made

If you select a notehead, the "Select" category displays buttons which allow you to easily switch the selection to the .(stem, beam, hook, duration dot (or dots) or tuplet number associated with the notehead (see image below



If you select a range of measures, the "Select" category allows you to select either *all notes, grace notes, or rests*

Beam

This section is displayed in the Inspector when you select one or more notebeams, and allows you to make fine .adjustments to beam position and angle, and also change the spacing of beamed notes

Clef

.This section appears when you select a clef: the tick box allows you to turn on/off the display of a preceding courtesy clef



Articulation

:This category appears when you select an [articulation or ornament](#). The following options are available

- **.Direction:** Whether the symbol points up or down: only applicable to certain symbols
- **.Anchor:** The vertical placement of the symbol
- **.Play:** Turn on/off playback effect
- **.Time stretch:** Only applicable to fermatas. Allows you to vary the pause in playback
- **.Ornament style:** A choice of default or Baroque playback

Fretboard diagram

.See [Fretboard diagrams](#)

Line

.This category is displayed when a [line](#) is selected. Here, you can set various general properties

- **.Visible:** Hide or display just the line: any text remains visible
- **.Allow diagonal:** The default is horizontal (unticked). Tick if you want to edit the line to create a slope
- **.Line color/thickness/style:** Set various properties of the line

Text Line Details

This category is displayed when a [line](#) is selected. It allows you to set the wording of a line, edit text properties, set line hooks, and align the text in relation to the line

- **Begin hook / Height:** At the beginning of the line, specify None, 90° (vertical), 45° (angled), or 90° centered; set hook length
- **.End hook / Height:** Ditto for the very end of the line
- **Begin Text / Continue Text / End Text:** Refers to text at the very beginning of the line; at the beginning of any continuation line; or at the end of the very last line. All have the same properties, as follows
 - **.Text:** Create or edit the text associated with the line
 - **.Font face / Size / Style:** Set the [text properties](#), and/or edit the [text style](#) of the line
 - **.Align:** Set the horizontal and vertical alignment of the text in relation to the line
 - **.Placement:** Place the text on (Above/Below), or to the left of the line
 - **.Offset X / Y:** Adjust the x and y offsets for exact positioning

Properties dialogs

Some object types have additional properties. These are accessed by right-clicking on the object and choosing a "... properties" option from the context menu. The settings available in these dialogs are explained in the description of the object type in [Notation](#) or [Advanced topics](#):See

- [Articulations and ornaments](#)
- [Time signatures](#)
- [Staff and system text](#)
- [Measure operations](#)
- [Staff/Part properties](#)

See also

- [Note input](#)
- [Layout and formatting](#)
- [Parts](#)

Measure operations

.(**Note:** To ensure that [inserted](#) or [appended](#) measures display correctly, [multimeasure rests](#) should be set to off (toggle M

Select

Single measure

- .To [select](#) a single measure, click on a space within the measure

Range of measures

- .To select a continuous range of measures, see [Shift + click selection](#) and [Shift selection](#)

Insert

Insert an empty measure into the score

:Use one of the following options

- .(Select a measure or a frame, then press **Ins** (Mac: **Shift+I**)
- .Select a measure or a frame, then choose from the menu: **Add → Measures → Insert Measure**

Insert multiple measures

:Use one of the following options

- .Select a measure or a frame, then press **Ctrl+Ins** (Mac: **Shift+Del+I**); fill in the "Number of measures to insert" field and press **OK**
- .Select a measure or a frame, then choose from the menu: **Add → Measures → Insert Measures...**; fill in the "Number of measures to insert" field and press **OK**

Append

Append an empty measure to the end of a score

:Use one of the following options

- .(Press **Ctrl+B** (Mac: **Cmd+B**))
- .Select from the menu: **Add → Measures → Append One Measure**

Append multiple measures to the end of a score

:Use one of the following options

- .Press **Alt+Shift+B**; fill in the "Number of measures to append" field and press **OK**
- .Select from the menu: **Add → Measures → Append Measures...**; fill in the "Number of measures to append" field and press **OK**

Remove

Remove a single measure

- .Select the measure .1
- .(Press **Ctrl+Del** (Mac: **Cmd+Del**)) .2

Remove a range of measures

- .Select a range of measures .1
- .(Press **Ctrl+Del** (Mac: **Cmd+Del**)) .2

Note: In multistaff scores, measure deletion also removes all corresponding measures in the other staves of the system

Remove empty trailing measures

:To automatically remove any blank measures from the end of the score

- .From the menu, select **Tools → Remove empty trailing measures**


Delete measure contents


:(To delete *only* the measure contents (and not the measure itself)

- .Select one or more measures .1
- .Press **Del** .2

Properties

...To edit the properties of a measure, right-click an empty part of the measure and select **Measure Properties**




.You can use the  buttons, at the bottom left of the dialog, to navigate to the previous or next measure

Staves

- **.Visible:** Check/uncheck to show/hide notes and staff lines for the selected measure
- **.Stemless:** Check/Uncheck to show/hide all note stems for the selected measure

Measure duration

This section of the dialog allows you to adjust the duration of a single measure independently of the displayed time signature. Use it to create a **pickup measure** (also known as *anacrusis* or *upbeat*), **cadenza**, **ad lib** section etc



- **.Nominal** is the *apparent* time signature and cannot be edited
- **.Actual** can be set to anything you like regardless of the *nominal* time signature

Example: In the image below, the quarter note *pickup measure* has a *nominal* time signature of 4/4, but an *actual* time sig. of 1/4. The measures in the middle are in normal 4/4 time. The complementary measure at the end of the staff, with a dotted half note, has an *actual* time sig. of 3/4



Note: A small - or + sign appears above the measure when its duration is different than indicated by the time signature (see image below). *This does not appear in any printed or PDF copy.* You can turn off these marks by unchecking "Mark Irregular Measures" in the View menu. Pressing Ctrl+Del on a note or pause also reduces the duration of the measure, while via insert mode you can increase the duration of the measure



Other

Exclude from measure count

- **Exclude from measure count:** Tick to exclude the selected measure from measure numbering (e.g. a pickup (measure

Break multimeasure rests

Break multimeasure rests: Tick to prevent a multimeasure rest at the start of the selected measure. This option should be checked *before* turning on "*Create multimeasure rests*" in Format → Style... → Score. The default program .setting for scores is *OFF*; for parts is *ON*

Note: Multimeasure rests are broken, by default, at important breaks—such as rehearsal marks, time signature changes, double barlines, irregular measures, etc

Measure number mode

:This allows you to control whether and how measure numbers display on the selected measure

- .Auto:** Follows the setting in Format → Style... → Measure Numbers
- .Always Show:** Forces display of number
- .Always Hide:** Hides number

Layout stretch

.Layout stretch: Controls the amount of horizontal space between score elements (notes, rests, etc)

.This setting allows a more precise degree of control than offered by the Increase/Decrease Stretch ({ and }) commands

Add to measure number

"Add to measure number": Enter a positive or negative number to change the number of the selected measure, and subsequent measures. A value of "-1" has the same effect as marking a measure to be excluded from measure .count

Play Count

Play count: If a measure precedes an end repeat barline, this value controls the number of times that the entire .repeat section plays back: see also, Repeats and jumps

Numbering

By default, MuseScore numbers the first measure of each System (except for the first measure in a section), but other .numbering options are available: see Format → Style... → Measure Numbers

Split and join

To make a measure longer or shorter in duration—without changing the time signature—you can adjust its Measure Properties (above). But it is also possible to join or split measures

Join measures

:Method A. To join *two measures only*

.Select the barline between the two measures and press Ctrl+Del

:Method B. To join *any number of measures*

.Select the measures you want to join .1

.From the menu bar, select Tools → Measure → Join Selected Measures .2

Notes: (1) If you select measures on only one staff in a score with multiple staves, the same measures will be joined in each staff of the system. (2) Beaming may be automatically modified. (3) If you have generated parts already, this option .is disabled

Split a measure

:Choose one of the following methods

- .Select a note; then hold Ctrl and click a barline in a palette (double-click in versions prior to 3.4)
- .Hold Ctrl and drag a barline (from a palette) to the note that starts the next measure
- .Select a note; then, from the menu bar, select Tools → Measure → Split Measure Before Selected Note/Rest

.Note: If you select only one note from one staff, each staff of the system will be split at the same place

External links

(How to span a measure over multiple systems) (MuseScore HowTo, 1.x)

- (How to delete measures) (MuseScore HowTo)
- (How to get scores without time signature (and clef)) (MuseScore HowTo)

Voices

A **voice** is a musical line or part which can have its own rhythm independently of other voices on the same staff. Voices are sometimes called "layers" in other notation software.

You can have up to 4 voices on each staff line. In a polyphonic measure, **voice 1** (and 3) usually takes the *up-stem notes* and **voice 2** (and 4) takes the *down-stem notes*.



N.B. Be careful not to confuse the concept of MuseScore voices (1, 2, 3, 4) with the order of voices found in SATB vocal scores.

- In **Open score SATB** (where four staves are used for the four voices), use (MuseScore) voice 1 in each staff
- In **Close/Closed score SATB** (where two staves are used for the four voices, e.g., as in hymnals), use only (MuseScore) voices 1 and 2 for both upper and lower staves
- There is no need to use (MuseScore) voices 3 and 4 unless there are more than two parts in the same staff. This means that in the bass clef of a "close score", the tenor is voice 1 and the bass is voice 2—beginners often without thinking assign the bass to 1, resulting in stem-direction confusion, or assign tenor to voice 3 and bass to voice 4, (which then leads to confusing rests appearing in voice 1 (which cannot be deleted

How voices are displayed

Selecting a section of the score highlights each voice in a different color: voice 1 blue, voice 2 green, voice 3 orange and voice 4 purple.



When to use voices

- If you need stems pointing in opposite directions within a chord, on a single staff
- If you need notes of different durations within a single staff, played simultaneously

How to enter notes in different voices

The following instructions show you how to notate a passage of music in two voices.

Enter voice 1 notes first: Make sure you are in *note input mode*: the Voice 1 button becomes highlighted in blue in the toolbar.



Enter the notes in the top voice first. On inputting, some notes may have down-stems, but these will flip automatically when the second voice is added.

The following excerpt shows a treble staff with just the voice 1 notes entered.



Move cursor back to start of section: When you have finished entering a section of voice 1 notes, press the `-` key repeatedly to move the cursor, note-by-note, back to the first note of the section; or alternatively use `Ctrl+←` (Mac: `Cmd+←`) to move the cursor back one measure at a time. Or else you can simply exit *note input mode* (press `.Esc`) and click directly on the first note.

Enter voice 2 notes: Make sure you are in note-input mode and that the voice 1 note at the beginning of the section is selected. Click on the "Voice 2" button (on the right of the toolbar), or use the shortcut `Ctrl+Alt+2` (Mac: `.(Cmd+Alt+2)`). Enter all the lower voice notes (down-stem

The following image shows the above example after the addition of voice 2 notes.



Deleting and hiding rests

All rests can be made invisible, if required: select the desired rest(s) and press v, or uncheck the "Visible" checkbox in the Inspector. Rests in voices 2, 3 or 4 (but *not* voice 1) can also be deleted (by selecting them and pressing Delete) but it is not recommended: make them invisible instead

A voice 1 rest can only be deleted by removing that part of the measure from the score as well: see Remove selected (range); or Delete measure(s)

Restoring deleted rests

If a rest has been deleted in voices 2-4, you will need to restore it before you can enter a note on that beat in that voice (the problem may arise, for example, in imported XML or MIDI files). The easiest way to fix such a measure is to exchange that voice with voice 1 twice. For the exact method, see Exchange voices of notes (below)

Exchange voices of notes

:To swap the notes between any two voices

1. Select one or more continuous measures (or arrange of notes)
2. From the Menu bar, select Tools → Voices
3. Select the option for the two voices you want to exchange

Notes: (a) The selection can encompass content of any voice, but only two will be processed at once. (b) If you select a partial measure the operation will still apply to the whole measure

(Move notes to another voice (without swapping

:You can also move notes from one voice to another (without note-swapping

1. Ensure you are not in note input mode
2. Select one or more noteheads (in any voice)
3. Click on the destination voice in the Note Input toolbar or use the shortcut Ctrl+Alt+1-4 (Mac: Cmd+Alt+1-4)

Note: For a successful move, the following conditions need to be met

- The chord in the destination voice must be the same duration as the note to be moved there
- Alternatively, if the destination voice is occupied by a rest, it must be of sufficient duration to accommodate the moved note
- Notes should not be tied

Navigate between voices

:To select a note in a *higher*-numbered voice than the current one

1. Use Alt + ↓, to move the selection to the bottommost note in the current voice
2. Press Alt + ↓, to move to the higher-numbered voice
3. Repeat any of the above steps, as necessary, until the desired note is selected

:To select a note in a *lower*-numbered voice than the current one

1. Use Alt + ↑, to move the selection to the topmost note in the current voice
2. Press Alt + ↑, to move to the lower-numbered voice
3. Repeat any of the above steps, as necessary, until the desired note is selected

See also

- Keyboard shortcuts: Voices
- Noteheads: Shared noteheads

External links

- (How to merge/combine/implode two staves in one with two voices) (MuseScore HowTo)
- (How to input multiple notes on a staff with different durations) (MuseScore HowTo)
- Video tutorial: How To Write Two Parts On One Staff: Voices

Copy and paste

MuseScore supports standard **copy**, **cut**, **paste** and **swap with clipboard** operations. These commands can be applied to a range of

- **Musical notes:** e.g. to repeat a section of music, or shift a passage by a beat or a measure
- **Other score elements:** such as articulations, staff text, dynamics, fingering etc

Copy/cut/paste/swap commands are accessed in three ways

- (From the **Edit menu** (above the document window) (Mac: the MuseScore menu
- From the menu displayed by **right-clicking** on an element or range of elements
- Using one of the standard **keyboard shortcuts**

Summary of commands

Main menu	Right-click menu	Kbd Shortcut (Mac)	Kbd Shortcut (Win)	Command
Edit → Cut	Cut	Cmd+X	Ctrl+X	Cut
Edit → Copy	Copy	Cmd+C	Ctrl+C	Copy
Edit → Paste	Paste	Cmd+V	Ctrl+V	Paste
Edit → Swap with clipboard	Swap with Clipboard	Cmd+Shift+X	Ctrl+Shift+X	Swap with clipboard

Note: Before carrying out a copy, cut, paste or swap procedure, you should be in normal mode. Press the Esc key to exit into normal mode

Notes

You can cut, copy, paste or swap notes as follows

Copy or cut

To copy/cut a single chord

1. Hold down shift and click on a note in the chord
2. (Apply a **Copy** or **Cut** option (see [table](#) above)

To copy/cut a range of chords

1. Click on the first note or measure that you want to select
2. Shift+Click on the last note or measure that you want to select. A blue rectangle highlights the region you selected
3. (Apply a **Copy** or **Cut** option (see [table](#) above)

Paste

1. Click on the note or measure where you want your pasted selection to begin
2. (Apply a **Paste** option (see [table](#) above)

Swap with Clipboard

The **swap with clipboard** operation combines two commands into one: (1) First it overwrites a selected part of the score with the contents of the clipboard, just like the *paste* command; (2) Secondly, it transfers the overwritten part of the score back to the clipboard, just like the *copy* command

It can be used, for example, to swap two equal-length sections of a score, **A** and **B**

1. Select section **A**, then apply the **cut** command
2. (Clear the selection (by pressing Esc or clicking on a blank area of the document window
3. Press shift and click on a note at the start of section **B**. Or, if **B** begins at the start of a measure, you can also simply select the measure
4. (Apply a **Swap with clipboard** option (see [table](#) above
5. Section **B** is now in the clipboard. **Paste** it back to the blank area of score left by step "1"

Copy pitch of a single note only

It is possible to copy the *pitch* of a note *only* (and no other properties), by clicking on the notehead and applying the standard copy and paste, or copy and swap procedure. The pitch of the destination note changes to match that of the copied note but the duration remains the same

Other elements

Some elements such as staff text, dynamics, fingering, etc. can be cut, copied and pasted *only one at a time*. However, other elements support "multiple-selection" cut/copy/paste: such as articulations (sforzato, staccato etc.), fretboard diagrams, and chord symbols

Note: The Swap with clipboard command is only intended for use with sections of music and not other score elements

Copy or cut

- .(Select the element (or elements) .1
- .(Apply a **Copy** or **Cut** option (see table above) .2

Paste

- .Click on the note where you want your pasted selection to begin .1
- .(Apply one of the **Paste** options (see table above) .2

In the case of articulations, they are pasted to the destination notes in exactly the same order (continuous or intermittent) as they were in the initial selection

Quick repeat

:To quickly copy and paste a note, measure, or passage

- .Select a chord, measure, or passage as described above .1
- . Press R .2

MuseScore copies and pastes the selected notation to a point immediately after the last note in the selection. Any existing music in the destination range is replaced

Duplicate

:To instantaneously copy and paste a text element, line, or other object

- .Hold down Ctrl+Shift (Mac: Cmd+Shift), click on the element and drag it anywhere in the score .1
- .Release the mouse button, and the selected element is cloned to the new location .2

(Paste half/double duration (version 3.1 and above

These commands allow you to copy/cut a section of the score, then paste it back anywhere with all the note durations either halved or doubled

- .;In Normal mode, select a range of notes in the score .1
- .;Cut or copy the range .2
- .;(Select a destination note (or measure) .3
- .;From the menu, select one of the following .4
- .(Edit → Paste Half Duration (Mac: MuseScore → Paste Half Duration) ◦
- .(Edit → Paste Double Duration (Mac: MuseScore → Paste Double Duration) ◦


Selection filter

.The **Selection Filter** allows you to choose *exactly* which voices and elements you want to include in your selection

.To display the Selection filter, press F6 (Mac: Fn+F6); or from the menu, choose View → Selection Filter •

The Selection Filter appears by default below the Palettes. To change the viewing location, see Viewing and Navigation: Side panels

Example: Suppose you want to copy measures 1 and 2 in the following passage (see image), to give measures 3 and 4



- ;(Make sure the Selection Filter is displayed (see above) .1
- ;(Uncheck the "Articulations & Ornaments" and "Slurs" tickboxes) .2
- .(Copy and paste the desired measures (in this example, 1-2 into 3-4) .3

Note: The Selection Filter works with the swap with clipboard command as well

See also

.If you want to change notes without altering the rhythm, you may combine re-pitch mode with copy and paste

External links

- ([How To Paste Special - Changing note duration](#) [↗] (MuseScore HowTo) •
- [Video tutorial: Lyrics, copying & dynamics](#) [↗] •

Selection modes

Objects in the score—such as notes, measures, articulations etc.—can be selected in several ways: (1) one at a time, (2) as a continuous range, or (3) as a list

.Selection is invariably used before applying commands such as delete, copy/cut and paste, transpose and so on

Select a single object

.Most score objects can be selected by simply clicking on them in Normal mode

Select a single note

- .In Normal mode, click on a notehead •

Note: Selecting a single note then copying and pasting it, will only copy and paste the pitch—not duration or other properties (such as stemless). To copy the entire note, including all properties, you need to hold down Shift—as for chord selection (below)

Select a chord

- .In Normal mode, press and hold Shift, then click on a notehead in the chord •

Select a single measure

- .Click on a blank space within the measure •

.(**Note:** To select a range of consecutive measures, see Shift selection and Shift + click selection (below)

Select an overlapping element

- :To select an element from a group of overlapping elements
- .Hold Ctrl and click until the desired element is selected •

Select a continuous range of objects

:.There are several ways to select a continuous range of notes, chords or measures etc

Shift + click selection .1

:To select a range of **notes** or **rests**

- .1 ;Make sure you are in Normal mode
- .2 ;Click on the first note or rest in the range
- .3 .Press and hold shift, then click on the last desired note or rest

Note: The final selected element can be in the same staff or in staves above or below the initial note/rest. All selected elements will be enclosed in a blue rectangle, including associated lines and articulations (but not voltas). You can repeat the operation to extend the selected range as required

(Select chord symbols, lyrics etc. (as of version 3.5

As of MuseScore 3.5, the shift + click method has been refined to make it easier to select a continuous range of items such as chord symbols, lyrics etc. For example

- .1 .Click on the first chord symbol in the desired range
- .2 .Shift + click on the last chord symbol in the range

.Result All chord symbols in that range are selected, and nothing else

Select a range of measures

- .1 ;Click on a blank space in the first desired measure
- .2 .Hold down shift, then click on a space in the last measure of the desired range

Note: As with selecting notes, the range can be extended vertically as well as horizontally

Shift selection .2

- .1 ;Make sure you are in Normal mode
- .2 Select the first note, chord, rest or measure in the range. You can extend the selection up or down to adjacent staves, if needed, using Shift+↑ or ↓
- .3 :Then choose one of the following options
 - .→+To advance the selection one chord at a time to the right: PressShift
 - .←+To advance the selection one chord at a time to the left: Press Shift
 - .(→+To advance the selection one measure at a time to the right: PressShift+Ctrl+→ (Mac: Shift+Cmd
 - .(←+To advance the selection one measure at a time to the left: PressShift+Ctrl+← (Mac: Shift+Cmd
 - .(→+To advance the selection to the beginning of the line: PressShift+Home (Mac: Shift+Fn
 - .(→+To advance the selection to the end of the line: PressShift+End (Mac: Shift+Fn
 - .(←+To extend the selection to the beginning of the score: PressShift+Ctrl+Home (Mac: Shift+Cmd+Fn
 - .(←+To extend the selection to the end of the score: PressShift+Ctrl+End (Mac: Shift+Cmd+Fn

Drag selection .3

This method can be used to select notes or rests, or, independently, to select non-note symbols such as staccato dots, :lyrics etc

- .Press and hold shift, then drag the cursor across the desired range

Select All .4

This method selects the *whole* musical score including notes, rests and associated elements. Use one of the following options

- .(Press Ctrl+A (Mac: Cmd+A
- .From the menu bar, select Edit → Select All

Select section .5

:This method is used to select a **section**—a region of the score starting and/or ending with a section break

- .1 ;Click on an empty space in a measure in the section
- .2 .From the menu bar, select Edit → Select Section

Selection Filter .6

The Selection Filter allows you include or exclude certain types of elements within a range selection. See Copy and paste: Selection filter

Select a list of objects

:To select a *list* (or discontinuous range) of score elements

- .1 ;Click on the first element
- .2 .Hold down Ctrl (Mac: Cmd) and successively click on the desired additional elements

Note: This method cannot be used to select measures. Use single or range selection instead

(Modify an existing selection (as of version 3.5

:You can also use the Ctrl + click method to add to, or subtract from, an existing selection. For example

- .1 .Make a selection in the score using any of the methods above
- .2 .To add a non-selected element to the selection, press Ctrl and click on it. Repeat as required
- .3 .To remove an already-selected element from the selection, press Ctrl and click on it. Repeat as required

Select all similar

:(To select all elements of a specific type (e.g., all barlines, all text elements, all staccato markings


- .1 ;Select an element
- .2 ;...Right-click and choose Select
- .3 ;Several options are available

All Similar Elements: Selects all elements in the score similar to the chosen object

All Similar Elements in Same Staff: Selects all elements in the same staff similar to the chosen object

All Similar Elements in Range Selection: only applies if a range has been selected. Selects all elements in the range similar to the chosen object

More...: opens a dialog that lets you fine-tune more options. For example, if you have a notehead selected, the dialog will look something like this



Select

- ;Same notehead: In this example, only noteheads of the same group will be selected
- ;Same pitch: Only noteheads of the same pitch will be selected
- .Same string: (tablature only) selects fretmarks on same string
- ;Same type: All noteheads (of any group) will be selected
- ;Same duration: Only noteheads of same duration will be selected
- ;Same note name: Noteheads of that name in all octaves will be selected
- .Same staff: Only noteheads on the same staff will be selected
- .Same voice: Selects all notes of same voice
- :In selection
- :Same system

Action

- ;Replace selection: The default option—starts the selection from scratch
- ;Add to selection: Keeps everything you have already selected, and adds the current selection to it
- :Search in selection
- .Subtract from selection: Keep everything you have already selected, but takes away the current selection

What selections are useful for

Copy and paste •

- [Edit mode](#)
- [Inspector and object properties](#)
- [Tools](#)

See also

- [Basics](#) chapter, esp. [Note input](#)
- [Notation](#) chapter, esp. [Accidental](#)
- [Text](#) chapter, esp. [Text editing](#) and [Grid-based movement of symbols and staff text](#)

Undo and redo

MuseScore remembers an unlimited number of undo/redo actions

The standard [shortcuts](#) are

- (Undo Ctrl+Z (Mac: Cmd+Z)
- (Redo Ctrl+Shift+Z or Ctrl+Y (Mac: Cmd+Shift+Z)



:Or use the toolbar buttons

Viewing and navigation

This chapter describes the options available in the **View** Menu, and in the **Zoom** and **Page View/Continuous View** menus (located in the toolbar above the score). It also details the various navigation commands and functions

View menu

Show sidebars/panels

- [Palettes](#): F9
- ([Master palette](#): Shift+F9 (Mac: Fn+Shift+F9)
- ([Inspector](#): F8 (Mac: Fn+F8)
- ([Play Panel](#): F11 (Mac: Fn+F11)
- [Navigator](#)
- [Timeline](#): F12
- ([Mixer](#): F10 (Mac: Fn+F10)
- [Synthesizer](#)
- ([Selection filter](#): F6 (Mac: Fn+F6)
- [Piano keyboard](#): P
- [Score comparison tool](#)

Zoom in/out

:There are several ways to zoom the score in or out

:Keyboard shortcut •

- (++) Zoom In: Ctrl++ (Mac: Cmd ◦
- .(-+ Zoom Out: Ctrl+- (Mac: Cmd ◦


:View menu •

- Zoom In: View → Zoom In ◦
- .Zoom Out: View → Zoom Out ◦

Mouse •

- (Zoom In: Scroll *up* with the mouse wheel while holding downCtrl (Mac: Cmd ◦
- .(Zoom Out: Scroll *down* with the mouse wheel while holding downCtrl (Mac: Cmd ◦

- **Drop-down menu:** To set a specific zoom, use the dropdown menu in the standard toolbar to set the view "magnification of the score (25–1600 %) or display it using the options "Page Width", "Whole Page", or "Two Pages




.You may type a custom zoom % into the dropdown field if your desired zoom level isn't available by default

.(To return to 100% zoom: Use the shortcut Ctrl+0 (Mac: Cmd+0) •

Toolbars

.The **Toolbar** area is located between the **Menu bar** and the **document window**



:It contains the following toolbars

- **.File Operations:** New score, Load score, Save, Print, Undo, Redo
- **.Zoom/Page View**
- **.Playback controls:** Enable MIDI, Rewind, Play/Stop, Loop, Play Repeats, Metronome
- **.Concert Pitch:** Displays score in written or concert (sounding) pitch
- **.Image Capture:** Allows you to take a snapshot of part of the score
- **.(Note Input:** Note entry mode, Duration, Tie, Rest, Accidentals, Flip stem direction, Voice (1, 2, 3, 4

Show/hide toolbars

:To show or hide certain toolbars


.Select View → Toolbars, and tick/untick the options as required •

Alternatively, right-click on an empty space in the toolbar area, or the title bar of the Inspector, and, from the menu, •
 .check or uncheck the required options

Note: This option also allows you to show or hide the Timeline, Score Comparison Tool, Script Recorder, Piano Keyboard, •
 .Selection Filter, and Drumset Tools

Customize toolbar area

"...Select View → Toolbars, and click on "Customize Toolbars" •



The dialog shows the toolbars that can be customized on the left, the current tool buttons for the selected toolbar in the middle, and the buttons that can be added on the right. When you have selected a toolbar in the left panel, you can do any •
 :of the following actions

- → **Remove a toolbar:** Select the button in the middle panel, and press
- ← **Add a toolbar:** Select the button in the right panel, and press
- **Move a toolbar:** Select the button in the middle panel, and move it up or down using

(Note: The toolbar cannot be customized unless a custom workspace is selected (see below

Workspaces

Select this option to create a custom workspace or to edit an existing workspace


Show Status bar

The **Status bar**, at the bottom of the screen, gives information about selected score elements. Tick/untick this option to display or hide

Split display

It is possible to split the document display so as to view two documents at once, or to view two different parts of the same document. Tabs allow you to choose which document to display in each view. You can drag the barrier separating the two scores to adjust the amount of space in the window devoted to each

- **Documents Side by Side:** Divides the window vertically into two score views
- **Documents Stacked:** Divides the window horizontally into two score views, one above the other



Visibility options

This section allows you to display or hide various non-printing elements

- **Show Invisible:** View/hide elements that have been made invisible for printing and export. If this option is ticked, invisible elements are shown in the score window as light gray
- **Show Unprintable:** View/hide breaks and spacer symbols
- **Show Frames:** View/hide the dotted outlines of frames
- **Show Page Margins:** View/hide Page Margins

Mark irregular measures


A dash at the top right of a measure indicates that its duration differs from that set by the time signature

Full screen

Full Screen mode expands MuseScore to fill your screen so more content is visible

Page/Continuous View

You can switch between different views of the score using the drop-down list in the toolbar area



To scroll the score

- **Vertically:** Move the mouse wheel up or down
- **Horizontally:** Press Shift and move the mouse wheel up or down

Page View

In **Page View**, the score is formatted as it will appear when printed or exported as a PDF or image file: that is, page by page, with margins. MuseScore applies system (line) and page breaks automatically, according to the settings made in Page settings and Style.... In addition, you can apply your own system (line), page or section breaks

(To choose between **horizontal** or **vertical** page scrolling, see Preferences: Canvas (Scroll pages

Continuous View

In **Continuous View**, the score is shown as one unbroken system. Even if the starting point is not in view, measure numbers, instrument names, clefs, time and key signatures will always be displayed on the left of the window

Note: Because the layout is simpler, MuseScore may perform faster in Continuous View than Page View

Single Page View

In **Single Page View** the score is shown as a single page with a header but no margins, and with an infinite page height. System (line) breaks are added automatically, according to the settings made in Page settings and Style.... In addition, you can apply your own system (line) or section breaks

Side panels

The **workspaces**, **Inspector** and **Selection filter** are conveniently displayed as **side panels** to the left and right of the score window. To undock a side panel use one of the following methods

- Drag the panel
- Click on the double chevron at the top of the panel
- Double-click in the title area at the top of the panel

To dock a panel use one of the following procedures

- Drag the panel to the top/bottom of an existing side panel and it will stack vertically above/below that panel
- Drag the panel to the middle of an existing side panel and it will overlay that panel. Both panels can then be accessed by tabs

Alternatively, double-clicking the title bar of the panel will restore it to its previously docked position

Navigation


Commands

Various commands are available to help you navigate more easily through the score. These are listed under Keyboard shortcuts: Navigation

Navigator

The **Navigator** is an optional panel which displays page thumbnails of the score at the bottom or to the right of the document window

To view or hide the Navigator, select View → Navigator; or use a customized shortcut



The Navigator appears at the bottom of the document window if scrolling pages horizontally; or on the right if scrolling pages vertically (see Preferences: Canvas

The blue box represents the area of the score that is currently visible in the document window: drag the box, or click directly on the navigator panel to bring another part of the score into view. You can also drag the scrollbar

Timeline

The **Timeline** panel provides a detailed overview of the score, with expanded possibilities for navigation and interaction

To display the **Timeline**, press F12; or select View → Timeline

.For details, see [Timeline](#)

Find / Go to

The **Find / Go to** function allows you to speedily navigate to a specific measure, [rehearsal mark](#) or page number in the score.

.Press Ctrl+F (Mac: Cmd+F), or select Edit → Find. This opens the **Find (or Go to) bar** at the bottom of the workspace .1
:Use one of the following options .2

- To go to a numbered measure:** enter the measure number (counting every measure, starting with 1, ^o .(irrespective of [pickup measures](#), [section breaks](#) or manual changes to measure number offsets
- To go to a numbered page:** enter the page number using the format pXX (where XX is the page number ^o .
- To go to a numerical rehearsal mark:** enter the number using the format rXX (where XX is the name of the ^o .(rehearsal mark
- To go to a rehearsal mark starting with a letter:** enter the name of the [rehearsal mark](#) (the search is case ^o .(insensitive

N.B.: It is best to avoid naming rehearsal marks with the single letters "R," "r," "P", "p," or one of these letters with an integer (e.g. "R1" or "p3"), as this can confuse the search algorithm

See also

- [Save/Export/Print](#) •
- [File format](#) •
- [Layout and formatting](#) •

Concert pitch

You can choose to display the score in either **written** or **concert** (sounding) pitch. Written pitch displays the score as it *should* look when printed for musicians to read. However, during preparation you may prefer the convenience of seeing the [transposing instruments](#) notated as *they sound*, without transposition. In this case you should select the "Concert pitch" option

:To toggle the score display between **written** or **concert** pitch

Press the Concert Pitch button (located in the top right of the [toolbar](#) area). When this button is highlighted the score is ^o .in concert pitch

Before printing the score, exporting it to PDF or saving it online, you should ensure that the Concert Pitch button is **off**, and ^o .that the individual parts are correctly transposed

See also


- [Transposition: Transposing instruments](#) •
- [Accidental: Respell pitches](#) •

External links

- [\(Concert pitch ↗ \(Wikipedia article](#) •
- [\(Transposing Instrument ↗ \(Wikipedia article](#) •
- [\(Concert pitch or not? ↗ \(MuseScore forum discussion](#) •

Open/Save/Export/Print

:In the **File** menu you can find options for opening, saving, exporting and printing your file



Open

Apart from native format files (*.mscz and *.mscx), MuseScore can also open MusicXML, compressed MusicXML and .MIDI files, as well as a variety of files in other formats

:To open any supported file

:Choose one of the following options .1

.Press Ctrl+O ◦

.Click on the "Load score" icon on the left side of the toolbar area ◦

....From the menu bar, select File → Open ◦

.Select a file and click Open; or simply double-click a file .2

.**Open recent** allows you to choose from a list of recently-opened scores

Save

.(**Save**, **Save As...**, **Save a Copy...** and **Save Selection...** allow you to save native MuseScore files (.mscz and .mscx

.**Save**: Save current score to file •

.**Save As...**: Save current score to new file •

.**Save a Copy...**: Save current score to new file, but continue to edit original file •

.**Save Selection...**: Save selected measures to new file •

Save Online...: To save and share your scores on the web at [MuseScore.com](https://musescore.com) . For details, see [Share scores online](#) •

Export

Export... allow you to create non-MuseScore files, such as PDF, MusicXML, MIDI, and various audio and image formats. In the **Export** dialog, you can choose which format to export to

.**Export...**: Export current score to format of your choice •

.MuseScore remembers which format you picked the last time and makes that the default for the next time

Print

Print... allows to print your MuseScore file directly to a printer from MuseScore. Depending on your printer you will have .different options, but generally you can define the page range, number of copies and collation

If you have a PDF printer installed, you could also "export" to PDF using **Print**, but it's usually better to use the native PDF option under Export for more accurate rendition. **Note**: For this to work properly with Adobe PDF, make sure to uncheck ."Rely on system fonts only, do not use document fonts" in Printer properties

See also

- [File format](#)
- [Part extraction](#)

Share scores online

[Musescore.com](https://musescore.com) allows you to

- View and listen to scores from a large repository created by the MuseScore community
- Download any score in a variety of formats—MuseScore, MusicXML, PDF, MIDI, MP3
- Upload your own scores: control whether to share them publicly or privately (via a secret link)
- Synchronize your score with a YouTube video ("Videoscores")

Note: A MuseScore Pro account is required for all scores not marked as PD (Public Domain) or "Original" work, the latter must also have the approval of the score owner


Create an account

1. Visit [MuseScore.com](https://musescore.com) and click on "Create new account". Pick a username and enter a valid email and press "Create New Account".
2. Wait a few minutes for an email from MuseScore.com support. If no email arrives, check your spam folder.
3. Click the link in the email and visit your [user profile](#) to change your password.

Share a score directly from MuseScore


To save a score online

1. Make sure that the Concert Pitch button is **off**, and that the individual parts are correctly transposed.
2. From the menu, select File → Save Online.... The "Log in to MuseScore" dialog will appear.




Enter your email address or MuseScore username, and password, then click OK. **Note:** If you don't have a MuseScore account yet, create one first by clicking on the "Create an account" link. That will open your browser app and bring you to musescore.com/user/register


4. Upon successfully logging in, you'll be able to enter your score information



- . **Title:** The title of the score
 - . **Description:** The descriptive text that will appear next to it
 - . **Make the score private:** If ticked, the score can only be viewed via a private link. If unticked, the score is visible to all
 - . **License:** Choose an appropriate copyright license from the drop-down list. **Note:** [Creative Commons license](#), allows people to use your scores under certain restrictions
 - . **Tags:** You can add **tags** to help identify scores on MuseScore.com. Use commas to separate multiple tags
- If the score already exists online, it will be updated automatically—you can add additional information in the changelog section of the dialog if required. This can be retrieved on MuseScore.com under "Revision history" for that score. Uncheck **Update the existing score** to save online as a new score



If you are using a different [SoundFont](#) than the default one and if you are able to export [MP3 files](#) (may not be the case on some Linux versions), a checkbox **Upload score audio** will be visible



If the checkbox is checked, MuseScore will render the audio of the score using the current [synthesizer](#) settings and upload the audio to MuseScore.com

Upload a score on MuseScore.com

You can also upload a score to MuseScore.com itself

- . Click the [Upload link](#) on MuseScore.com
- . You have the same options as with the Save Online menu
- . You also have access to more information, such as **Genre**

Edit a score on MuseScore.com

If you want to make changes to one of your scores on MuseScore.com, edit the MuseScore file on your own computer, save it, and then do the following

- If you originally shared the score directly from within MuseScore, simply go to File → Save Online... again to update the online score
- If you originally uploaded the score via the Upload page [↗](#) on MuseScore.com, then you must follow these steps to update the online score
 - Go to the score page on MuseScore.com
 - Click the three dots menu [⋮](#) on the right and choose "Update this score"
 - In the form, you can upload a replacement score file as well as change the accompanying information and privacy settings

Switch to the direct method of updating an online score

It is much more convenient to update online scores from directly within MuseScore than by updating the score manually from the score page. Follow these steps if you originally uploaded the score via the Upload page [↗](#) and now want to switch to the direct method

- Go to the score page on MuseScore.com and copy the URL
 - Open the score file on your computer with MuseScore
 - From the menu, select File → Score Properties... and paste the URL into the "Source" field
- ...Now whenever you want to update the online score simply go to File → Save Online

External links

- [\(How to delete a score saved on MuseScore.com\) ↗](#) (MuseScore HowTo)
- [Score download becomes a part of the Pro subscription ↗](#)
- [Download becomes a part of the Pro subscription ↗](#)

Notation

In the previous → "Basics" chapter you learned how to enter notes and interact with the palettes. The "Notation" chapter describes the different types of notation in more detail, including more advanced music notation

."See also → "Advanced topics"

Barlines

A range of barline symbols for most ordinary purposes can be found in the **Barlines** palette (Basic workspace); repeat barlines, only, are also available in the **Repeats & Jumps** palette (Basic and Advanced). Additional symbols can be found (in the **Barlines** palette of the Advanced workspace. It is also possible to create your own custom barlines [see below](#)



Change barline type

:To change an existing barline, use one of the following

- Select a barline, or measure, in the score, then click an icon in the Barlines palette (double-click in versions prior to 3.4)
- Drag an icon from the Barlines palette onto a barline, or measure, in the score
- Select an existing barline in the score, then adjust "Style" in the "Barline" section of the Inspector

:To change a non-single to a single barline

- Select the barline and press Del

:To hide a barline

- Select the line and press v, or uncheck visible in the Inspector

Insert barline

:To insert a new barline between existing ones, either

- .Drag an icon from the Barlines palette onto a note or rest
- .(Select a note or rest, then click an icon in the Barlines palette (double-click in versions prior to 3.4

Split a measure

:You can insert a barline in order split a measure into two separate ones. Use one of the following methods

- .Press Ctrl (Mac Cmd) and drag the line from the Barline palette to the first note of the new measure
- Select the first note of the new measure and press ctrl (Mac Cmd) while you click a barline in the Barline palette
- . ((double-click in versions prior to 3.4

Note: As of version 3.1 (or earlier), all barlines entered this way are entered as Normal Barlines. See also [Split a measure](#)

Custom barlines

It is possible to create custom barlines by selecting one or more barlines, and adjusting the properties in the "Barlines" section of the **Inspector**

- .**Style:** Choose from a range of preset barlines
- .**Span to next staff:** joins the selected barline to the barline in the staff below
- **Span from:** Sets the position of the top of the barline. "0" is the top staff line. Positive numbers start lower down the staff, negative numbers above
- .("Span to: Sets the position of the bottom of the barline (see "Span from
- .**Span presets:** Use the buttons to apply preset customized barlines


.See also [Mensurstrich](#)

.Changes to color and horizontal/vertical offset can also be made in the Inspector

Connect barlines

Barlines may extend over multiple staves, as in the grand staff of a piano, or in an orchestral score to join instruments in the same section. To join barlines

.Enter Edit mode on a barline .1



Click on the lower blue handle and drag it down to the staff you wish to connect to. The handle snaps into position so there is no need to position it exactly .2

.Press Esc to exit edit mode. This will update all other relevant barlines as well .3



See also

- [Measure operations](#)
- [Repeats and jumps](#) for information on repeat barlines
- [Add fermata to barline](#)

Clefs

Commonly used **Clefs** (Treble, Bass, Alto, Tenor) can be found in the Clef palette in the Basic workspace. For a more (complete range, see the **Clefs** palette in the Advanced workspace (see image below

f



Add a clef

Add/change clef at the beginning of a measure

- .(Select a measure and click a clef symbol in the palette (double-click in versions prior to 3.4
- .Drag a clef from the palette onto a measure
- .(Select an existing clef and click a clef in the palette (double-click in versions prior to 3.4
- .Drag a new clef from the palette onto an existing clef

Add/change a mid-measure clef

- .(Click on a note, then click a clef in the palette (double-click in versions prior to 3.4
- :If a mid-measure clef is *already present* you can also
- .(Select the clef and click a clef in the palette (double-click in versions prior to 3.4
- .Drag a new clef from the palette onto the clef

Note: "Mid-staff" clefs are always smaller than the main system clef

Example: In the following image, the top staff starts with a treble clef and switches immediately to bass clef, then after a note and a rest, changes back to treble clef



Note: Changing a clef does not change the pitch of any note. Instead, the notes move to preserve pitch. If you want, you can use [Transposition](#) in conjunction with a clef change

Remove a clef

- .Select a clef and press Del

Courtesy clefs

When a clef change occurs at the beginning of a system, a **courtesy clef** will be generated at the end of the previous system

:To show or hide *all* courtesy clefs

- .1 ;From the menu, select Format → Style... → Page
- .2 ".Check/uncheck "Create courtesy clefs"

:It is also possible to show/hide courtesy clefs on a case-by-case basis

- .1 ;(Create courtesy clefs" should already be ticked in the "General" menu (see above"
- .2 .Select a clef and tick/untick "Show courtesy" in the [Inspector](#)

Hide clefs

(Display clef only in the first measure (for all staves

- .1 ;From the menu, select Format → Style... → Page

".Uncheck "Create clef for all systems .2

(Display clef only in the first measure (for a particular staff

";Right-click on the staff (Mac: Ctrl-click) , select Staff properties... and uncheck "Show clef .1
;Open the master palette and select the "Symbols" section .2

Drag and drop a clef from the master palette onto the first measure of the staff; OR select the first note and click a .3
(clef in the master palette (double-click in versions prior to 3.4

.Note: This option may be useful to TAB users who do not want the clef to repeat on every subsequent line

Hide all clefs in a particular staff

;...Right-click on the staff (Mac: Ctrl-click) , and select Staff properties .1
".Uncheck "Show clef .2

Key signatures

Standard **key signatures** are available in the Key Signatures palette in the Basic or Advanced workspaces. It is also
(possible to create custom key signatures (below



Add a new key signature

Add new key signature to *all* staves

:Use any of the following methods

- Drag a key signature from the palette onto an empty part of a measure
- (Select a measure and click a key signature in the palette (double-click in versions prior to 3.4
- (Select a note and click a key signature in a palette (double-click in versions prior to 3.4

Add new key signature to *one* staff only

:If you wish to change the key signature of *only one* staff line, leaving others unchanged

- Press Ctrl (Mac: Cmd) and hold while you drag a key signature from a palette onto a measure

Replace an existing key signature

Replace key signature for *all* staves

:Use any of the following methods

- Drag a key signature from the palette onto the key signature to be replaced (or onto the measure containing the key signature)
- (signature
- Select the key signature to be replaced, and click a new key signature in a palette (double-click in versions prior to
- (3.4

Replace key signature for *one* staff only

:If you wish to replace the key signature of only one staff, leaving others unchanged

- Press Ctrl (Mac: Cmd) and hold while you drag a key signature from a palette onto the key signature to be replaced (or
- (onto the measure containing the key signature


Remove a key signature

:Use any of the following methods

- .Click on an existing key signature and press Del
- .Drag the empty key signature ("open/atonal") from the palette (in the advanced workspace) onto the measure


Naturals on key signature changes

By default, MuseScore only shows cancelling naturals when the key signature changes to that of C Major/A minor (no sharps or flats). In all other cases, it simply shows the new key signature without cancellations



:However, you can opt to display cancelling naturals for *all* key signature changes

:From the menu, select Format → Style... → Accidentals. You'll see the options .1




.Select one of the three options .2


.If you are in a part and want the new option to apply to *all* parts, click on Apply to all parts .3

.Click OK to exit .4

:For example, selecting the option "**Before key signature if changing to fewer # or ♭**" gives




:And the option "**After key signature if changing to fewer # or ♭. Before if changing between # and ♭**" gives



Key signature changes and multimeasure rests

:Multimeasure rests are interrupted if there is change of key signature



Courtesy key signatures

:To turn off the display of a *particular* courtesy key signature

.Select the relevant key signature and untick "Show courtesy" in the "Key Signature" section of the inspector •

:To turn off the display of *all* courtesy key signatures


".From the menu, select Format → Style... → Page, and untick "Create courtesy key signatures" •

.**Note:** Courtesy key signatures are not displayed at section breaks

Custom key signatures

:To create a custom key signature

.Press shift+K to display the **Key signatures** section of the Master palette .1



In the **Create Key signature** panel, drag accidentals from the palette onto the staff above to create the desired key signature .2
 .signature. **Note:** The treble clef is only decorative—custom key signatures for any type of staff can be created here

.Use the Clear button, if required, to remove all accidentals from the "staff" .3

To move the new key signature into the library (center panel), pressAdd. To delete a key signature from the library, .4
 .right-click it (Mac: Ctrl-click) and, in the drop-down menu, selectDelete

Note: A limitation of custom key signatures is that they cannot betransposed in the usual way. If a transposition is
 .needed, or where there is a clef change, you will need to create a new custom key signature

:To move a key signature from the Master palette to acustom palette ↗

.Drag and drop the key signature onto a palette •

:To apply a key signature to the score directly from the Master palette, use one of the following methods

- .(Select a measure and click a key signature in the Master palette (double-click in versions prior to 3.4
- Drag a key signature from the Master palette onto a measure; alternatively,*to apply to one staff only*, hold ctrl (Mac: •
 .Cmd) while dragging

Accidentals

The most common types of**accidentals** are provided in the Accidentals toolbar above the score and in the Accidentals
palette in the basicworkspace

	#	b	×	bb
q	()			

.A more comprehensive range can be found in the Accidentals palette in the advanced workspace

Add accidental

:**Accidentals** are automatically added to a note, as appropriate, when you increase or decrease its pitch

• .(Increase the pitch of a note by one semitone (favors sharps :↑

• .(Decrease the pitch of a note by one semitone (favors flats :↓

To add either (i) a double flat or double sharp, (ii) a courtesy (also known as a*cautionary* or *reminder*) accidental, or (iii) a
 :non-standard accidental, use one of the following options

• .Select a note and click on an accidental in the toolbar above the score

• .(Select a note and click an accidental in the Accidentals palette (double-click in versions prior to 3.4

.Drag an accidental from the Accidentals palette on to a note •

:If you wish to add brackets to a **cautionary accidental**, use one of the following

- Select the accidental in the score and click the parentheses symbol in the Accidentals palette (double-click in versions prior to 3.4)
- .Drag the parentheses symbol from the palette onto the accidental
- .Select the accidental and choose from the **Bracket type** dropdown in the Inspector

.If required, accidentals can be deleted by clicking on them and pressing Del

Change enharmonic spelling

:To change the enharmonic spelling of a note, or notes, in both written *and* concert pitch views

.1 ;Select a note, or group of notes

.2 ;Press J

.3 .Continue pressing J to cycle through the enharmonic equivalents

:To change the enharmonic spelling in the written pitch view, without affecting the concert pitch view, or vice versa

.1 ;Select a note, or group of notes

.2 ;(Press Ctrl+J (Mac: Cmd+J

.3 .Continue pressing the same combination of keys to cycle through the enharmonic equivalents

.Note: If the pitches of selected notes are not all the same, the effect may be unpredictable

Respell pitches

• .From the menu, select Tools → Respell Pitches

See also

• Key signature: Change


External links

• Accidental [↗](#) at Wikipedia

• Enharmonic [↗](#) at Wikipedia

Time signatures

.**Time signatures** can be found in a Palette of the same name in both the Basic and Advanced workspaces



Add or replace a time signature

:Use any of the following methods

• Select a time signature, measure, note or rest, and click a time signature in a palette (double-click in versions prior to 3.4)

• .Drag and drop a time signature from a palette onto a space in a measure, or onto an existing time signature

Delete a time signature

• .To delete a time signature in the score, select it and press Del

Create a time signature

If the time signature you require is not available in any of the existing palettes, it can be created using one of the following methods

From the Time Signatures palette

- In the *Time Signatures* palette, click on "More", then, in the supplementary palette, click on the "Create Time Signature" button .1
- In the top line, enter the Numerator, Denominator, and Text (the latter is optional where you need the display to be different from the actual time signature) .2
- Adjust the default note beaming in the *Note Groups* section. To restore the default beaming pattern, press Reset .3
- Press the "Add" button to transfer the newly-created time signature to the *Time Signatures* palette .4

From the Master palette

- Press shift+T to display the **Time signatures** section of the Master Palette .1
- Select a time signature to edit in the center panel .2
- In the top line of the *Create Time Signature* panel, enter the Numerator, Denominator, and Text (the latter is optional where you need the display to be different from the actual time signature) .3
- Adjust the default note beaming in the "Note group" section". To restore the default beaming pattern, press Reset .4
- Press Add to add the newly-created time signature to the center panel. To delete a time signature from the center panel, right-click (Mac: Ctrl-click) on it and select Clear .5
- Drag and drop the time signature from the Master Palette to the *Time Signatures* palette. You can also drag the time signature direct to the score, if desired .6


Fractional time signatures

Starting in version 3.5.1 there is limited support for fractional time signatures. Only 1/2 and 1/4 are supported at this time. If your keyboard does not have the characters on them you can enter them using Alt+0189 for 1/2 and Alt+0188 for 1/4 on some operating systems. You can also copy/paste from here

Time signature properties

To display the **Time Signature Properties** dialog, use any of the following

- Select the time signature, then click on "Properties" in the "Time Signature" section of the Inspector •
- Right-click (Mac: Ctrl-click) on a time signature and select Time Signature Properties •







- Global value:** Shows the global time signature and is set automatically when you add a time signature to the score . It is the reference for beats (as shown in the status bar) and tempo markings •
- Actual value:** Shows the time signature associated with a particular staff. This is normally the same as the global time signature, but can be set independently if required. See Local time signatures •
- Appearance:** Allows you to edit the displayed text without affecting the underlying time signature. For an example, see Additive meters •
- Note Groups:** Allows you to change the default beaming of notes associated with a time signature. See Change default beaming •

Change default beaming

To adjust note-beaming for a particular time signature

Select the time signature, then "Properties" in the "Time Signature" section of the Inspector; or right-click (Mac: Ctrl-click) on the time signature and select, Time Signature Properties
 To break a note beam in the **Note Groups** panel, click on the note following it. To reset the beam, click in the same place. Alternatively, you can change beaming by dragging a beam icon onto a note, as follows

- .Start beam at this note  ○
- .Do not end beam at this note  ○
- .1/8th note beam to left of this note  ○
- .note beam to left of this note 1/16  ○

Checking the box for "Also change shorter notes," means that any beam changes at one level are applied automatically to shorter durations as well. The Reset button cancels any changes made in that session

Additive (composite) meters

Additive (or composite) time signatures are sometimes used to clarify the division of beats within a measure. To create an additive time signature

- ...Right-click (Mac: Ctrl-click) on a time signature in the score and select Time Signature properties .1
- ;In the **Appearance** section, adjust the "Text" property as required .2
- .Adjust note beaming in the **Note Groups** section if required .3

.(**Note:** The Time Signatures section of the Master palette also allows you to create additive time signatures (see above

Local time signatures

In certain cases a score may show staves with different time signatures running at the same time. For example, in Bach's :26. Goldberg Variation



In the above example, the global time signature is 3/4, but the time signature of the upper staff has been set independently to 18/16

:To set a **local time signature** for just one staff

- .Hold down Ctrl (Mac: Cmd) and drag and drop a time signature from a palette onto an empty measure •

Resize time signature

Select one or more time signatures and, in the "Time Signature" section of the Inspector, adjust the "Scale X" (width) • and "Scale Y" (height) values

Pickup measures and cadenzas

Occasionally you will need to decrease or increase the duration of a measure without changing the time signature—for example, in a pickup measure (anacrusis) or in a cadenza etc. See Measure operations: Measure duration

Time signature changes and breaks

Multimeasure rests are interrupted when a time signature change occurs. Also, a section break will prevent a courtesy time signature being shown at the end of the previous measure


See also

Key signature •

External links

Arpeggios and glissandi

Arpeggio and **Glissando** symbols can be found in the "Arpeggios & Glissandi" palette in the advanced workspace. This palette also includes strum arrows, an arpeggio bracket, wind instrument articulations, and slide in/slide out symbols



Add symbol

To add an arpeggio, glissando etc. to the score, use one of the following methods

- (Select one or more notes, then click a symbol in a palette (double-click in versions prior to 3.4
- .Drag a symbol from a palette onto a note

Adjust dimensions

To adjust the length and height of a symbol

- .Enter Edit mode for the symbol, and adjust the handles using keyboard shortcuts

Custom symbols

After selecting a symbol, various useful properties can be adjusted in the "Glissando" or "Arpeggio" section of the Inspector

Glissando

- **Show text:** Tick this box if you want the symbol to display text. Then set the wording, font-face, font-size and font-style underneath. *Note:* If there isn't enough room between notes, the text is not displayed
- **Play:** Check/uncheck the box to turn playback on or off
- **Play style:** Choose how the glissando plays back. There are four options: Chromatic, White keys, Black keys, Diatonic

Arpeggio

- **Stretch:** Increase this to lengthen the duration of the arpeggio
- **Play:** Untick if you don't want the symbol to affect playback

.If needed for future use, you can save the result in acustom palette


Arpeggios

When an arpeggio or strum arrow is added to the score, it initially spans only one voice. To change the height, see Adjust dimensions (above). *Playback* of the symbol can be turned on or off in the Inspector



(Glissandi (slides

A **Glissando** or, more informally, a **slide**, spans two consecutive notes. It may be wavy or straight, with or without text. .E.g



Adjust start and end points of a glissando

:To move an end handle vertically or horizontally, from one note to the next

.1 ;Enter edit mode on the symbol

.2 ;Click on the start or end handle

. Use Shift+↑↓ to move the handle up or down, from note to note

. Use Shift+←→ moves the handle horizontally, from note to note

Use this command to create **cross-staff glissandi**. Or to correct the positions of end handles when applying multiple glissandi to chords

Wind instrument articulations

Fall, Doit, Plop and **Scoop** symbols are provided. To change the length and curvature, select the symbol, enter edit mode and adjust the handles as described in Edit mode: Lines

Slide in/out

Slide in and **Slide out** lines can also be found in the "Arpeggios & Glissandi" palette. To edit the length and angle of a (line, double-click on it and drag the handle (or use the Inspector or keyboard arrows for finer adjustment

External links

[Arpeggio](#) at Wikipedia


[Glissando](#) at Wikipedia

Articulations and ornaments

:A comprehensive set of symbols can be found in the Articulations palette in the Advanced workspace



:(and the **Ornaments** palette (Advanced workspace



.There is also an abbreviated version of **Articulations** in the Basic workspace



Articulations

Articulations are the symbols added to the score to show how a note or chord is to be played. The principal symbols in this group are

- [Fermatas](#)
- (<) Accents
- Staccato and variations—including mezzo-staccato (portato), staccatissimo
- Tenuto
- Marcato

.Specialist articulations are also included for bowed and plucked strings, wind instruments etc

Ornaments

:Ornaments include

- Mordents, Inverted Mordents, Pralltrills
- Trills
- Turns
- [Bends](#)

.Note: **Appoggiaturas** and **acciaccaturas** can be found in the [Grace Notes](#) palette

Add articulation/ornament

:Use either of the following methods

- .(Select a [note](#) or a [range](#) of notes, then click a symbol in a palette (double-click in versions prior to 3.4
- .Drag a symbol from a palette onto a notehead

Add accidental to an ornament

:To apply an accidental to an existing ornament, such as a trill

- .1 ;Select the note to which the ornament is attached
- .2 ;Open the [Symbols section](#) of the [Master palette](#)
- .3 Search for and [apply](#) the desired accidental to the score (small accidentals can be found using the search term ;(""[figured bass](#)
- .4 .(Drag the accidental into position (or reposition using [keyboard shortcuts](#) or the [Inspector](#)

Add fermata to a barline

:Use one of the following methods

- .(Select a [barline](#), then click a fermata symbol in a palette (double-click in versions prior to 3.4
- .Drag a fermata symbol from a palette onto a barline in the score

.Note: This does not affect [playback](#)

Keyboard shortcuts

- Toggle Staccato: Shift+S
- Toggle Tenuto: Shift+N
- Toggle Sforzato (accent): Shift+V
- Toggle Marcato: Shift+O
- / : (Add [Acciaccatura \(grace note\)](#)

.Keyboard shortcuts can be customized in MuseScore's [Preferences](#)

Adjust position

Immediately after adding an articulation or ornament from a palette, the symbol is automatically selected: It can then be moved *up or down* from the keyboard as follows

- .(Press up/down arrow keys for fine positioning (0.1 sp at a time
- .(Press Ctrl+↑ or Ctrl+↓ (Mac: Cmd+↑ or Cmd+↓) for larger vertical adjustments (1 sp at a time
- .To flip a symbol to the other side of the note (where applicable), select it and press x

:To enable adjustments in *all* directions from the keyboard

- .1 ;Enter [Edit mode](#) on the symbol
- .2 Press arrow keys for fine positioning (0.1 sp at a time); or press Ctrl+Arrow (Mac: Cmd+Arrow) for larger adjustments (1 (sp at a time

You can also change the horizontal and vertical offset values in the Inspector. To position more than one symbol at a time, select the desired symbols and adjust the offset values in the Inspector

Note: The symbol can also be repositioned by clicking and dragging, but for more precise control, use the methods above

Articulation and ornament properties

:These can be edited from the **Articulation** section of the Inspector and may include

- .**Placement:** Above or below the staff •
- .**Direction:** Auto / Up / Down •
- .**Anchor:** Adjust the vertical placement of the symbol •
- .**Time stretch:** For fermatas, adjust the pause length •
- .**Ornament style:** Default or Baroque •
- .**Play:** Turn playback on or off •



.For **Bend** properties, see Bends

.You can find additional global style settings for articulations and ornaments under Articulations, Ornaments


See also

- Grace notes •

External links

- (How to create trills and ornaments with accidentals (and playback))  (MuseScore HowTo •
- Ornaments  at Wikipedia •

Bends

Bends, of various kinds, can be created with the **Bend Tool** . You can find this in the Articulations palette of the Advanced workspace. Any bend applied to the score can be customized in the **Bend** section of the Inspector

Apply a bend

:To apply one or more bends to the score, use one of the following options

- .Select one or more notes and double-click a bend symbol in the palette •
- .Drag a bend symbol from the palette on to a note •

Edit bend



Text and line properties

- .1 ;Select the bend
- .2 :Adjust the following properties in the **Bend** section of the Inspector
 - *Line thickness*
 - *Font, Size, Style*: Properties of the text
 - *Play* (checkbox): Whether the bend affects playback or not

.Global text and line properties for all bends in the score can be edited in Format → Style... → Bend


Bend shape and width

Versions 3.4 and above

- .1 .Make sure that the bend is selected
- .2 In the "Bend" section of the Inspector use the **Bend type** dropdown to choose from a range of presets. "Bend" is the default option
- .3 Make adjustments, as required, to the graphical display of the bend in the Inspector: see Edit graphical display   ((below

Versions prior to 3.4

- .1 Select the bend and click on **Properties** in the Inspector; Alternatively, right-click on the bend and select "Bend Properties"



.Choose from a range of presets under **Bend type**. "Bend" is the default option .2
 .(Make adjustments, as required, to the graphical display of the bend: see [Edit graphical display](#) (below) .3

Edit graphical display

The bend is represented by a graph consisting of gray lines connected by square, blue **nodes** (see image above). The slope of the line indicates the type of bend

- Up-slope = Up-bend •
- Down-slope = Down-bend •
- Horizontal line = Hold •

The **vertical axis** of the graph represents the amount by which the pitch is bent up or down: one unit equals a quarter-tone: 2 units a semitone, 4 units a whole-tone, and so on. The **horizontal axis** of the graph indicates the length of the bend: each gray line segment extends for 1 space (sp) in the score

:A bend is modified by adding or deleting nodes in the graph

- .To **add** a node, click on an empty intersection •
- .To **delete** a node, click on it •

Adding a node *lengthens* the bend by 1 sp; deleting a node *shortens* the bend by 1 sp. The *Start* and *End* points of the bend can be moved up and down only

Adjust height

The height of the bend symbol is automatically adjusted so that the text appears just above the staff. This height can be adjusted, if necessary, with a workaround

1. Create another note vertically above the note (shortening the line) or below the note (extending the line) at which you want the bend to start
2. Apply the bend to the created note
3. To adjust the height of the bend move this created note vertically so that the bend symbol gets the desired height
4. (Drag the bend symbol to the correct position (to the original note)
5. (Mark the created note invisible and silent (using the [Inspector](#))

Adjust position

:To adjust position use one of the following

- Drag the bend symbol with a mouse
- Click on the symbol and adjust the horizontal and vertical offsets in the [Inspector](#)
- Double-click on the symbol; or click on it and press **Ctrl+E** (Mac: **Cmd+E**); or right-click on the symbol and select "Edit element." Then use the arrow keys for fine positioning (0.1 sp at a time); or **Ctrl+Arrow** (Mac: **Cmd+Arrow**) for larger adjustments (1 sp at a time)

Custom bends

After a bend has been created in the score it can be saved for future use by dragging and dropping the symbol to a palette while holding down **Ctrl+Shift** (Mac: **Cmd+Shift**). See [Custom Workspace](#)

External links

- [Bending](#) at wikipedia •

Beams

Adjust automatic note beaming

By default, MuseScore beams notes according to settings in the **Time Signature Properties** dialog. To change this automatic pattern of note-beaming, see [Change default beaming](#)

Change beaming of individual notes

MuseScore also allows you to override the default beaming of any note, using the **beam symbols** in the **Beam Properties** palette of the "Basic" or "Advanced" [workspaces](#)



To change one or more note beams (except feathered beams, below), use one of the following methods

- Drag and drop a beam symbol from the **Beam Properties** palette onto a note or rest in the score
- Select one or more notes and/or rests in the score and click the desired symbol in the **Beam Properties** palette
- ((double-click in versions prior to 3.4

To apply feathered note beams, use either of the following methods

- Drag and drop a feathered-beam symbol from the **Beam Properties** palette onto a note beam in the score
- Select one or more note beams in the score, then click on a feathered-beam symbol in the **Beam Properties** palette
- ((double-click in versions prior to 3.4

Notes: (1) Feathered beams may use 2 or 3 lines depending on the tempo and the desired rate of the change; (2) To create a 2-line feathered beam, you need to start with a *continuous* run of beamed sixteenth notes; (3) To create a 3-line feathered beam, you need to start with *continuous* run of beamed thirty-second notes; (4) Playback of feathered beams is not supported

Beam symbols and their effects

Description	Name	Icon
.If the note is beamed to a previous note, break the beam	Beam start	
Create a beam from the selected note to the previous note (if applicable). This applies to Beam 16th sub and Beam 32nd sub as well	Beam middle	
.Break beams before and after the selected note	No beam	
.Start a second level beam at this note	Beam 16th sub	
.Start a third level beam at this note	Beam 32nd sub	
.(Apply default beaming as determined by the currenttime signature (see above	Automatic Beam	
.Start feathered beam to indicate gradually slower tempo	Feathered beam, slower	
.Start feathered beam to indicate gradually faster tempo	Feathered beam, faster	

Note: Be aware that the beam between two notes/rests is determined by both of the note/rests. For example: Two consecutive notes with a status of start beam here will not have a beam between them. If the two consecutive notes are willing to connect to each other they will beam, if one of them is not willing, the two notes will not beam

Adjust beam angle

:To adjust with the keyboard or mouse

1. Enter [edit mode](#) on the note beam—the right adjustment handle is automatically selected
2. Use the up/down arrows or drag the right end handle to change the angle of the beam
3. Press Esc to exit edit mode

:To adjust with the [Inspector](#)

1. Click on a note beam
2. Tick the "User position" box in the "Beam" section of the **Inspector**
3. Set the "Position" values to get the desired beam angle

Adjust beam height

:To adjust with the keyboard or mouse

- .1 Enter edit mode on the note beam—the right adjustment handle is automatically selected
- .2 ;Press Shift+Tab or click the left handle to select it
- .3 ;Use the up/down arrows or drag the left end handle to change the height of the beam
- .4 .Press Esc to exit edit mode

:To adjust with the Inspector

- .1 .Click on a note beam
- .2 ;Tick the "User position" box in the "Beam" section of the **Inspector**
- .3 .Set the "Position" values as desired

Make beam horizontal

- .1 Select a note beam
- .2 ;Tick the "Force Horizontal" box in the "Beam" section of the Inspector

Note: "Force Horizontal" in the "Beam" section of the Inspector can only be selected if "Custom position" has been deselected previously. This setting overrides the Custom Position values and automatically sets the horizontal bar to its original height

If you want all note beams in the score to be horizontal there is a "Flatten all beams" option in Format → Style... → Beams. If this option is not selected, automatically inclined beams will be set according to the pitch of the connected notes. This global setting can be overridden for individual beams according to the methods described above

Adjust feathered beams

:To adjust feathered beams

- .1 .Select a note beam
- .2 .Adjust the values in the "Grow left" and "Grow right" boxes in the "Beam" section of the Inspector

Local relayout

MuseScore spaces notes according to their time values, allowing for accidentals, lyrics etc. In systems where there is more than one staff, this may result in irregular note spacing, as in the following example



Local relayout is a tickbox option in the Inspector allowing you to specify those passages in the score where you want the note spacing to be independent of other staves in the system. Applying "Local relayout" to the note beams in the top staff of the previous example results in a more even distribution of notes




:To do a local relayout

- .1 .Select one or more note beams
- .2 .Tick the option **Local relayout** in the "Beam" section of the **Inspector**

Flip note beam

:To flip a beam from above to below the notes, or vice-versa

- .1 .Select one or more note beams

- .Use any of the following options .2
 - Press the x key
 - Press the "Flip direction" icon, , in the toolbar
 - Select a "Direction" option (Auto, Up or Down) in the "Beam" section of the Inspector

Reset Beam Mode

:To restore beams to the mode defined in the local time signatures

- .1 Select the section of the score you want to reset. If nothing is selected, the operation will apply to the whole score
- .2 Select Format → Reset Beams

See also

- [Cross-staff notation](#)
- [Edit mode](#)
- [Note input](#)
- [Change default beaming](#)

External links

- [\(How beams work ↗\)](#) (MuseScore Tutorial)
- [\(How to add a beam over a rest ↗\)](#) (MuseScore HowTo)
- [\(How to place a beam between notes ↗\)](#) (MuseScore HowTo)

Brackets

.(MuseScore provides **brackets** and a curly **brace** in the **Brackets palette** (Advanced [workspace](#))



.When a new score is created using a template, MuseScore automatically sets the correct brackets

Add

:To add a bracket or brace to systems, use one of two methods

- Select a measure on the staff where you want the bracket/brace to start, and click the desired icon in a palette ((double-click in versions prior to 3.4
- Drag a bracket/brace icon from a palette on to the staff where you want the bracket/brace to start

Delete

- Select the bracket and press Del

Change

- Drag the desired icon from a palette onto an existing bracket/brace in the score


Edit

:When you first apply a bracket it only spans one staff. To extend to other staves

- .1 Enter [Edit mode](#)
- .2 Drag the handle downwards to span the required staves. The handle snaps into position, so exact placement is not required

Style

The default thickness and distance from the system of brackets and braces can be adjusted in [Format → Style... → System](#)



In the **System Brackets** section, you can set the properties for the brackets in the two boxes on the left, and the properties for the braces in the two boxes on the right

Breaths and pauses

(**Breath** and **pause** markings are available in the **Breaths & Pauses** palette (Advanced workspace



Add symbol

To add a breath, or pause (aka *caesura* / "tram lines" / "railroad tracks") to the score, use one of the following options

- (Select a note or rest and click a breath or pause symbol in a palette (double-click in versions prior to 3.4
- Drag a breath or pause symbol from a palette onto a note or rest in the score

The symbol is placed *after* the note. Its position can be adjusted by editing the X and Y offsets in the Inspector, or, in edit mode, using the arrow keys

Adjust pause length

You can adjust the pause length (in seconds) of the added symbol in the Inspector

Grace notes

A **grace note** is a type of musical ornament, usually printed smaller than regular notes. The **Short grace note**, or Acciaccatura, appears as a small note with a stroke through the stem. The **Long grace note**, or Appoggiatura, has no stroke

Create grace notes

Grace notes can be found in the "Grace notes" palette in the Basic or Advanced workspace



Add a grace note

Use one of the following methods

- (Select a regular note and click a grace note in a palette (double-click in versions prior to 3.4
- Drag a grace note symbol from a palette onto a regular note
- Select a note and press / to create an acciaccatura only

This will add a grace note of the same pitch as the regular note. To add a *sequence* of grace notes to a regular note, (simply repeat the above actions as many times as required. See also, Change pitch (below

Note: When a grace note is added to the score, a slur *is not* automatically created with it, so the latter needs to be added separately. See Slurs

Add a chord of grace notes

Grace note chords are built up just like regular chords

- 1 Enter the first note of the chord as shown above
- 2 (Select this first grace note and enter subsequent notes as you would for any other regular chord (i.e. Shift+A...G

You can also create a grace note chord by using the **add interval** shortcut in step 2: Alt+1...9 for intervals from a unison to a ninth above

Change pitch

The pitch of a grace note can be adjusted just like a regular one

1. Select one or more grace notes
2. Adjust pitch using the keyboard arrow commands, namely:
 - ◀ or ▶ to increase or decrease the pitch by a semitone
 - ◀ or ▶ to increase or decrease the pitch one step at a time, according to the key signature

Change duration

Select the grace note and either click a duration icon on the toolbar, or apply the duration with the appropriate keyboard shortcut: i.e. 1...9 (see [Note input](#))

Manual adjustment

Horizontal position

To adjust the horizontal space between a grace note and its regular parent note, use one of the following

- Go into [edit mode](#) on the grace note, then use the left/right arrow keys to reposition as desired
- Select the grace note and change the X-offset value in the **Chord** section of the Inspector

Other adjustments

Various other properties of the grace note can be adjusted in the [Inspector](#) (see "[Element](#)", "[Chord](#)", and "[Note](#)" sections) —such as vertical position, size, stem properties etc. The exception is "Leading space" which only applies to standard notes

External links

- [Grace note](#) at Wikipedia
- [Appoggiatura](#) at Wikipedia
- [Acciaccatura](#) at Wikipedia

Hairpins

Hairpins are symbols used to indicate gradual changes in volume in the score. There are two kinds: **crescendo** (getting louder) and **decrescendo** (getting quieter)



Add a hairpin

1. Select a range of notes or measures
2. Use one of the following shortcuts:
 - ◀ to create a crescendo hairpin (>)
 - ▶ to create a diminuendo hairpin (<)

Alternatively, use one of the following options

- (Select a range of notes or measures, and click a hairpin in a palette (double-click in versions prior to 3.4)
- Drag and drop a hairpin from a palette onto a staff line

Adjust length and height

A hairpin is a type of [Line](#) with [playback properties](#), and its **length** is adjusted similarly

1. Enter [edit mode](#) on the hairpin. Then click on the end handle that you want to move



:Use one of the following shortcuts .2

- .Shift+ → to move the end handle, and its anchor, right by one note or rest ◦
- ;Shift+ ← to move the end handle, and its anchor, left by one note or rest ◦

:This method of extending or shortening the hairpin maintains playback integrity and allows it to cross line breaks



:To fine-tune the horizontal position of an end-handle (without changing playback), use the following shortcuts .3

- .to move the handle right by 0.1 sp → ◦
- .to move the handle left 0.1 sp ← ◦
- .Ctrl+ → (Mac: Cmd+ →) to move the handle right one sp ◦
- .Ctrl+ ← (Mac: Cmd+ →) to move the handle left one sp ◦

:To change the height of a hairpin

:(Adjust the lower handle at the mouth of the hairpin (e.g. the blue square below •



Cresc. and dim. lines

In addition to hairpins, there are *cresc.* _ _ _ and *dim.* _ _ _ lines with the same function in the **Lines** palette.
 .You can adjust the text, if desired, in the **Text Line Core** section of the Inspector

:To turn a hairpin into its equivalent text line

".Select the hairpin and, in the **Hairpin** section of the **Inspector**, select the appropriate line from "Type •

Copy hairpins

From version 3.1, a hairpin can be cut, copied and pasted just like a text element: see [Summary of cut / copy / paste commands](#)

.For versions prior to 3.1, you can only duplicate a hairpin: see [Copying lines](#)

Edit hairpin properties

:Properties of the hairpin can be edited in the Inspector, as follows

- .**Element**: Edit the Y offset to change the height of the hairpin above or below the staff •
- .**Line**: Edit line properties such as color, line style and thickness •
- .**Text line core**: Add text and set text properties •
- .**Hairpin** •
 - .**Type**: Change the type of hairpin: crescendo, decrescendo or text ◦
 - .**Circled tip**: Tick box to activate ◦
 - .**Height**: The width at the mouth of the hairpin ◦
 - .**Continue height**: The width of the hairpin at the end of a system, before it continues to the next system ◦
 - .**Placement**: Set hairpin above or below the staff ◦
 - .**Dynamic range**: Specify whether hairpin playback applies to a staff, part (default) or a system ◦
 - .**Velocity change**: ... across the span of the hairpin; from 0 to 127 ◦
- Use single note dynamics** (as of version 3.1): When checked (default), allows the hairpin to change the dynamic of a single note if the instrument supports single note dynamics ◦
- Dynamic Mode** (as of version 3.1): Set the method used to change the dynamic: Linear (default), Ease-in and ◦
 .out, Ease-in, Ease-out, or Exponential

Playback of hairpins

By default, a hairpin always affects playback when it spans a series of *separate* notes. In addition, for instruments



























supporting single note dynamics (e.g. strings, brass etc.), playback is also enabled across a *single* note or series of *tied* notes. (Note: Prior to version 3.1 hairpins only affected playback *between* notes, not that of single or tied notes)

A hairpin only affect playback if there are *appropriate dynamics* somewhere *before* and *after* the hairpin. For example, a crescendo between *p* and *f* dynamics *will* affect playback; but a diminuendo between *p* and *f* will be ignored. And if there are two or more crescendos between *p* and *f*, all but the first will be ignored

A hairpin may be used without dynamic marks, by adjusting "Velocity change" in the Inspector (values in the range 0 to .127)

Lines

The Lines palette of the Advanced workspace contains the following lines

As you can see, the palette includes: Slurs, Hairpins, Volta brackets, Octave lines, and many others

Applying lines to the score

Most lines (except Slurs, Volta brackets and the Ambitus) can be applied from a palette in the following ways

To apply a line to *just* one note

- .1 ;Click on a note, then Ctrl+Click on the next note
- .2 (In a palette, click on a line (double-click in versions prior to 3.4

To apply a line across a range of notes

- .1 ;Select a range of notes
- .2 (In a palette, click on a line (double-click in versions prior to 3.4

To apply a line from a note to the end of that measure

:Use any of the following methods

- (Click on a note, then, in a palette, click on a line (double-click the latter in versions prior to 3.4
- Drag and drop a line onto the score

To apply a line across a range of measures

- .1 ;Select one or more measures
- .2 (In a palette, click on a line (double-click in versions prior to 3.4

Lines and playback properties

Some lines, such as Hairpins, Voltas, Ottavas etc., also have an effect on the *playback* of the score itself. Each **end handle** is connected by a dotted line to an anchor on the staff (visible in Edit mode). These anchors indicate the *extent* of the playback effect

Adjust vertical position

:In Normal mode, apply one of the following methods

- ;Click on one or more lines and change the vertical offset in the Inspector
- .Click on a line, press and hold **Shift** and drag it up/down with a mouse

Note: You can also adjust the vertical position in Edit mode

Change length

Note: The following two methods move the end of the line *and its anchor together*. This ensures that correct playback of the score is maintained (if applicable), and that the line can be extended between systems if required

Using keyboard shortcuts

- .1 ;Enter Edit mode and click on an end handle
- .2 :Apply one of the following shortcuts
- **Shift**+ → to move the end handle, and its anchor, to the right by one note (or, in the case of Voltas, one measure)
- **Shift**+ ← to move the end handle, and its anchor, to the left by one note (or, in the case of Voltas, one measure)

(By dragging (as of version 3.5

- .Click on the end handle of a line and drag it with the mouse

Fine adjustment

:(To make **fine adjustments** to the position of the line end (without changing the position of the anchor

- .1 ;Enter Edit mode and click on an end handle
- .2 :Apply one of the following shortcuts
- → (to move the handle right by 0.1 **sp** (1 **sp** = one staff space = the distance between two staff lines)
- ← to move the handle left 0.1 **sp**
- **Ctrl**+ → (Mac: **Cmd**+ →) to move the handle right one **sp**
- **Ctrl**+ ← (Mac: **Cmd**+ ←) to move the handle left one **sp**

Text lines

.A **text line** is a line that has text embedded within it—such as a volta, ottava, guitar barre line etc

When you apply a text line to the score from a palette, the *line* properties always remain unchanged, but the *text* properties may, under certain circumstances, assume those of the current style for text lines. For details, see Behavior of applied text and lines

Custom lines

:Any line in the score can be customized by adjusting its properties in the Inspector, as follows

- .1 ;Select the line
- .2 ;(If *line hooks* are needed, make a selection from **Begin hook**, **End hook** and **Height** (in the Text Line Core section)
- .3 :To add *text*, tick **Begin Text**, **Continue Text** or **End Text**, then type in the "Text" box
- ;**Begin**: Text added here appears at the beginning of the line
- ;(**Continue**): Text added here appears at the beginning of a continuation line (in the next system, if any)
- ;**End**: Text added here appears at the end of the line
- .4 ;Edit *text properties* and *alignment* as required
- .5 ;Edit **Placement**: "Above" or "Below" sets the text so that it is on the line. "Left" places the text to the left of the line
- .6 Make adjustments to the line color, thickness and style (solid, dashed etc.) in the Line section. The **Diagonal** option
- ;allows you to create a diagonal line by dragging the end handles
- .7 .To save the result for future use, see Custom palettes

Copying lines

Once applied to the score, lines cannot be copied using the usual copy and paste procedures. However, you can duplicate lines within a score

- .Press and hold Ctrl+Shift (Mac: Cmd+Shift), click on the line and drag it to the desired location

Extended ornament lines

To add an accidental to an extended ornament (e.g. a trill line), select the line and click on a symbol in the Accidentals palette (double-click in versions prior to 3.4)

External links

- [Piano pedal marks](#) at Wikipedia
- [Guitar Barre](#) at Wikipedia

Measure rests

Full measure rest

A **whole rest**, centered within a measure (shown below), is used to indicate that an entire measure (or a voice within a measure) is silent, regardless of time signature



To create one or more full measure rests

:Use the following method if all selected measures are "standard"—i.e. with no custom durations

1. Select a measure, or range of measures
2. Press Del

:If one or more of the measures contains a custom duration, use the following method instead

1. Select a measure, or range of measures
2. (Press Ctrl+Shift+Del (Mac: Cmd+Shift+Del)

To create a full measure rest in a *particular* voice

1. In the appropriate voice, enter a rest that extends for the full measure
2. (Make sure the rest is selected, then press Ctrl+Shift+Del (Mac: Cmd+Shift+Del)

Multimeasure rest

A **Multimeasure rest** indicates a period of silence for an instrument: the number of measures is shown by the number above the staff



Multimeasure rests are automatically interrupted at important points, such as double barlines, rehearsal marks, key- or time signature changes, section breaks etc. and also at measures that are set to break multimeasure rests

To display multimeasure rests

:To turn multimeasure rests on or off

- .Press M on your keyboard

:Alternatively

1.From the menu, choose Format → Style
2. ;Click on the "Score" tab, if it is not already selected
3. Tick/untick "Create multimeasure rests". Here you can also set the minimum of empty measures to combine into a (multimeasure rest (see also Layout and formatting: Score

.Note: It is recommended that you enter all notes in the score first *before* enabling multimeasure rests

Break multimeasure rest

:You may want to have a multimeasure rest divided into two multimeasure rests





1. (Ensure that the option to display multimeasure rests in the score is off (see above
2. ;Right-click on the measure where you want the second multimeasure rest to start

"From the menu, choose Measure Properties and tick "Break multimeasure rest .3

.See also: [Measure operations: Break multimeasure rest](#)

Octave lines

Octave (Ottava) lines are used to indicate that a section of music is to be played one or more octaves above or below written pitch: The line may be dotted or solid. Ottavas are available in the [Lines palette](#) of the Basic and Advanced [workspaces](#)

or 8va  : Play one octave above written pitch }  8
or 8va  : Play one octave below written pitch }  8

8va alta/bassa lines are particularly common in piano scores, though they are sometimes used in other instrumental music. ¹15ma alta (2 octaves above) and 15ma bassa (2 octaves below) are also occasionally used



.MuseScore automatically adjusts playback of the score under the ottava to the correct pitch

Apply an octave line

.See [Applying lines to the score](#)

.And to adjust the vertical position, see [Lines: Adjust vertical position](#)

Change length

.See [Lines: Change length](#)

Custom lines


.Ottavas can be customized just like any other line. See [Custom lines and line properties](#)

:Properties unique to Octave lines can be adjusted in the **Ottava** section of the Inspector

- .**Type**: Change the Ottava line text •
- .**Placement**: Set to "Above" or "Below" the staff •
- .("Numbers only": Untick for both number and text (e.g. "8va"). Tick for a number only (e.g. "8" •

External links

[Octave](#)  at Wikipedia •

[↵](#) .(Gerou/Lusk. *Essential Dictionary of Music Notation* ([Internet Archive](#)  .1

Slurs

A **slur** is a curved line between two or more notes indicating that they are to be played *degato*—smoothly and without separation. Not to be confused with [Ties](#), which join two notes of the same pitch

There are a number of ways to add a slur to a score, and all may be useful depending on the context (adding a slur from [the lines palette](#) is also possible but not recommended

Add slur in note-input mode

- While in [Note input mode](#), type in the first note in the slurred section .1
- ;Press s to begin the slurred section .2
- ;Type in the remaining notes in the slurred section .3
- .Press s again to end the slurred section .4

Add slur in Normal mode

Method 1

;Make sure you are in Normal mode .1

:Select the note where you want the slur to start .2



:Press s to add a slur extending to the next note .3



:Optional) Hold shift and press → (right arrow key) to extend the slur to the next note. Repeat as required) .4



:Optional) Press x to flip the slur direction) .5



:Press Esc to exit edit mode .6



Method 2

;Make sure you are in Normal mode .1

;Select the note where you want the slur to start .2

:Choose one of the following options .3

To add a slur to one voice *only*: Hold down Ctrl (Mac: Cmd) and select the last note that you want the slur to cover

.To add slurs to *all* voices: Hold down shift (Mac: Cmd) and select the last note that you want the slurs to cover

.Press s .4

Adjust slur

:If you only want to adjust the *position* of a slur

;Select the slur .1

:Use any of the following methods .2

.Drag the slur

.Adjust the horizontal and vertical offset values in the Inspector

:(To adjust *all* the properties of a slur (length, shape and position

;Make sure you are *not* in note input mode .1

;Go into Edit mode on the slur .2

;Click on a handle to select it, or use Tab to cycle through the handles .3

:To move the *left and right handles* from note to note, use the following shortcuts .4

.Shift+→: Move to next note

.Shift+←: Move to previous note

.(.Shift+↑: Move to lower voice (voice 2 to voice 1 etc

.(.Shift+↓: Move to higher voice (voice 1 to voice 2 etc

:To adjust the position of *any* handle, use any of the following methods .5

.Drag the handle

← →+Use the arrow keys for fine adjustment (0.1sp. at a time). For larger adjustments (1sp. at a time) use Ctrl

Note: The two outer handles adjust the start and end of the slur, whilst the three handles on the curve adjust the contour.
.The middle handle on the straight line is used to move the whole slur up/down/left/right

Extended slurs

A slur can span several systems and pages. The start and end of a slur is anchored to a note/chord or rest. If the notes are repositioned due to changes in the layout, stretch or style, the slur also moves and adjusts in size

This example shows a slur spanning from the bass to the treble clef. Using the mouse, select the first note of the slur, hold down Ctrl (Mac: Cmd) and select the last note for the slur, and press to add the slur



.x flips the direction of a selected slur

Dotted/dashed slurs

Dotted slurs are sometimes used in songs where the presence of a slur varies between stanzas. Dotted slurs are also used to indicate an editor's suggestion (as opposed to the composer's original markings). To change an existing slur into a dotted or dashed slur, select it and then in Inspector (F8) change Line type from Continuous to Dotted Or Dashed

See also

- [Tie](#) •
- [Edit mode](#) •
- [Note input](#) •

Ties

A **tie** is a curved line between two notes of the same pitch, indicating that they are to be played as one combined note (see [external links](#) below). Ties are normally created between adjacent notes in the same voice, but MuseScore also supports ties between non-adjacent notes and between notes in different voices

In [note-input mode](#), if you specify a tie immediately after entering a note or chord, the program automatically generates the correct destination notes to go with the ties. Or, you can simply create ties "after the fact," between existing notes

Note: Ties, which join notes of the same pitch, should not be confused with [slurs](#), which join notes of different pitches and indicate *legato* articulation

Add ties in Note Input mode

.The following command adds an identical tied chord to the selected chord

- .Ensure that a note is selected (i.e. highlighted). This can be a single note, or part of a chord .1
- .(Select a new [note duration](#) for the following note(s), if required (but see "Note" below .2



.3 ,Press + or the tie button


Note: This shortcut works, as described above, only if there is no chord following the selected note. If there is, then the duration is ignored and the tied note is added instead to the following chord

Add ties in Normal mode

Method 1

- .[Select](#) one or more noteheads in the "start" chord .1



 , Press +, or the toolbar tie button .2



.Ties will be created between the selected note(s) and the next available note(s) of the same pitch
(To remove ties, as of MuseScore 3.3.3, use the same command (toggle

Method 2

:(This method ties all notes in the "start" chord (where possible

; Select the stem of the "start" chord .1



Press +, or click on the toolbar **tie button** .2

.Ties will be created between all the notes in the selected chord and the following notes of the same pitches
(.To remove ties, as of MuseScore 3.3.3, use the same command (toggle

Add extra tied notes to a previously tied chord

Occasionally you may need to return to an existing tied chord in order to add one or more extra tied notes. In this case a
:different command is used. For example



.Add the extra notes to the first chord. e.g .1



In Note input mode, and with any of the notes in the first chord selected, press **Alt++**. Corresponding notes are added .2
:to the following chord and the extra notes are tied



Add ties to unison notes

:A workaround is required to create ties between unison notes

;Create the first note as usual .1

.Any additional unison notes should be added at an interval *other* than unison: e.g. 2nd, 3rd, 4th etc .2

.Create a tied chord (as shown above): e.g .3



.Move the unison note(s) into position: e.g .4




Flip a tie

.x flips the direction of a selected tie, from above the note to below the note, or vice-versa

See also


Slur

External links

([How to create ties leading into a 2nd ending](#)  (MuseScore HowTo •

Tremolo

Tremolo is the rapid repetition of one note or chord, or a rapid alternation between two notes or chords. Tremolo symbols can be found in the **Tremolo palette** in the advanced [workspace](#): both one note and two note tremolos are possible



A **one-note or one-chord tremolo** is indicated by strokes through the stem of the note or chord (or above/below if a whole note). E.g



.In a **two-note or two-chord tremolo**, bars are drawn between the notes. E.g



.Tremolo symbols are also used to notate drum rolls

Add a Tremolo

Single note/chord tremolo

1. If a single note, select that note; if a chord, select any note in the chord
2. (Click the desired symbol in the Tremolo palette (double-click in versions prior to 3.4

.Alternatively, you can drag the tremolo symbol onto the applicable note

Two note/chord tremolo

1. Input the notes at half the desired final duration
2. If a single note, select the first note of the pair; if a chord, select any note from the first chord
3. (Click the desired symbol in the Tremolo palette (double-click in versions prior to 3.4

.Alternatively, you can drag the tremolo symbol onto the applicable note

Example: To enter a two-note tremolo with the duration of a half note (minim), enter two normal quarter notes (crotchets). After applying a tremolo symbol to the first note, the note values automatically double to half notes

External links

- [\(Tremolo ↗ \(Wikipedia](#)
- [\(How to create 'old style' and other special tremolos? ↗ \(MuseScore HowTo](#)

Repeats and jumps

Simple repeats

You can create a **simple repeat** by placing a **start** and an **end repeat barline** at the beginning and end of a passage. These can be applied from the *Barlines or Repeats & Jumps* palette



Note: If the start of a repeat coincides with the *beginning* of a piece or [section](#), the start repeat barline can be omitted if desired. Similarly, an end repeat barline can be omitted at the *end* of a score or section




1st and 2nd endings

.First create a simple repeat (as shown above), then apply the first and second time endings—see [Volta](#)

Playback

Turn repeat playback on/off

.Toggle the "Play Repeats"  button on the toolbar •

Adjust repeat section playback

Simple repeats, such as the ones illustrated above, or "1, 2" volta sections, usually play back correctly first time. More complex repeats may need further adjustment as follows

Ensure that the start and end barlines are correctly positioned. For a volta section, ensure that each volta, except the last one, terminates with an end repeat barline

In the case of a simple repeat, where more than one repeat is needed, right-click on the measure containing the end repeat barline and select Measure properties. Adjust Play count so that it is equal to the number of times you want the section to play back

In the case of a complex volta section, such as the following











Make sure that the volta "Repeat list" is set up correctly—see [Volta properties](#). Right-click on the measure containing the end repeat barline and select Measure properties. Adjust Play count so that it is one greater than the number of measures listed in the Volta "Repeat list." In this case, since 5 measures are listed, the "Play count" needs to be set to 6

Repeat symbols and text

Text and symbols related to repeats are located in the **Repeats & Jumps** palette (in the Basic and Advanced workspaces). This palette contains

- (Symbols for measure repeat, Segno, Segno Variation (Serpent), Coda, and Coda Variation (Codetta)
- D.S., D.C., al Coda, al Fine, To Coda, and Fine text
- Repeat barlines

	
	
	Fine
To Coda	D.C.
D.C. al Fine	D.C. al Coda
D.S. al Coda	D.S. al Fine
D.S.	
	


:To add a **repeat** symbol to the score use either of the following

- (Select a measure, then click the desired repeat symbol in the palette (double-click in versions prior to 3.4
- Drag and drop a repeat symbol from the palette onto (not above!) the desired measure (so the measure changes color)

Jumps

Jumps are symbols in the score which tell the musician to skip to a named marker (see below). Jumps include the various kinds of D.C. (Da Capo) and D.S. (Dal Segno) text

:To set correct playback of jumps

Make sure that the "Play Repeats"  button on the toolbar is selected. This is a toggle, so you can turn off playback by clicking the same button

After the jump, and following established convention, only the last round of any simple repeat section is played back. If you want playback to take these repeats in full

- Select the applicable jump symbol .1
- In the "Jump" section of the Inspector, check "Play Repeats" .2

Note: Jumps are taken only after all simple repeats in the section are played through

If you click on a *jump*, some text boxes and a checkbox are displayed in the **Jump** section of the Inspector. These have the following effects on playback





- **Jump to:** Playback jumps to the marker whose "Label" is the same as the "Jump to" tag
- **Play until:** Playback continues until it reaches a marker whose "Label" is the same as the "Play until" tag
- **Continue at:** Playback jumps to the next marker whose "Label" is the same as the "Continue" tag

Play repeats: Ticking this box tells MuseScore to play repeats after D.C. (Da Capo) or D.S. (Dal Segno) jumps. If this option is not ticked then simple Repeats are not taken after jumps and playback works as if it were the last repeat

Note: The tags *start* and *end*, referring to the beginning and end of a score or section, are *implicit* and don't need to be added by the user

Markers

Markers are the places referred to by the jumps. A list of markers (in addition to the implicit "start" and "end") follows

- (Segno (tag: *segno*) : 
- (Segno Variation (tag: *valsegno*) : 
- (Coda (tag: *codab*) : 
- (Coda Variation (tag: *varcoda*) : 
- (**Fine**: (tag: *fine*)
- (**To Coda**: (tag: *coda*)

If you click on a marker, the following properties appear in the **Marker** section of the Inspector

- **Marker type:** This can be changed from the dropdown list, if required
- **(Label:** This is the (identifier) tag associated with the marker. See also Jumps (above)

Examples of jumps

- **Da Capo (D.C.):** At the "D.C." sign, playback jumps to the start (i.e. to the implicit *start* tag) and plays the entire (score or section again (i.e. up to the implicit *end* tag
- **Da Capo (D.C.) al Fine:** At the "D.C. al Fine" sign, playback jumps to the start (i.e. to the implicit *start* tag) and plays (the score up to the **Fine** (i.e. the *fine* tag
- **Dal Segno (D.S.) al Fine:** At the "D.S. al Fine" sign, playback jumps to the **Segno** symbol (i.e. the *segno* tag) and (then plays up to the **Fine** (i.e. the *fine* tag
- **Dal Segno (D.S.) al Coda:** At the "D.S. al Coda" sign, playback jumps to the **Segno** symbol (i.e. the *segno* tag) and (then plays up to the **To Coda** (i.e. the *coda* tag). Playback then continues at the **Coda** symbol (i.e. the *codab* tag

Note: The properties (i.e. the tag names) of jumps and markers can be set via the Inspector







You need to modify them if using multiple jumps and markers

See also

- Barlines
- Volta

External links

- (MuseScore in Minutes: Repeats and Endings, part 2  (video tutorial)
- (How to separate a coda from the rest of the score  (MuseScore HowTo)
- (How to create a 2-measure repeat sign with playback  (MuseScore HowTo)
- (How to use Jumps and Repeats  (MuseScore HowTo)

Tuplets

Tuplets are used to write rhythms beyond the beat divisions usually permitted by the time signature. For example, *triplets* consists of three notes in the time of two



:And a *duplet* consists of two notes in the time of three



Create a tuplet

The exact method of tuplet entry depends on whether you are starting off in Note input mode or Normal mode. We'll start off with a simple example: the creation of an eighth note triplet

Create a triplet in normal mode

Select a note or rest that specifies the full duration of the desired triplet group. In the case of an eighth note triplet, you will need to select a quarter note or rest—as in the example below



Press the keyboard shortcut for a triplet, Ctrl+3 (Mac: Cmd+3); alternatively use the menu, Add → Tuplets → Triplet. This will give the following result



The program automatically changes to note-input mode and selects the most appropriate duration—in this example an eighth note. Now enter the desired series of notes/rests. For example



Create a triplet in note input mode

- .1 (Ensure you are in note input mode (press N
- .2 Navigate to the note/rest (or blank measure) where you want the triplet to start (use the left/right arrow keys as (required
- .3 Select a final duration for the whole triplet group. In the case of an eighth note triplet, click on the quarter note in the (note input toolbar (or press 5 on the keyboard
- .4 Press the keyboard shortcut for a tuplet, Ctrl+3 (Mac: Cmd+3); alternatively, use the menu, Add → Tuplets → Triplet. This (creates a triplet number/bracket and appropriately divides the original note/rest (see image above
- .5 The program automatically selects the most appropriate duration—in this example an eighth note—allowing you to immediately start entering the desired series of notes/rests

Create other tuplets

:To create other tuplets substitute one of the following commands at the relevant step above

- .Press Ctrl+2–9 (Mac: Cmd+2–9). 2 for a duplet, 3 for a triplet etc
- .From the menu, select Add → Tuplets, then click on the desired option


.For more complex cases, see [below](#)

Custom tuplets

:(To create other tuplets than the default options (e.g. 13 sixteenth notes in the space of one quarter note

- .1 In Note input mode, select a note duration equaling the total duration of the tuplet; or, if in Normal mode, select a note or rest of the desired overall duration
- .2 ;...Open the **Create Tuplet** dialog from the menu: Add → Tuplets → Other

Select the desired number ratio (e.g. 13/4 for thirteen sixteenth notes in the space of a quarter note) under .3 ;"Relation" in the "Type" section. Specify "Number" and "Bracket" using the radio buttons in the "Format" section



.4 :Click OK to close the dialog



.5 .Enter the desired series of notes/rests

Tuplet examples

<p>To obtain:</p>	<p>duration after ctrl+3 enter notes</p>
<p>To obtain:</p>	<p>duration after ctrl+3 enter notes</p>
<p>To obtain:</p>	<p>duration after ctrl+3 enter notes</p>
<p>To obtain:</p>	<p>duration after ctrl+3 enter notes</p>

Delete a tuplet


:Use either of the following

- .Select the number or bracket and press Del
- .Select the entire tuplet, using the shift + click method, then press Del
- .Select any element of the tuplet, then in Inspector, in the bottom right corner, press the Tuplet button, then press Del

Change display of tuplets

Using the Inspector

To change the display properties of tuplets in the score, select the tuplet numbers/brackets, and adjust the desired properties in the "Tuplet" section of the Inspector




- Direction:** 'Auto' places the bracket/number in the *default* position. 'Up' *always* places the bracket *above* the note heads; 'Down' *always* places the bracket *below* the note heads
- Number type:** Choice of 'Number', 'Ratio', or 'Nothing'
- Bracket type:** 'Automatic' *hides* the bracket for beamed notes and *shows* the bracket if the tuplet includes unbeamed notes or rests. 'Bracket' displays the bracket. 'None' hides the bracket

Using the Tuples Style dialog

To make fine adjustments to the way that *all* tuplets in the score are displayed: from the menu, select **Format** → **Style...** → **Tuplets**

The legend below illustrates some of the properties that can be adjusted in the Tuples style dialog




- .Vertical distance from stem (2)
- .Vertical distance from note head (3)
- .Distance before stem of first note (5)
- .Distance after stem of last note (6)

External links

- [\(How to create triplets and other tuplets\)](#) (MuseScore HowTo)
- [\(How to create nonstandard tuplets\)](#) (MuseScore HowTo)
- [\(How To create triplets and other tuplets across measures\)](#) (MuseScore HowTo)
- [Tuplet](#) at Wikipedia
- [\[The User Guide to Tuplets in MuseScore\]](#) [video]

Volta

Volta brackets, or first and second ending brackets, are lines used to mark different endings for a simple repeat. Score playback automatically follows the repeat indications



To add a volta to the score

Use one of the following methods

- Select a measure, or range of measures and click a Volta icon in the lines palette (double-click in versions prior to 3.4)
- (Drag-and-drop a volta from the Lines palette, then adjust the length as required (see below)

To change the number of measures that a volta covers

.Go into Edit mode on the volta. The end handle is automatically selected .1
 Press Shift+ → to move the end handle *forward* one measure. Press Shift+ ← to move the handle *backward* one .2
 .measure. Repeat as required


Note: When you select a start or end handle, a dashed line appears connecting it to an anchor point on the staff (see diagram, below). This anchor shows the position of the *playback* start/end points of the Volta. The Shift commands change the anchor point so playback always remains in sync with the *visual* start/end points. To make fine adjustments to the *visual* start or end points, without affecting playback, use other keyboard arrow commands, or drag the handles with a .mouse



Volta properties

:To make changes to Volta text

.Select the volta, and edit the properties in the **Text Line Core** section of the Inspector •



:To specify the order of repeats

Select the volta, and in "Repeat list" (**Volta** section of the **Inspector**) type in a number, or sequence of numbers •
 .separated by commas, to indicate the repeat(s) in which the volta is to be played

For example, a **first ending** shows the number "1"; a **second ending**, the number "2" and so on. More complex repeats are also possible: e.g. a "Repeat list" displaying "1, 2, 4, 5, 7" indicates that the volta is to be played during repeats 1, 2, .4, 5, and 7, and so on

Note: Each volta section, except the final one, needs to end with an **end repeat barline**

Playback

Sometimes a repeat plays more than two times. If you want to change the number of times MuseScore plays a repeat, go to the measure containing the end repeat barline and change its "Play count". See Measure operations: Other properties .and the note on playback for voltas in Repeats and jumps

Play count

The play count of the measure with the end repeat barline must be set one higher than the number of times you want the .(measure to play (this is usually equal to the number of entries in that volta repeat list + 1

:Take the following score



Measure 4 should have play count set to 4

External links

- [MuseScore in Minutes, Lesson 8: Repeats and Endings, Part 1](#)
- [\(How to create ties leading into a 2nd ending\)](#) (MuseScore HowTo)

Transposition


Transposition is the act of raising or lowering the pitch of a selection of notes by the same interval. You can choose to .transpose notes either manually or by using the Transpose dialog

Manual transposition

- .1 ;Select the notes that you wish to transpose
- .2 :Use any of the following options
 - o .**To transpose chromatically**: Press ↑ or ↓. Repeat as required
 - o .**To transpose diatonically**; Press Alt+Shift+↑ or ↓. Repeat as required
 - o .(**To transpose by an octave**: Press Ctrl+↑ or ↓ (Mac: Cmd+↑ or ↓)

Automatic transposition

.MuseScore's **Transpose** dialog gives you more options for transposing notes



Note: By default this dialog opens from the **Tools** menu, but you can also choose to open it using a keyboard shortcut .((see [Preferences](#))

Transpose Chromatically

To Key

:To transpose notes up or down to the desired key

- .1 .Select the notes you want to transpose; no selection equals "select all"
- .2From the menu bar, choose Tools → Transpose
- .3 ."Tick "Transpose Chromatically" and "To key"
- .4 Tick/untick "Transpose key signature" and "Transpose chord symbols" if required
- .5 .Tick one of "Closest", "Up" or "Down" and select a destination key signature from the drop-down menu
- .6 .Click OK

By Interval

:To transpose selected notes up or down in semitone increments

- . "Select" the notes you want to transpose; no selection equals "select all" .1
-From the menu bar, choose Tools → Transpose .2
- ."Tick" "Transpose Chromatically" and "By Interval" .3
- .Tick/untick "Transpose key signature" and "Transpose chord symbols" if required .4
- .Tick "Up" or "Down"; and select a transposition interval from the drop-down menu .5
- .Click OK .6

Transpose Diatonically

:To transpose selected notes up or down by a diatonic interval

- . "Select" the notes you want to transpose; no selection equals "select all" .1
-From the menu bar, choose Tools → Transpose .2
- ."Tick" "Transpose Diatonically" .3
- .Tick/untick "Keep degree alteration" and "Transpose chord symbols" if required .4
- .Tick "Up" or "Down;" and select a transposition interval from the drop-down menu .5
- .Click OK .6

Options

:Two options are available for both Chromatic and Diatonic transposition mode in the options area

- **Transpose chord symbols**, if required
- And the choice of **Use Double # and b** or **Single # and b Only**

Transposing instruments

Transposing instruments, such as the B-flat trumpet or E-flat alto sax, sound lower, or higher than their written pitch.
MuseScore has a number of features to facilitate the scoring of these instruments

Concert pitch

MuseScore's default viewing mode shows the musical notation in **written pitch**, but you can choose to display the score in **concert pitch** instead. In the latter mode, the musical notation of *all* instruments matches the actual pitches that you hear on playback

- **To change the view to concert pitch:** Press the [Concert Pitch](#) button to highlight it

.You should ensure that the Concert pitch button is OFF before printing the main score or any parts




Change staff transposition

Instrument transpositions are already set up in MuseScore. However, if you want a rare instrument or transposition that is not available in MuseScore, you may need to edit the instrument transposition manually

- .1 ...Right-click an empty part of the instrument staff and select **Staff/Part Properties**
- .2 At the bottom of the window, select the interval of transposition, any octave shifts, and whether the interval is "Up" ((sounds higher than written) or "Down" (sounds lower than written)

You can also use the **Change Instrument...** button in the **Staff/Part Properties** window to automatically change the transposition to that of a different standard instrument

External links

- [\(How to transpose](#)  (MuseScore How-To
- [\(Concert pitch or not?](#)  (forum discussion
- [\(How to change enharmonic key signatures for transposing instruments](#)  (MuseScore How-To

Drum notation

Entering percussion notation is somewhat different to entering notation for pitched instruments (such as the piano or violin)

Percussion staff types

When you create a percussion staff using the [New Score Wizard](#) or the [Instruments](#) dialog, MuseScore automatically chooses the most appropriate staff type (1-, 3-, or 5-line) for the instrument: this can be changed, if required, using the "Staff type" column on the [Choose instruments / Instruments](#) page. Any additional changes (e.g. to a 2-line staff) can be made from the score itself (see [Advanced Style Properties](#))

On a 5-line percussion staff, each instrument is assigned a vertical staff position (line or space) and a notehead shape. For a drumset, one or two voices can be used. If the latter, **voice 1** (the upper voice) usually contains (up-stem) notes played by the hands while **voice 2** (the lower voice) usually contains (down-stem) notes played by the feet (see image .(below



Note input methods

:You can add notes to a percussion staff from any of the following

- ;External MIDI keyboard
- ;(Piano keyboard (virtual
- ;Computer keyboard
- .Mouse

:These methods can be used in any desired combination

MIDI keyboard

:To add notes to a percussion staff from aMIDI keyboard

.Ensure that the MIDI keyboard is connected and functioning correctly .1

Note: If you click on the percussion staff without enteringnote input mode, you can *demo* the percussion instruments from the MIDI keyboard

.Click on the note or rest where you want to start .2

.Enter note input mode .3

Select the correctvoice. For example, snares, sidesticks and all cymbals are normally added to voice 1; bass drum .4
.to voice 2

.Set note duration .5

Press an instrument key to add a note to the score. To add another note at the same position, keep the first key held .6
.down while pressing the second key

Note: Refer to a**GM2 drum map** for details about which MIDI keyboard key corresponds to which percussion instrument.
.Some keyboards (e.g., Casio) display percussion symbols next to the keys as an aid to the user

Piano keyboard

:To add notes to a percussion staff from the virtualPiano Keyboard

.(Ensure that the Piano keyboard is displayed. Press P (or select it from the menu, View → Piano Keyboard .1

Note: If you click on the percussion staff without enteringnote input mode, you can *demo* the percussion instruments from the Piano keyboard

.Click on the note or rest where you want to start .2

.Enter note input mode .3

Select the correctvoice. For example, snares, sidesticks and all cymbals are normally added to voice 1; bass drum .4
.to voice 2

.Set note duration .5

.Click on a (virtual piano) key to add a note to the score .6

To add another note to an existing one, pressshift and hold it while pressing the new note (in versions before 2.1, .7
.(use Ctrl (Mac: Cmd

.**Note:** Refer to a**GM2 drum map** for details about which piano key corresponds to which percussion instrument

By default, the piano keyboard is docked at the bottom of the screen—to the left of the Drum input palette. However you :can undock it by dragging, then dock the panel in several ways

- Drag the panel downwards to the center and it will overlay the Drum input palette, full length. Both panels can then .be accessed by Tabs
- .Drag the panel downwards to the right/left and it will dock to the right/left of the Drum input palette

Computer keyboard

:To enter notes on a percussion staff using your computer keyboard

- .1 .Click on the note or rest where you want to start
- .2 .(Enter note input mode. The Drum input palette now appears at the bottom of the screen (see below)
- .3 .Select the desired note duration
- .4 .Press the shortcut key (A–G) for the instrument that you wish to enter—refer to the Drum input palette window
- .5 .If you wish to add another note to an existing one in that voice, press Shift+[A–G]

Note: Voice allocation is determined by the color of the note in the drum input palette: blue for voice 1, green for voice 2

Mouse

To add a note to a percussion staff

- .1 .Use the following method to add *anew* note or to replace *anexisting chord*
- .2 .Select the note or rest where you want to start. You can also select ameasure
- .3 .(Press N to enter note input mode. The Drum input palette now appears at the bottom of the screen (see below)
- .4 .Set note duration
- .5 .Choose one of the following options
 - .Double-click a note in the Drum input palette
 - .Select a note (e.g. Bass drum, or Snare) in the Drum input palette, then click a note or rest in the score

To add a note to an existing chord in the percussion staff


- .1 .Ensure you are in note input mode
- .2 .Select a note duration equal to the note you are adding to
- .3 .Click on the new note in the Drum input palette
- .4 .Click above or below the existing note in the percussion staff

Note: Voice allocation is determined by the color of the note in the drum input palette: blue for voice 1, green for voice 2

Drum input palette

When a percussion staff is selected and note input mode is ON, a window opens at the bottom of the screen called the **Drum input palette**. This window is *essential* for mouse input, and displays shortcuts for computer keyboard input, but can be ignored if using a MIDI keyboard or the virtual Piano Keyboard

Each note in the palette represents a percussion instrument: hovering the mouse pointer over the note displays the instrument name



The letters A–G (shown above certain notes in the palette) are designated as shortcuts for entering particular instruments (bass drum, snare, closed hi-hat etc.), rather than referring to note pitches. They can be changed or reallocated as desired in the Edit Drumset window


When the **Drum input palette** is open, double-clicking a note in the palette or entering a shortcut letter will add that instrument note to the percussion staff. The color of the note in the palette shows the voice allocated for that note—blue for voice 1, green for voice 2. This can be changed in the Edit Drumset dialog if required

This voice allocation applies only to keyboard and mouse entry of notes: entry via a MIDI keyboard or the virtual Piano keyboard allows any voice to be used

Edit Drumset

:To open the **Edit Drumset** window, use one of the following options

- .Click on the Edit Drumset button at the left of the **Drum input palette**
- ."...Right-click on a percussion staff and select "Edit Drumset"



The **Edit Drumset** dialog displays the percussion instruments available and the MIDI notes/numbers to which they are allocated. It also determines how each instrument is displayed on the staff— its name, position, notehead type and note-stem direction. *Any changes made here are automatically saved in the parent MuseScore file*

:Clicking on a row in the left-hand column allows you to edit the display properties for that note as follows

Name: The name you want displayed in the Drum input palette when you mouse over the note. Leave empty to remove this note from the Drum input palette

Notehead group: Choose a notehead for that instrument from a drop-down list of options (*Note:* choosing "Custom" (activates "Edit noteheads" (below

Edit Noteheads: Allows you to customize the display further by specifying the noteheads for particular note durations

Default voice: Assign to one of four voices. This does not affect input from a MIDI keyboard or the virtual Piano keyboard

Staff line: This number indicates the staff line/space on which the note is displayed. "0" means that the note is displayed on the top line of the 5-line staff. Negative numbers move the note upwards step by step, while positive numbers move it

downwards in the same way

Shortcut: Assign a keyboard shortcut to enter that note

Stem Direction: Auto, Up or down

The customized drumset can be saved as a .drm file by pressing Save As.... You can also import a customized drumset using the Load... button

Sticking

:(To enter sticking symbols (R, L

;Select a start note .1

From the menu, select Add → Text → Sticking. Alternatively, set up a keyboard shortcut to do the same thing in .2

;Preferences

Input the symbol just as you would normal text. To move forward or backwards to the next note, use the same .3

keyboard shortcuts as for chord symbols

.To exit, press Esc, or click on a blank section of the score .4

Add drum roll

.To create a drum roll, use a Tremolo

External links

- [[How to create jazz drum notation](#)] [MuseScore How-To •
- [Video tutorial: MuseScore in Minutes: Lesson 7 - Tablature and Drum Notation](#)] •
- [[Drum Parts](#)] [video •
- [[Editing the Drum Palette in MuseScore 1.1](#)] [video •
- [[Saving Drumset Changes in MuseScore 1.1](#)] [video •
- [Guide to Drum and Percussion Notation](#)] •

Tablature

Music for fretted, stringed instruments is commonly notated using **tablature**, also known as **tab**, which provides a visual representation of the strings and fret numbers



:Tablature can also be combined with traditional staff notation



Create a new tablature staff

If you wish to create tablature as part of a new score, use the [New Score Wizard](#). If you want to add tablature to an existing score, use the [Instruments](#) dialog. Or, alternatively, you can [convert an existing standard staff](#). See below for details.

With the New Score wizard

:(To create tablature in a new score (for combined staff/tabature systems see [below](#)

1. Open the [New Score wizard](#)
2. Enter the score details (optional). Click [Next](#)
3. On the **Choose template file** page, click on [Choose Instruments](#) under "General"
4. On the **Instruments** page, select the desired tablature in the "Strings – plucked" category, in the left-hand column. Then click [Add](#)
5. Complete the rest of the New Score Wizard

Note: If the desired tablature is not available in the **Choose Instrument** list, add a tablature staff anyway at step 4 (above). Then edit the tablature to your exact requirements using the [Staff/Part properties](#) dialog

With the Instruments dialog

:(To add a single tablature staff to an existing score (for combined staff/tab system see [below](#)

1. (...Open the **instruments** dialog (press [I](#); or from the menu bar, select [Edit](#) → [Instruments](#))
2. (Click on the staff to which you want to add another (linked or not))
3. ("Add the tab staff as described in [Add instruments](#) ("Create a new score"))

By changing staff type

:(To convert an existing standard staff to tablature, or tablature to a standard staff


1. Right-click on the staff and select [Staff/Part Properties](#).... If "Instrument" is already set to a plucked-strings type, then go to step 3
2. If "Instrument" is not a plucked-strings type, click on [Change instrument](#) and select an appropriate instrument from "Strings – Plucked"
3. Click on [Advanced Style properties](#), select the appropriate tablature option from "Template", then press [<](#) [Reset to Template](#).
4. You can fine tune the display if necessary using the "Fret Marks" and "Note Values" tabs. Click [OK](#) twice to exit

Edit string data


Change tuning

.Note: If you only want to **view** (rather than change) the instrument tuning, follow steps 1 and 2 only

1.Right-click on the staff and select [Staff/Part Properties](#)



.Press the Edit String Data... button at the bottom of the dialog box. The **String Data** dialog opens .2



.Click on a string pitch and select Edit String.... Or, alternatively, just double-click the string pitch .3

.Select a new pitch in the **Note Selection** box and click OK. Or, alternatively, just double-click the new pitch .4

.Click OK to close the '**String Data**' dialog box. Then click OK to close the '**Staff/Part Properties**' dialog .5

Notes: (1) If tuning is changed when the tablature for that instrument already contains some notes, fret marks will be adjusted automatically (if possible); (2) Any change of tuning to a particular instrument applies *only* to the score at hand, and does not change any program default settings

Add a string

.Right-click on the staff, select Staff/Part Properties..., then press Edit String Data .1

....Click on a string pitch and select New String .2

Select the new pitch and press OK—or, alternatively, just double-click the new pitch. The new string is inserted .3
below the selected string

Note: After adding a tablature string you will need to adjust the number of lines in the Staff/Part properties dialog

Delete a string

.Right-click on the staff, select Staff/Part Properties..., then press Edit String Data .1

.Click on a string pitch and select Delete String .2

Note: After deleting a tablature string you will need to adjust the number of lines in the Staff/Part properties dialog

"Mark unfretted string "open

This feature is used to mark a (bass) course as unstopped (i.e. like a harp string, only played in the open position): as on a Baroque lute or Theorbo etc. This means that only "0" (zero) or "a" is accepted as a fret mark: any other fret mark will be converted to 0/a

- .Right-click on the staff, select **Staff/Part Properties...**, then press **Edit String Data** .1
- .Check one or more boxes in the "Open" column .2

Change number of instrument frets

.This property defines the maximum fret number which can be entered on a tablature staff

- .Right-click on the staff, select **Staff/Part Properties...**, then press **Edit String Data** .1
- .Select or enter a new number in the **Number of frets**" spin box .2

Change tablature display

From Staff / Part Properties

:To access the full range of tablature display options, use the **Staff / Parts Properties** dialog

-Right-click on the staff and select **Staff/Part Properties** .1
- .Click on the **Advanced Style Properties...** button .2

From the Instruments dialog

:Some basic tablature display options are available from the **Instruments** dialogue

-Press the keyboard shortcut **I**; or from the menu bar, select **Edit → Instruments** .1
- :Select a tablature type from the drop-down list under "Staff Type" in the right-hand pane .2
- .**Simple**: Displays fretmarks only. Best for staff/tablature systems ◦
- .**Common**: Displays fretmarks, note stems and beams ◦
- .**Full**: Displays fretmarks, enhanced note stems, beams, and rests ◦
- .**Tab 6 str. Italian/French**: Historical tablature options for the lute ◦

.The same options are available from the **Choose Instruments** page of the New Score Wizard

Combine pitched staff with tablature

Plucked-string instruments—such as the guitar—are commonly notated using both a music staff *and* tablature (TAB) together. MuseScore gives you the option of having the two staves either **unlinked** or **linked**

Unlinked Staves: The advantage of using this option is that each staff can be edited independently. To transfer .1
.music notation from one staff to the other, select the desired range and copy and paste it onto the other staff

Linked Staves: The staves are "mutually updating": i.e. any change you make to the notation in one staff is .2
.immediately applied to the other staff as well

A note on fret mark conflicts: When the same note is entered in two different voices, MuseScore tries to ensure that the fret marks do not overlap on the same string. Any overlaps which *do* occur are marked with red squares: these appear *only* in the document window and *not* on any printed copy. In almost all cases (e.g. frets 0 to 4 on the 6th string), overlapping is the desired result and no further adjustment is required. You can hide the red marks by selecting "View" and unticking "Show Unprintable"

Create a new staff/tablature pair with the New Score Wizard

.Open the **New Score wizard** .1

.Enter the score details (optional). Click **Next** .2

."On the **Choose template file** page, click on **Choose Instruments** under "General" .3

.Select a music staff (not tab) in the "Strings – Plucked" section of the left-hand column. Then click **Add** .4

In the right-hand column, click on the newly-created line, labelled "Staff 1". This reveals the "Add Staff/Linked Staff" .5
:options in the centre column

.Click **Add Staff** to create an **unlinked** staff/tab pair ◦

.Click **Add Linked Staff** to create a **linked** staff/tab pair ◦

In the **Staff type** column, click on the dropdown list for the newly-created staff and select a tablature option (this can .6
(be modified later, if required, on the score page—see **Staff/Part Properties**)

.Change the staff order using the **↑** button if needed .7

.Complete the rest of the New Score Wizard, or click **Finish** .8

Note: To create unlinked staves with *separate* mixer channels, instead of step "5" (above), select a Tablature staff in the left-hand column and click **Add**. Then continue with steps 6 and 7

Create a new staff/tablature pair in an existing score

- .(...Open the **Instruments** editor (press I, or from the menu bar, select Edit → Instruments .1
- .Then follow steps 4–8 above .2

Create a staff/tablature pair from an existing staff

:(To add tablature to a plucked-string staff in the score (or vice versa

- .(...Open the **Instruments** editor (press I, or from the menu bar, select Edit → Instruments .1
- In the right-hand column, select the staff you want to create the staff/tab pair from, then follow one of the options .2
- .shown in step 5 above
- .Continue with steps 6–8 above .3

Enter notes in tablature

Using a computer keyboard

- .In **Normal mode**, select the measure or existing note from which you want to begin note entry .1
- .Switch to note input mode (N): a short 'blue rectangle' appears around one tablature string: this is the *current string* .2
- .(Select the duration of the note or rest that you wish to enter (see [below](#) .3
- Press the up/down arrow keys to move the cursor to the desired string. Use the left/right arrow keys to navigate .4
- .through the score
- Press 0 to 9 to enter a fret mark from 0 to 9 on the current string; to enter numbers with several digits press each .5
- digit in sequence. Keys A to K (skipping I) can also be used: convenient when working in French tablature. For L, M, N, use the alphanumeric keyboard and type respectively 10, 11, 12... (**Note:** You cannot enter a number higher than .6
- .(the "Number of frets" value set in the [Edit String Data](#) dialog
- .Press ; (semicolon) to enter a rest of the selected duration
- .You can enter notes in different [voices](#) if required—just as you would in a standard staff .6

.(See also, [Edit notes](#) (below

Historical tablature

:Period notation for bass strings (lutes and sim.) is supported

French tablature: letters with prefixed slash-like strokes right under the tab body: i.e. 7th string: "a", 8th string: "/a", •
9th string: "//a" and so on, all in the first position below the tab body

Italian tablature: numbers with 'ledger line'- like segment of string above the tab body: i.e. 7th string: "0" one •
position above the tab body with one 'ledger line'; 8th string: "0" two positions above the tab body with two 'ledger
.lines' and so on

Input of fretmarks is via computer keyboard only: by moving the note entry cursor below (French) or above (Italian) the tab body, 'shadow' slashes or ledger lines will indicate the target string to which the fret mark will be applied; pressing one of the fret keys, will enter (and lay out) the note on that string

Using a mouse

:To enter notes into tablature with a mouse

- .(Enter note input mode and select the note or rest duration (see [below](#) •
- Click on a string to create a note there. Notes are initially created on fret 0 (or a for French tablatures): to correct, •
- .type in the right number from the keyboard
- .+You can also increase/decrease the fret mark using Alt+Shift+↑ or Alt+Shift •
- .You can enter notes in different [voices](#) if required—just as you would in a standard staff •

.(See also, [Edit notes](#) (below

Select note duration

:In note input mode, you can use any of the following methods to set note duration in tablature

- Press Shift+1 to Shift+9: Sets duration from a 128th note to a longa (availability of these shortcuts may depend on the •
- ;(platform and/or keyboard layout
- ;(Press NumPad1 to NumPad9: Sets duration from a 128th note to a longa (if a numeric keypad exists and NumLock is on •
- ;Click on a note duration icon in the [Note Input toolbar](#) above the document window •
- .Press Q to decrease the selected duration and W to increase it •

Edit notes

Change fret number

:In Note input mode

- .Position the cursor above the fret mark and retype the desired number •
- Increment or decrement the fret mark using Alt+Shift+↑ or Alt+Shift+↓ (The fret mark automatically changes strings, if necessary, to achieve the lowest possible fret position) •

:In Normal mode

.Select one or more fret marks .1

:Use any of the following commands .2

.↓ / ↑ To increment or decrement, without changing the string: Press ◦

↓ / ↑+To increment or decrement, changing strings, when possible, to minimize the fret number: Press Alt+Shift ◦

.Note: The fret mark cannot be higher than the "Number of frets" value set in the Edit String Data dialog

Change string number

:(To move the fret mark to an adjacent string without changing the pitch (if the string is free and can produce that note

:In Note input mode

.(↓ / ↑+Position the cursor over a fret mark, and press Ctrl+↑ / ↓ (Mac: Cmd •

:In Normal mode

.(↓ / ↑+Select one or more fret marks, and press Ctrl+↑ / ↓ (Mac: Cmd •

.Drag a fret mark up or down to an adjacent string •

Crosshead notes

:To change a fret mark to a crosshead note

.(Select one or more fret marks (in non-note-input mode .1

.Press Shift+X to toggle ghost noteheads on/off .2

Summary of keyboard commands

Note input mode

:to get	:Type
.Select above string as current	↑
.Select below string as current	↓
Select a duration (128th note to a longa)	Shift+1 to Shift+9
Select a duration (128th note to a longa)	NumPad 1 to NumPad 9
.Decrease current input duration	Q
.Increase current input duration	W
.Enter a fret digit / letter	to 9 0
.(Enter a fret digit / letter (excluded	A to K
.Increase current fret mark	↑+Alt+Shift
.Decrease current fret mark	↓+Alt+Shift
Enter a rest	(semicolon) ;

Normal mode

:to get	:Type
(Change <u>duration</u> of selected note or rest (128th note to longa	to 9 0
.(Increase the pitch of the selected note (MuseScore chooses the string	↑+Alt+Shift
.Increase the pitch without changing string	↑
Decrease the pitch of the selected note (MuseScore chooses the (string	↓+Alt+Shift
.Decrease the pitch without changing string	↓
.Move note to above string, keeping the pitch (↑+Ctrl+↑ (Mac: Cmd	
.Move note to below string, keeping the pitch (↓+Ctrl+↓ (Mac: Cmd	

:to get Toggle the ghost notehead on/off :Type Shift+X

External links

[Video tutorial: MuseScore in Minutes: Lesson 7 - Tablature and Drum Notation](#) •

Sound and playback

MuseScore has "Sound and playback" capabilities built-in. This chapter covers the playback controls and ways to extend the instrument sounds.

External links

[How to restore sound if playback stops working](#) •

Mid-staff instrument changes

When a musician is required to double on a different instrument for a section of a piece, the instruction to switch instruments is generally placed above the staff at the beginning of that section. A return to the primary instrument is handled in the same manner.

MuseScore enables users to insert a special class of text called **Change Instrument** text for this purpose. This class of text is different from either Staff or System text in that it links the text to the playback and changes the sound to the new instrument.


Effect of instrument change

:When an instrument change is made


- The sound played will be changed to that of the new instrument from that point onward, but the mixer display remains unchanged.
- Subsequent notes are automatically adjusted to indicate the correct written pitch for the new instrument (but the new key signature still needs to be added manually—see below).
- The new instrument name will be displayed in front of the following systems.

Add an instrument change

1. Select the start point of the change by clicking on a note or rest.
2. Open the main palette by typing F9 (or from the View menu), and click on **Text** to open the text sub-palette.



3. A click on the **Change Instr** text in the palette opens the dialog (double-click in versions prior to 3.4).
4. The top box shows the current instrument, the bottom the list of selectable instruments.



Choose the instrument, then click OK. When an instrument is selected and the OK button is pressed, the text .4

.indicating which instrument the player will use appears in the score
.Insert a new key signature, if required, at the change, for the staff in question .5

Note: Mid-staff instrument changes are limited to the same type of staff. For example, you cannot change between a percussion staff and a pitched instrument staff or vice versa

See also

- [Change instrument](#)
- [Mid-staff sound change](#)

External links

([How to change instrument sound \(e.g. pizz., con sordino\) midway through score](#)) (MuseScore HowTo) •

Mixer

The Mixer allows you to change instrument sounds, adjust volume and panning, and make other adjustments to the playback for each staff

Opening the Mixer

:To display/hide the mixer, use one of the following

- (Press F10 (Mac: Fn+F10)
- From the main menu, select View → Mixer


.The Mixer is split into a [Details Area](#) on the top and a [Track Area](#) below



Track Area

The track area is at the bottom and displays the [Master Gain](#) as well as a row of tracks. The Track Area displays allows you to adjust the volume of the instruments used by your staves. Clicking on one of the panels selects it, and also allows you to edit other instrument parameters, such as choice of instrument, name, pan, chorus, reverb, etc. in the Details area

MuseScore creates one "part track" for each staff in your score. These part tracks can be further subdivided into "channel tracks" corresponding to the different sounds used within the staff. While many staves only need a single channel track, others require multiple channels so that the instrument can play more than one [sound](#) (e.g. a violin which can play in arco, tremolo or pizzicato voices); or because of a [Mid-staff instrument change](#). These extra channel tracks can be shown or hidden by clicking the arrow button on top of the track control



.Expanded part track, showing the child tracks in pink

Master Gain

The Master Gain controls the overall output volume. To adjust it, click and drag the slider handle or enter a value in the .box underneath

Channel display arrow

Every **part track** has a button on the top with an arrow on it, enabled, when that instrument has multiple channels, like e.g. violin (for arco, pizzicato, tremolo), disabled otherwise. When clicked, this will toggle whether the channel tracks of the staff are displayed next to it. **Channel tracks** do not have an arrow button. Instead, the name of the track they are a part .of is displayed

Mute and Solo

At the top of each track is a green **solo** button and a red **mute** button: each can be toggled on or off. If any Solo button is checked then only tracks that have solo lit will play. If no solo is lit, all parts can potentially play. Mute does the opposite: any track that has mute lit will not play. By using a combination of mute and solo buttons, you can control which .instruments are heard during playback

Pan

The dial below the mute button controls panning left and right. You can click and drag on the dial to change the pan value.

Note: MuseScore does not yet support pan values for the part track, so the part track displays the pan value of the first .channel instead. Setting the pan value of the part track will automatically set all of its children to the same value as well

Volume


The slider in the middle of the track controls the playback volume.**Note:** MuseScore does not yet support volume values for the part track, so the part track displays the volume value of the first .part track will automatically set all of its children to the same value as well

Track name

.The text box at the bottom of the track contains the current name of the track's part or channel

Details Area

.The details area displays and provides finer control of the currently selected track



Name

The name of the part this track is associated with. Both part tracks and channel tracks display the part name. **Note:** The part name is editable, but this only have effect for the Mixer. The channel name is not editable

Channel

.If a channel track is selected, the channel name is displayed here

Drumset

Indicates if this part represents a melodic instrument or a drumkit. For regular melodic instruments, each pitch in the same patch usually has the same timbre, while drumkit patches usually have different timbres for each pitch

(Sound (formerly Patch

.To change the sound in a track

- .1 Click on the desired track so that its details appear in the [Details area](#)
- .2 Click on the "Sound" dropdown list and select another instrument

The "Sound" drop-down menu lists every instrument supported by your current **SoundFont**. If you have multiple SoundFonts loaded in the [Synthesizer](#), all the patches from all the SoundFonts (and/or SFZ files) will appear in the order set in the Synthesizer

Tip: To find an instrument, click on the "Sound" list and type the first letter of the instrument name. Repeat as required

Volume

.The overall loudness with which the sound is played

Pan

.The panning applied to the part

Track color

:To change the change the color of the track area

- Click the colored rectangle to enter the color palette, and make the desired changes
- .Setting the color of a part track will automatically change the colors of all its child tracks as well

MIDI controls

Port and Channel

.The output MIDI port and channel the part is played on

Reverb / Chorus

The reverb/chorus value sent to MIDI out. This is information sent to MIDI devices and will not affect MuseScore's built in audio playback

Mute Voice

This allows you to mute individual voices within each staff. Each row represents a different staff within a part. So pressing '2' on the top row will mute the second voice on the first staff of the part

Hide Details Button

At the bottom of the detail area is a wide button with a tiny triangle on it. Clicking this button will hide the detail area to give you more room. Clicking on it again will restore the detail area


Note: From Preferences > Score it is possible to check the box Show MIDI controls in the Mixer to preset it expanded when opening the Mixer

(.Mid-staff sound change (pizz., con sordino, etc

Some instruments come with multiple channels in the Mixer that can be used to change sounds midway through a score. For example, a staff for a stringed instrument (violin, viola, cello etc.) is allocated *three* channels: one for "arco" (or "normal"), another for "pizzicato" and another for "tremolo." A trumpet staff will have one channel for "normal" and another reserved for "mute," and so on

The following instructions use pizzicato strings as an example, but the same principle can be applied to any other instrument staff that allows sound changes

- .1 ;Select the first note of the section you want to be pizzicato
- .2 ;From the main menu, choose Add → Text → Staff Text or use the shortcut Ctrl+T
- .3 ;Type "pizz." This text is for visual reference only and does not affect playback
- .4 ;...Right-click on the applied staff text and select Staff Text Properties
- .5 ;In the "Change Channel" tab of the "Staff Text Properties" dialog, select one or more voices on the left
- .6 ;From the dropdown menu, select pizzicato



.Click OK to return to the score .7

Every note after the staff text you added now sounds pizzicato. To return to a normal strings sound later in the piece, follow the same guidelines as above except type "arco" in step 3 and select arco in step 6

Most of the time it is far easier to just apply the corresponding text (pizz., tremolo, arco, mute, open, etc) from the Text Palette

See also

- [SoundFont](#)
- [Synthesizer](#)
- [Change instrument](#)

External links

- [\(How to change instrument sound \(e.g. pizz., con sordino\) midway through score](#) (MuseScore HowTo)


Piano Roll Editor

.The Piano Roll Editor allows you edit individual notes and tweak aspects of their playback


Opening the Piano Roll Editor

To open the Piano Roll Editor (PRE), right-click on a measure in the score and choose the Piano Roll Editor option from the context menu. The Piano Roll Editor will open showing the staff and measure where you clicked. If the Piano Roll

.Editor is already open, it will be updated to show the new staff and measure you clicked on




Overview



The Piano Roll Editor is divided into several sections. At the very top is a row of buttons and controls that affect playback and can modify notes. The name of the part being edited is at the top right

The central portion contains the **Note Display Area** which allows you to view and edit notes. Each note is displayed as a block, with yellow blocks representing selected notes, and darker green blocks representing unselected notes (these colors can be changed in the Preferences). Given sufficient space, each block will display its pitch on the left and the voice it is assigned to on the right. Changing the size of the note blocks is covered in the navigation section

To the left of the Note Display Area is the **Keyboard**. By clicking on a key in the Keyboard, you can hear a sample of that note playing. As you move the mouse in either the Note Display Area or the Keyboard, a key on the keyboard will light, corresponding to the pitch you are over. You can also hover your mouse over a particular key to get more information about that pitch. If you are using a Drumkit, the keys of the keyboard will show the name of the drum assigned to that particular pitch. For instruments that are not concert C, the keyboard will be adjusted so that the C of the keyboard matches the C of the instrument



Along the top of the Note Display Area is the **Measure Ruler** which displays the current position of the playback head, as well as the current looping range if it set

The bottom of the editor contains the **Levels Display Area**. It is a bar graph showing extra data values assigned to each note, such as its *velocity* or *cutoff* time. To the left of the Levels Display Area is a dropdown menu allowing you to select the type of data you wish to see displayed or edited

Navigation

There are several ways to move about in the Piano Roll Editor. First of all, you can click and drag on the scroll bars on the edges of the Note Display Area

The mouse wheel can also be used to pan and zoom as follows

- **Scroll vertically:** Mouse wheel
- **Scroll horizontally:** Shift + mouse wheel
- **Zoom vertically:** Ctrl + mouse wheel
- **Zoom horizontally:** Ctrl+Shift + mouse wheel

To jump to a particular measure, switch back to score view and find the measure you wish to see. Then right-click on the measure and select Piano Roll Editor. The Piano Roll Editor will scroll to center on the measure you clicked

Selecting Notes

In the Note Display Area, you can click on single notes or click and drag to select a group of notes. Holding down the modifier keys will affect how your selection changes

- **Shift:** Invert existing selection: i.e. notes that were previously selected are deselected, and notes which were not selected are selected. Useful for toggling a note between selected and not selected
- **Ctrl:** Add notes to selection
- **Ctrl+Shift:** Subtract notes from selection

Editing Notes

To change the pitch of a selection of notes Drag a selected note up or down to a new pitch; or press the \uparrow or \downarrow arrows. *Note:* Dragging the note horizontally to change the start time is not supported at the moment


To delete a selection of notes: Press the Del key

To move a note selection to another voice: Click the desired voice number button at the top of the editor

To add notes

Notes can be inserted by clicking in the Piano Note Area with the modifier keys held. These edit operations will use the beat or subbeat line to the left of the spot where you click as the point where a note is altered

- **Ctrl:** A note of the current insert note duration will be added at the subbeat and pitch where you clicked. The note insert length is the same as the one you use to add notes in note entry mode in the score. If you wish to change the duration, you will need to select this in the Score View as the Piano Roll Editor does not currently have these buttons. If notes already exist in this location, a chunk will be cut out of them to make room for the note you are inserting, unless they happen to have the same start time and duration of the note you're adding, in which case the new note will simply be appended to the existing chord. Tuplets are currently not supported, and so will be ignored



Shift: Looks for a chord that already spans this subbeat line. If it finds one, appends a new pitch to the existing chord. •
 .Otherwise, this is a rest and the rest will be replaced with a note of equal start time and duration to the existing rest

Ctrl+Shift: Looks for a chord or rest that spans this subbeat. This chord will be cut in two at this subbeat line. Tuplets •
 .are currently not supported, and so will be ignored

:To edit note event data

Note event data can be changed in the Levels Display Area. To edit event data such as velocity or cutoff time, first select the notes you wish to edit in the note area. Then click in the Levels Display Area on the corresponding bar; the value of the level will be changed to correspond to the point where you clicked. You can also click and drag in this area to change the levels of several notes with a single gesture. If you want the levels to all be set to the same value, hold Shift while dragging. Only selected notes will have their value changed - this is to prevent you from accidentally changing the values of other notes

The Levels area can display the same data in multiple ways. For example, velocity data can be displayed both as absolute (i.e., relative to the output midi volume) and relative (i.e., as an offset to the dynamics value). You can switch between these display modes as you see fit



Controls

;From left to right the controls have these functions

First Row

Undo

Undoes the last action

Redo

Redoes the last action

MIDI Toggle

Toggles MIDI input

Rewind

.Rewind to start of score

Play

.Starts/stops playback

Loop Playback

.Sets the range of and toggles looping playback

Play Repeats

.Toggles whether repeats are played

Pan Roll During Playback

.If set, the window will automatically scroll to center on the playback head during playback

Metronome

.Toggle metronome

Wave

.Currently does nothing

Voice Numbers

.Moves selected notes to chosen voice

Part

.Name of part currently being viewed/edited

Second Row

Cursor

Provides feedback on the current measure and pitch of the position of the mouse within the Note Display Area

Subdiv


Subdivides the beat by adding extra divisions to the Note Display Area. The value indicated the number of time the beat will be subdivided. So for 4/4 time, a division of 2 will draw grid lines at every eighth note; a division of 3 at every sixteenth note, and so on. Setting the subdivision is necessary for some editing operations if you wish to place notes off the beat

For larger numbers of subdivisions, you may need to be zoomed in to see the extra grid lines since grid lines are not drawn below a certain density. Combines with the tuplet control which also affects grid line placement

Tuplet

Adds additional grid lines, subdividing the beat to show the rhythmic placement of tuplets. For example, setting tuplets to 3 will show the beat subdivided into three parts. Combines with the subdiv control to show subdivisions of the tuplet. For example, setting tuplets to 3 and subdiv to 2 will draw grid lines showing the tuplet beats subdivided into two parts - i.e., the beat will be subdivided into 6

Selecting a tuplet mode other than 1 will disable some of the note insertion tools for the Piano Roll Editor. For larger numbers of subdivisions, you may need to be zoomed in to see the extra grid lines since grid lines are not drawn below a certain density



Stripe pattern

Changes the pattern of stripes shown behind the notes in the Note Display Area. By default the pitches of C major are highlighted, but you can change this to highlight the pitches of a different key, or even scales such as the diminished or whole tone

Velocity

Shows the velocity of the currently selected note (only one note may be selected). Indicates the loudness of the note. This can be expressed as 'Offset' or 'User'

- Offset: Value is treated as a multiplier for the velocity already set by the dynamics
- User: This is the raw value being sent to MIDI and overrides the dynamics value. Values are between 0 and 127, where 64 is "middle, neither loud nor soft"

When you switch from User to Offset or vice versa, the value will be recalculated to best match the value in the other system. This way you could, for example, switch to User mode to set the value as you would like it to sound in MIDI output and then switch to Offset so that this value respects the dynamic marking instead of overriding it. At the moment you switch back, the offset value will be recalculated to match the User value in loudness but will no longer act as an override so you may later change the dynamic

Pitch

(Shows the pitch and octave of the selected note in text format (i.e. f#4). The pitch will change if the note is dragged Up or down to a new pitch. Currently cannot be edited

OnTime

Shifts the start of the note in time, which can be used to modify the playing style. Negative values will make the note sound earlier, positive will make it sound later. The duration of the note corresponds to a value of 1000 (e.g. setting the value to 250 will make the note sound 1/4 of its duration later

Length

Set the time that the note is sounding, which may be used to modify the degree of "legato". Lower values will make the note sound more staccato, higher values will make it sound more legato. The duration of the note corresponds to a length of 1000, but the value can be set higher. 950 is usually considered "non-legato"

Keyboard

:Some keys are hooked up to perform special actions

- Move selected notes up one semitone :↑
- Move selected notes down one semitone :↓
- Del: Delete selected notes
- Space: Start/stop playback

Customization

The Piano Roll Editor will display in both normal mode and dark mode. If you wish to change the colors the Piano Roll Editor uses to display in these modes, they can be adjusted in the Preferences under the Advanced tab. All the Piano Roll Editor related properties begin with ui/pianoroll/light for light mode and ui/pianoroll/dark for dark mode

Play mode

Playback toolbar

:Basic playback functions are accessed from the **Play toolbar** located above the document window



:From left to right, the icons are

- **Toggle 'Midi input'**
- **(Rewind to start position:** Playback returns to the beginning of the score, or to the start of the loop (if one is set
- **Start or stop playback:** See [Start/stop playback](#)
- **Toggle loop playback:** See [Loop playback](#)
- **Play repeats:** Turn off if you want playback to ignore repeats
- **Pan score during playback:** Turn off if you want the score to remain stationary
- **Play metronome:** Toggles metronome ON and OFF

Playback commands

Start/stop playback

:To start playback

1. Click on a note, rest or the blank part of a measure to establish the starting point **Note:** If no selection is made, playback returns to the place it left off; or, if no previous playback, to the start of the score
2. Press the **Play** button; or press Space

.During playback you can jump to a specific note or rest in the score by simply clicking on it

:To stop playback

- Press the **Play** button; or press Space

During playback

:Once playback has started, the following commands are available

- ← :Go back to previous chord
- → :Advance to next chord
- (←+Go back to start of previous measure:Ctrl+← (Mac: Cmd←)
- (→+Advance to start of next measure:Ctrl+→ (Mac: Cmd→)
- (Rewind to start of score:Home (Mac: Cmd+Home); or press the **Rewind** button (playback toolbar

.During playback you can still use [keyboard shortcuts](#) to open and close [panels](#), such as Play, Synthesizer, Mixer etc

Loop playback

- Playback should be **off**, and the "Loop playback button" **on**
- [Select](#) the desired region of the score for loop playback
- Press the playback button

.Playback will now cycle within the region marked by the blue flags

.Use the "Loop playback" button to toggle the loop on or off •


.(See also: [Play Panel](#) (below

Play panel

:To open the Play Panel use one of the following options

.(Press F11 (Mac: Fn+F11) •

.From the menu bar, select View → Play Panel •



The Play Panel allows you to make temporary changes to tempo and volume, to loop playback between specified points etc.

- **Loop playback:** Select a start note and click on the **Loop in** button; select an end note and click on the **Loop out** button. Press **Play** to hear the loop. The controls also work *during* playback.
- **Rewind, Play:** Playback controls
- **Metronome:** Toggle metronome playback ON or OFF
- **Count in:** (Conductor icon) Adds a count-in when you start playback at the start of a measure. Extra beats are added if you start mid-measure. Toggles ON and OFF
- **Tempo:** Make temporary change to tempo. This is displayed as a percentage and as a bpm (beats per minute). (Double-click to reset. (Note: Permanent changes to **tempo** should be made using [tempo text](#))
- **Volume:** Make temporary change to volume (resets when program is reopened). Note: To change the default **playback volume** of the score, see [Synthesizer](#)

Playback: Chord symbols / Nashville numbers

As of MuseScore version 3.5, both [chord symbols](#) and [Nashville numbers](#) (but not [Roman numerals](#)) automatically sound when you play back the score

As of MuseScore 3.5.1 this only happens with scores initially created with MuseScore 3.5 or later, for older scores you'd need to enable it, using the methods described [below](#)

Turn playback on/off

.*Note:* Settings made below also affect [Audio](#) and [MIDI export](#)

(For all scores (as of version 3.5.1

:To enable or disable chord symbol playback for *all* scores

:Select Edit (Mac: MuseScore) → Preferences... → Advanced); then the following options, as required •

To disable/enable playback of pre-version 3.5 scores: Check/Uncheck `score/harmony/play/disableCompatibility` ◦
(default is checked—no playback

To disable/enable playback of version 3.5 or later scores: Check/Uncheck `score/harmony/play/disableNew` ◦
(default is unchecked, playback

For the current score

As of version 3.5.1

:To turn playback of *ALL* chord symbols on/off

.Tick/Untick Format → Style... → Chord Symbols → Play •

As of version 3.5

:To turn playback of ALL chord symbols on/off

- .1 Select a chord symbol or Nashville number
- .2 In the "Chord Symbol" section of the Inspector check/uncheck the "Play" box
- .3 (Click on the associated "Set as style" button (to the right of that box, you may need to scroll a bit

Alternatively, you can mute the playback track(s) in the mixer—see below. This might be necessary, for example, when you have chord symbols on more than one staff and want to have playback for only one of them. Score parts need to be adjusted separately

:To turn playback of a SELECTION of chord symbols on/off

- .1 .Select a range of symbols
- .2 .Right-click a chord symbol or Nashville number
- .3 .Click on Select → Select all similar elements in selected range , OK
- .4 .In the "Chord Symbol" section of the Inspector check/uncheck the "Play" box

or

- .1 .Click on first chord symbol or Nashville number in that range
- .2 .Shift+click on last chord symbol or Nashville number in that range
- .3 .In the "Chord Symbol" section of the Inspector check/uncheck the "Play" box

.Note: This does not affect the parts which need to be adjusted separately

Change playback sound

The default sound for chord symbols is "Grand Piano". As of version 3.5.1, scores created from Guitar solo templates, use "Nylon String Guitar" instead

:To change the chord symbol playback sound

- .1 (Open the Mixer (shortcut: F10, Mac: Fn+F10
- .2 .In the Track area locate the **track** for the part in question
- .3 .Click on the "Show channels" arrow to display all the *child tracks* for that part
- .4 Click on the track whose name contains the words "harmony" or "Chord syms." (may be truncated, should be the rightmost
- .5 .Select a new "Sound" in the Sound drop-down list

.This setting is shared between score and parts

Change playback volume / Mute track

- .1 (Open the Mixer (shortcut: F10, Mac: Fn+F10
- .2 .In the Track area locate the **track** for the part in question
- .3 .Click on the "Show channels" arrow to display all the *child tracks* for that part
- .4 .(Click on the track whose name contains the words "Chord syms." (may be truncated, should be the rightmost
- .5 .Adjust the volume slider; or press the "M" button to mute the track

.You'd need to do this for the score and/or the parts, separately

Turn symbol sound on/off when editing

:To turn the sound of the symbols on/off when editing

- .1 .From the menu, select Edit (Mac: MuseScore) → Preferences... → Note input
- .2 .Check/Uncheck the "Play chord symbol when editing" option

Interpretation and voicing of chord symbols

:If desired, you can adjust the playback properties of selected chord symbols as follows

- .1 .Select one or more chord symbols
- .2 :In the Inspector make changes as follows
 - **:Interpretation.** The options are
 - *Literal*
 - *Jazz*. This adds color tones (e.g. the major 9th) but may also omit certain notes—this depends on both (the chord itself and the context (the next chord in particular
 - **:Voicing.** Options are
 - *Auto*
 - *Root only* = Just the bass note
 - *Close* = arranges the notes within the span of an octave

- ;Drop 2 = lowers the second highest note of the chord by one octave
- ;Six Note
- ;Four Note = 3rd, 5th, 7th and 9th intervals
- .Three Note

.Note: All voicings include a bass note, 2 octaves below the root note of the chord

Duration: Options are ◦

- Until next chord symbol
- Until measure end
- .Chord/rest duration

The following shows how the Interpretation and Voicing options affect the playback of a C major seventh symbol (Cmaj7 (or CM7



Note: The "Close" and "Auto" Voicing options are the same for this particular chord, but this isn't necessarily the case for every chord. So if you specifically want "Close", it is best to make the option explicit

SoundFonts and SFZ files

Audio playback is provided by MuseScore's onboard [synthesizer](#), which houses a large selection of **virtual** (or **software**) **instruments**—including percussion and sound effects

:MuseScore supports virtual instruments in two formats

- **.SoundFont** (.sf2/.sf3): A single file containing one or more virtual instruments
- **.SFZ** (.sfz): A set of audio and definition files containing one or more virtual instruments

SoundFonts

MuseScore comes with its own GM ([General MIDI](#)) SoundFont, **MuseScore_General.sf3**, containing over 128 instruments, sound effects and various drum/percussion kits

GM (General MIDI) is a universal format, so once your score is set up for correct playback using MuseScore's native Soundfont, you should be able to [export](#) it in a [format](#) of your choice and have it play back on any other user's computer

Many different Soundfonts are available on the Internet: some free, some commercial. For a list of free soundfonts, see [below](#)

Install a SoundFont

After finding and decompressing a SoundFont (see [below](#)), double-click to open it. In most cases, the SoundFont file type will already be associated with MuseScore, and MuseScore will start and a dialog will appear asking if you want to install the SoundFont. Occasionally an application other than MuseScore will be associated with the SoundFont file type; if this is the case, you will need to right-click or Ctrl-click on the file, so as to display a menu from which you can choose to open the file in MuseScore. In either case, when the dialog appears asking if you want to install the SoundFont, click "Yes" to place a copy of the SoundFont file in MuseScore's SoundFonts directory. This directory can be viewed or changed in MuseScore's Preferences, but the default location is

Windows: %HOMEPATH%\Documents\MuseScore3\Soundfonts •

macOS and Linux: ~/Documents/MuseScore3/Soundfonts •

In contrast to user-added SoundFonts, the initial default SoundFont installed with MuseScore is located in a system directory, meant only for that purpose, which should *not* be modified. This directory and its default SoundFont file is

- Windows x86 (32-bit) / MuseScore x86: %ProgramFiles%\MuseScore 3\sound\MuseScore_General.sf3
- Windows x64 (64-bit) / MuseScore x86: %ProgramFiles(x86)\MuseScore 3\sound\MuseScore_General.sf3

• Windows x64 (64-bit) / MuseScore x86_64: %ProgramFiles%\MuseScore 3\sound\MuseScore_General.sf3

• macOS: /Applications/MuseScore 3.app/Contents/Resources/sound/MuseScore_General.sf3

• (Linux (Ubuntu): /usr/share/mscore-xxx/sounds/MuseScore_General.sf3 (with xxx being the MuseScore version

.To uninstall a SoundFont, simply open the folder where its file is installed and delete it

SFZ

An SFZ is a collection of files and directories, an SFZ file and a bunch of actual sound files in WAV or FLAC format, with the SFZ file being a text file that basically describes what sound file is located where and to be used for what instrument and pitch range

Install an SFZ

After downloading an SFZ (see [→below](#)), you need to manually extract all the files that belong to the SFZ (the SFZ file(s) and all the sub-directories and other files) into the directory listed [above](#). Leave the sub-directories and their contents as they are. Note, however, that on occasion, an SFZ file in its folder may seek the actual WAV sound files inside the SFZ sub-directory itself, usually in a folder labeled "Libs". If the SFZ zip file you download has a Libs folder in it, move it into the .main SFZ sub-directory

Uninstall

.To uninstall an SFZ, simply open the folder where its files are installed (see[above](#)) and delete them all

Synthesizer

Once a SoundFont has been [installed](#) on your system, it also needs to be loaded into the [Synthesizer](#). See [To load a soundfont](#)

Mixer

The Mixer allows you to easily change the sounds for each staff (even while the score is playing). For further details, see [.Mixer](#)

List of downloadable soundfonts

GM SoundFonts

The following sound libraries conform to the General MIDI (GM2) standard. This specification gives you a sound set of .128 virtual instruments, plus percussion kits

- [\(GeneralUser GS ↗\)](#) (29.8 MB uncompressed)
Courtesy of [S. Christian Collins ↗](#)
- [\(Magic Sound Font, version 2.0 ↗\)](#) (67.8 MB uncompressed)
- [\(Arachno SoundFont, version 1.0 ↗\)](#) (148MB uncompressed)
Courtesy of [Maxime Abbey ↗](#)
- (MuseScore 1 came with [TimGM6mb ↗](#)) (5.7 MB uncompressed)
License: GNU GPL, version 2
Courtesy of [Tim Brechbill ↗](#)
- [\(MuseScore 2 \(up to version 2.1\) came with FluidR3Mono_GM.sf3 ↗\)](#) (13.8 MB
- MuseScore 2 (as of version 2.2) and 3 come with [MuseScore_General.sf3 ↗](#) (35.9 MB) ([SF2 version ↗](#) (208 MB)) and are
• [\(being updated from time to time \(see the Changelog ↗\)](#)
License: released under the [MIT license ↗](#)
Courtesy of [S. Christian Collins ↗](#)
- MuseScore 3 on top offers an HQ version of that soundfont as an [extension](#)
[\(Timbres of Heaven, version 3.2 ↗\)](#) (369 MB uncompressed)
Courtesy of Don Allen
- [\(Soundfonts4U ↗\)](#) (12MB up to 1GB, depending on which package you choose
- [.Collection of beautifully sounding acoustic guitars as well as pianos, basses, strings, harps and many more](#)

Orchestral soundfonts

- [\(Sonatina Symphonic Orchestra \(503 MB uncompressed](#)
Downloads: [SoundFont ↗](#) | [SFZ format ↗](#)
License: Creative Commons Sampling Plus 1.0
[Aegean Symphonic Orchestra ↗](#)
- [\(Courtesy of Ziya Mete Demircan ↗\)](#) (352 MB uncompressed)

Piano soundfonts

SF2 Pianos

Yamaha C5 Grand - A beautiful sounding 6 velocity-layer-sampled Yamaha Salamander C5 Grand Acoustic grand piano, release 2016-08-04

Description: Yamaha Disklavier Pro Grand Piano, sf2 format, 36MiB compressed, 113MiB uncompressed, 121 samples, 5 velocity layers

.More information: <http://freepats.zenvoid.org/> including other soundfonts

License: Creative Commons Attribution 3.0

Courtesy of Roberto Gordo Saez

Salamander C5 Light

(Courtesy of Ziya Mete Demircan (24.5 MB uncompressed

SFZ Pianos

Salamander Grand Piano

Downloads: [version 2](#) | [version 3](#)

Description: Yamaha C5, 48kHz, 24bit, 16 velocity layers, between 80 MB and 1.9 GB uncompressed

License: Creative Commons Attribution 3.0

Courtesy of Alexander Holm

(Detuned Piano (244 MB uncompressed

License: Creative Commons Attribution-ShareAlike 3.0

Plucked Piano Strings

Description: 44.1kHz, 16bit, stereo, 168 MB uncompressed

License: Creative Commons Attribution-ShareAlike 3.0

The City Piano

Description: Baldwin Baby Grand, 4 velocity layers, 696 MB uncompressed

License: Public domain

Courtesy of Big Cat Instruments

Kawai Upright Piano, release 2017-01-28

Description: 68 samples, 44kHz, 24bit, stereo, 2 velocity layers, 58MiB uncompressed

License: GNU General Public License version 3 or later, with a [special exception](#)

Courtesy of Gonzalo and Roberto

Unzipping downloaded soundfonts

Since soundfonts are large, they are often zipped (compressed) into a variety of formats, including .zip, .sfArk, and .tar.gz.

.You need to unzip (decompress) these files before they can be used

.ZIP is standard compression format supported by most operating systems

sfArk is a compression format designed especially for compressing SoundFont files. To decompress it, use

Polyphone (cross-platform software); or this online service: <https://cloudconvert.com/sfark-to-sf2>

tar.gz is a popular compression format for Linux. Windows users can use 7-Zip; Mac users can use The

Unarchiver, or macOS' built-in Archive Utility. Note that if using 7-Zip, you will need to apply decompression twice—

.once for GZip and once for TAR

Troubleshooting

:If the toolbar play panel is greyed out, or not visible, follow the instructions below to get your sound working again

Right-click on the menu bar and make sure there is a check mark next to the Playback Controls menu item. If this step

.does not solve your problem, go to Step 2

If the play panel disappears after changing the SoundFont, go to Edit → Preferences... → I/O tab and click OK without

.making any changes. After restarting MuseScore, the play panel should reappear

.If you are setting up a SoundFont for the first time, please use one of the recommended SoundFonts listed above

If playback stutters, then your computer may not be able to handle the SoundFont being used. The following advice may

.help

Reduce the amount of RAM (memory) used by MuseScore by using a smaller SoundFont. See the [list](#) above for

.suggestions

Increase the amount of RAM available for MuseScore by quitting all applications except MuseScore. If you still have

.problems and a large SoundFont is important to you, consider more RAM for your computer

See also

[Synthesizer](#)

[Mixer](#)

External links

- (How to change the SoundFont or add another [↗](#) (MuseScore HowTo
- (The SFZ Format [↗](#) (for details about the sfz specification

Swing


MuseScore's **swing** feature allows you to change the playback of your score from a straight to a swing rhythm. Swing can be applied globally or only to a section of the score, and is fully variable

Apply swing to a score section

To apply swing to *all* staves in a system


1. Click on the note where you want swing to start

2. Click **Swing** in the Text palette (double-click in versions prior to 3.4)



3. Edit the Swing text as required

4. If you need to vary swing from the default setting, right-click the Swing text and select System text properties... Click on the "Swing Settings" tab and adjust note duration and "Swing ratio" as required



To apply swing only to *specific* staves in a system

1. Click on the note where you want swing to start

2. Add [Staff text](#)

3. Edit the appearance of the text as required

4. Right-click on the text, select Staff Text Properties..., and click on the "Swing settings" tab. Modify as required

5. Repeat steps 1–4 for other staves if needed

Swing text can be edited and formatted just like any other text object

:Often this notation is used to indicate swing



:MuseScore does not have a way to include a triplet in text as a tempo marking, but there is an easy workaround

- .1 ;(Add **Swing** text as described [above](#) and make it invisible (shortcut v, or untick "Visible" in the **Inspector**)
- .2 Add an appropriate **Image** of the required tempo marking to the score. These can be downloaded from the bottom of the "How To" page: [How to create a visual swing marking](#)
- .3 .Resize and reposition the image as required

Return to straight rhythm


:If you want playback to return to straight time after a swing section, use one of the following options

.(Use **and modify** a Swing text. (prior to version 3.4

- .1 .(Add **Swing** text to the first note or rest of the "straight" section (see [above](#))
- .2 ".**Edit** the text to indicate a return to straight time: e.g. "Straight
- .3 ".Right-click on the text and select System Text Properties.... Click on the "Swing Settings" tab and set "Swing to "Off"

.Use the **Straight** text as per version 3.4

- .(Add **Straight** text from the **Master palette** text to the first note or rest of the "straight" section (see [above](#))




Apply swing globally

:If you wish to apply swing to the whole score, you can do so from the menu

.Select Format → Style... → Score .1

".In the "Swing Settings" section, set the desired note value and "swing ratio" .2



External links

- [\(How to create a visual swing marking\)](#) (MuseScore HowTo)
- [\(Swing \(jazz performance style\)\)](#) (Wikipedia)

Synthesizer

Overview

.To display the **Synthesizer**: from the menu, select View → Synthesizer

:The Synthesizer controls MuseScore's sound output and allows you to

- .Load and organize different sound sample libraries to play back the music
- .Apply effects such as reverb and compression
- .Adjust overall tuning
- .Alter the output volume
- .(Select Midi Continuous Controllers to use with Single Note Dynamics (versions 3.1 and above)

:The Synthesizer window is divided into the following sections/tabs

- **.Fluid**: A software synthesizer that plays SF2/SF3 SoundFont sample libraries
- **.Zerberus**: A software synthesizer that plays SFZ format sample libraries
- **.Master Effects**: Used to apply multi-effects to the score
- **.Tuning**: Used to adjust overall playback tuning
- **.Dynamics** (versions 3.1 and above): Used to configure Single Note Dynamics Midi controllers

Save/Load Synthesizer settings


:The buttons at the bottom of the Synthesizer window have the following functions

Function	Button
Saves <i>all</i> current synthesizer settings as the <i>default</i> settings. These are automatically applied to the <i>Synthesizer</i> when you open MuseScore	Set as Default
.Loads the last saved <i>default</i> settings to the <i>Synthesizer</i>	Load Default
.Saves <i>all</i> current synthesizer settings to the <i>current</i> score only	Save to Score
.Loads the settings from the <i>current</i> score to the synthesizer	Load from Score

Notes: (1) "Synthesizer settings" include the order of SoundFonts and SFZ files, effects set-up, master tuning and volume.
 (2) Only one set of Synthesizer settings can be in effect at a time—i.e. if multiple scores are open at once, it is not possible to make changes to the Synthesizer in one score and leave other scores' settings untouched. (3) Changes to synthesizer settings will not be heard in exported audio files unless saved to the score first (see table, above). See also (Tuning (below

Fluid

Click on the **Fluid** tab to access the control panel for SF2/SF3 SoundFont sample libraries. By default, the SoundFont .MuseScore_General.sf3 should already be loaded



You can load, rearrange and delete soundfonts as required. Playback can be shared between any combination of different .soundfonts (and/or SFZ files). The order of soundfonts in **Fluid** is reflected in the *default* order of instruments in the mixer

To load a soundfont

1. Click on the Add button
2. Click on a soundfont in the list

To be able to load the soundfont, it first needs to be installed in your **Soundfonts folder**. This will ensure that it appears in (the list in step 2 (above)

To reorder the soundfonts

1. Click on a soundfont
2. Use the up/down arrows (on the right-hand side) to adjust the order
3. Repeat with other soundfonts in the list if required
4. Or use the double up arrow (on the top right-hand side) to move any SoundFont to the top of the list

The order of virtual instrument sets in the Synthesizer is reflected in the order of instruments listed in the Mixer. So, if playback of a score depends on a mix of instrument sets, it is advisable to save the Synthesizer configuration to the score in question by pressing the Save to Score button. When you next wish to play back the score, press the Load from Score to load the same configuration. However, remember this only sets the *order* of instruments—not the instruments themselves, which should be in place on your computer

To remove a soundfont

1. Click on the name of the soundfont
2. Click on the Delete button

This removes the soundfont from the synthesizer but does not uninstall it from the Soundfonts folder: it will still be available if you wish to reload it later

Zerberus


Click on the **Zerberus** tab to access the control panel for SFZ sound sample libraries. You can add, delete or reorder files in a similar way to the Fluid tab. Note that, as with Fluid, the SFZ files must first be installed in your **soundfonts** folder before they can be loaded into the synthesizer

Volume

The slider on the right of the Synthesizer controls the playback volume: any changes made here last only to the end of the session, unless saved to the score or set as the new default

Effects

The **Master Effects** tab of the Synthesizer allows you to add reverb and compression to your score



.Master Effects with Zita1 Reverb and SC4 Compressor

:To turn an effect on or off

(Select an option from the drop-down list next to **Effect A** or **Effect B** (the effects are applied in series, A → B •

To store and load effects configurations, use the buttons at the bottom of the Synthesizer window. See [Synthesizer settings](#) (above) for details

Zita 1 reverb

The **Zita 1** stereo reverb module allows you to simulate the ambience of anything from a small room to a large hall. The pre-delay, reverb time and tone of the reverb can be finely tuned using the controls provided

- .Delay:** Set a pre-delay for the reverb from 20-100 ms •
- Low RT60** (Low frequency reverb time): Use the grey control to adjust the center frequency (50–1000 Hz) of the low frequency band which you want to affect: the green control adjusts the reverb time (1–8 secs) of this frequency band •
- .Mid RT60** (Mid-range reverb time): Adjust the reverb time (1–8 secs) of the mid-range frequency band •
- HF Damping:** Adjusts the high frequency component of the reverb. Increasing this value increases the frequency of the cut-off point and makes the reverb appear brighter and longer •
- EQ1:** Allows you to cut or boost (-15 to +15) a frequency band (center = 40 Hz - 2 KHz) in the *lower* part of the spectrum •
- EQ2:** Allows you to cut or boost (-15 to +15) a frequency band (center = 160 Hz - 10 KHz) in the *higher* part of the spectrum •
- Output:** Controls the amount of effect applied. "Dry" is no effect. "Wet" indicates 100% reverb. "Mix" is a 50/50 balance of wet/dry signal •

.Note: EQ1 and EQ2 affect the tone of the reverb only, *not* the dry (unprocessed) signal

To quickly set up an effects patch, set "Output" to "Mix" and adjust the "Mid RT60" control to the desired reverb time. Then fine tune the effect as explained above

SC4 compressor

The **SC4** stereo compressor gives you fine control over the playback's dynamic range, reducing the volume variation between loud and soft sounds. It offers the following controls


- RMS:** Adjusts the balance between RMS (0) and Peak (1) compression. In the former, the compressor responds to averaged-out levels in the signal; in Peak mode, the compressor responds to peak levels •
- Attack:** (1.5–400 ms) The length of time it takes for compression to engage fully after the signal exceeds the •

- **Release:** (2–800 ms) The time it takes for compression to return to zero after the signal falls below the threshold level.
- **Threshold:** (in dB) The signal level above which compression starts to take effect. Lowering the threshold increases the amount of signal that is compressed.
- **Ratio:** The amount of compression applied to the signal above the threshold. The higher the ratio, the greater the compression. Varies between 1:1 and 20:1.
- **Knee:** Allows you to select a range between "soft knee" and "hard knee". The softer the knee, the more gradual the transition between uncompressed and compressed signal.
- **Gain:** Compression tends to lower the volume, so use this control to boost the signal as required.

To quickly set-up, try setting RMS = 1, Threshold = -20 db, Ratio = 6. Increase Gain to restore the lost volume. Then fine-tune as explained above.

Tuning

The **Tuning** tab is where you can adjust the program's **master tuning**. For Concert Pitch instruments, A4 = 440 Hz by default.




:To change the Master tuning

- Enter a new value in the **Master tuning** field, then press Change Tuning

Notes: (1) This tuning applies to all scores in the *current* session only. To make this the program default or to store it to a particular score, see [Save/Load Synthesizer settings](#). (2) To apply the new tuning to exported audio files (WAV, MP3, .OGG), press **Save to Score** before exporting.

(Dynamics (versions 3.1 and above

:Click on the **Dynamics** tab to access the control panel for Single Note Dynamics



- Dynamics method:** You can choose either between 1) Default (single-note dynamics and velocity), 2) Velocity only (no single-note dynamics), 3) CC events only (constant velocity)
- CC to use:** Depending on the SoundFont you use, you may have to choose the Continuous Controller to use, 1) CC 1, 2) CC 2 (default), 3) CC 4, 4) CC 11

In the **Advanced Settings** box, you can choose to enable or disable the Expression Controller for Instruments Sound

- Switch all patches:** Select 1) To Expressive (to enable for all instruments sounds), 2) To Non-Expressive (to disable for all instruments sounds), 3) Reset All (Reset all instruments sounds to defaults)

See also

- [SoundFont](#)
- [Mixer](#)

External links

- [\(How To: Using Single Note Dynamics \(SND\)\)](#) (MuseScore HowTo)

Tempo

Tempo markings can be found in the [Tempo palette](#) of the Basic and Advanced [workspaces](#). They are supplied as metronome marks, but can be subsequently edited to display any tempo or expression you want. Playback tempo can be varied throughout the score by using multiple tempo markings, visible or invisible

Add a tempo marking

Use any of the following methods

- Select a note or rest and press the **keyboard shortcut** Alt+Shift+T
- Select a note or rest, and from the **menu bar** choose Add → Text... → Tempo Marking
- Select a note or rest and click an appropriate metronome mark in the **Tempo palette** (double-click in versions prior to 3.4)
- Drag-and-drop a metronome mark from the **Tempo palette** directly onto a note or rest

Note: If a tempo marking is applied from the menu or using a keyboard shortcut, the beat note automatically follows the time signature. The advantage of applying from a palette is that you can choose which beat note to use


Edit tempo

To change the tempo of an existing metronome mark in the score

- Go into [Edit mode](#) on the tempo mark in question
- Edit the metronome number and/or the beat note as required
- Exit Edit mode

You can also override the tempo of an existing metronome mark from the [Inspector](#)

- .1 ;Select the tempo mark
- .2 ;Untick "Follow text" in the **Tempo text** section of the Inspector



.3 .Set the desired playback tempo in the "Tempo" field underneath

Note: Playback may be faster or slower if the tempo setting in the play panel is at a percentage other than 100%

Edit tempo text

Tempo marks can be edited and formatted just like any other text object. To set text properties or text style, see Text styles and properties


The tempo indicated by a metronome mark usually persists even if overwritten by an expression—such as Andante, Moderato etc. You can also *add* further text to a plain metronome mark. e.g

Andante ♩ = 75

Overriding the tempo marking

:You can temporarily override the indicated tempo, and play the score back at any tempo you like using the play panel

:(Display the play panel: View → Play Panel Or F11 (Mac: Fn+F11) .1




Move the tempo slider up or down as required. The tempo is shown both as an absolute value and as a percentage .2 .of the currently indicated tempo mark. Double-click the tempo slider to reset it

Note: BPM is always measured and displayed in quarter note beats per minute, regardless of the (denominator of the) .time signature in effect

Ritardando and accelerando playback

You can simulate **ritardando** ("*rit.*") and **accelerando** ("*accel.*") playback by adding hidden tempo markings to the score. .The printed indication to the musician should be added as staff/system text in addition

In the example illustrated below, the tempo was originally 110 BPM (beats per minute). At the ritardando, the tempo decreases by 10 BPM on the first note of each measure. Each tempo change is made invisible by unchecking the **Visible** :checkbox in the Inspector, so that only the ritardando shows on the printed score



A plugin has been developed to automate this process: TempoChanges ↗

Fermatas

Fermatas, available in the Articulations and Ornaments palette, have a **Time stretch** property that can be set via the Inspector. By default, this property is set to 1.00. To have MuseScore play back a fermata for twice its normal duration,

click on the fermata and set "Time stretch" to 2.00. This of course does not work for fermatas applied to barlines, as barlines don't have a duration to stretch

See also

- [Play mode](#)
- [Time signature](#)

External links

- [\(How to create a visual swing marking](#) [↗](#) (MuseScore HowTo
- [.Metrico: a font to create metronome marks, metric modulations and swing indications for music notation](#) [↗](#)

Dynamics

Dynamics are symbols indicating the relative loudness of a note or phrase of music. They can be found in the Dynamics palette in either the Basic or Advanced workspace

<i>ppp</i>	<i>pp</i>	<i>p</i>	<i>mp</i>
<i>mf</i>	<i>f</i>	<i>ff</i>	<i>fff</i>
<i>fp</i>	<i>fz</i>	<i>ffz</i>	<i>fffz</i>
<i>ffz</i>	<i>fpz</i>	<i>ppp</i>	<i>rfz</i>
<i>rf</i>	<i>fz</i>	<i>m</i>	<i>r</i>
<i>s</i>	<i>z</i>	<i>n</i>	

(Additional dynamics are available in the Master Palette (Shift+F9

Note: if you wish to adjust the *overall* playback volume of the score, use the volume slider in the Play Panel, or Synthesizer

Add a dynamic

To apply a dynamic to the score, use one of the following methods

- (Select a note and click a dynamic symbol in a palette (double-click in versions prior to 3.4
- .Drag a dynamic symbol from a palette onto a note

To create a crescendo or decrescendo, see Hairpin

Adjust properties

The default dynamic of the score is ***mf*** (mezzoforte)—set at MIDI velocity 80 (out of 127). Depending on the dynamic governing a particular section of the score, velocity (and the resulting loudness) may be less than or greater than this

To edit the velocity of a dynamic

Select the dynamic and, in the **Dynamic** section of the Inspector edit the Velocity value—higher for louder, lower for softer

To adjust the range

Note: Range = the staves in the system affected by the dynamic

Select the dynamic, and in the **Dynamic** section of the Inspector, choose an option from "Dynamic range". The default is "Part," which means that all staves for a particular instrument will be affected. "Staff" limits the effect to the staff attached to the dynamic. "System" means that all staves in the system will be affected by the dynamic

(To change the placement (above or below stave

.For a single dynamic mark: select the dynamic, and typex to flip the placement or use the Inspector, see below

- :For all dynamic marks on a stave

Right-click on one dynamic, then choose *Select > All Similar Elements on Same Stave* .1

"In the **Dynamic** section of the Inspector choose the required option *Above* or *Below* from "Placement" .2

- :For all dynamic marks in the score

See above, then use the "Set as Style" button of Inspector

Customize a dynamic

Dynamics can be edited just like any other text object. Special character shortcuts can be used to add the following symbols

- .Ctrl+Shift+P (Mac: Cmd+Shift+P): **Piano p** •
- .Ctrl+Shift+F (Mac: Cmd+Shift+F): **Forte f** •
- .Ctrl+Shift+M (Mac: Cmd+Shift+M): **Mezzo m** •
- .Ctrl+Shift+R (Mac: Cmd+Shift+R): **Rinforzando r** •
- .Ctrl+Shift+S: **Sforzando s** •
- .Ctrl+Shift+N (Mac: Cmd+Shift+N): **Niente n** •
- .Ctrl+Shift+Z (Mac: Cmd+Shift+Z): **Z z** •

You can also edit the velocity and range etc. (see above). If desired, you can save the result for future use in a custom palette

(Single Note Dynamics (SND

As of version 3.1, MuseScore supports single note dynamics. In addition to editing the velocity, you can also edit the velocity change in the inspector. Entering a number into this field will change the velocity of the note by approximately that amount after the initial velocity is played. A negative number can be used to lower the volume after the initial note and a positive number will make the note play louder after the initial volume. See links (below) for further details

External links

- [Video tutorial: Lesson 10 - Articulations, Dynamics and Text](#) •
- [\(Using Single Note Dynamics \(SND\)](#) • (MuseScore HowTo
- [\(How to restore correct playback of dynamics and hairpins in an imported MIDI file](#) • (MuseScore HowTo
- [\(Dynamics](#) • (Wikipedia

Capo playback

MuseScore allows you to transpose the playback of a staff, without affecting the music notation. This simulates the effect of a capo • (Wikipedia) on the instrument

Add capo to a single staff

1. Add staff text to the note/rest from which you want capo playback to start
2. Click on "Properties" in the "Staff Text" section of the Inspector, or right-click on the staff text and select Staff Text Properties...; then click on the **Capo Settings** tab
3. Check the "Capo Settings" checkbox, and set **Capo fret** to the fret number you wish to apply the capo at (each fret increases the pitch by a semitone)
4. Click ok to apply your changes
5. Edit the wording of the text as desired

Add capo to linked staff/tablature

- Same method as above, but in step 1, add the staff text to the music staff only

Add capo to unlinked staff/tablature

- Same method as above, but apply the staff text to both staff and tablature

Note: Capo playback will apply from the note that the staff text is attached to, until either the next staff text with "Capo Settings" enabled, or until the end of the score

Remove capo

- To remove capo playback from a staff, returning the instrument to its normal tuning
- Add staff text with a "Capo fret" setting of "No capo"

Text

There are many different kinds of text objects in MuseScore (see tables below); text may also be found incorporated into lines. This chapter shows you how to create, format and edit text objects, and also includes information about the following types of text

Uses	Text type
General purpose text attached to a single staff: appearing only in that instrument part	<u>Staff text</u>

.General purpose text attached to a single staff: appearing in all instrument parts	System text
.Display the chords associated with a melody: usually above the staff	Chord symbols
.Numbers or letters attached to notes showing which fingers to use	Fingering
.Create lyrics attached to a melody	Lyrics
.Facilitate rehearsals, divide score into sections, bookmark passages etc	Rehearsal marks

:For other types of text available in MuseScore, follow the links below

Uses	Text type
.Indicate the loudness of a note or phrase	Dynamics
.Period notation for keyboarders	Figured bass
.Title/composer/lyricist details at the start of a score; songsheet lyrics etc	Frame text
.Page numbers, copyright info etc. at the top/bottom of a page	Headers/Footers
.Apply mid-staff instrument changes	Instrument text
.Da Capo, Dal segno, Fine etc	Repeats and jumps
.A chord analysis system	Roman Numeral Analysis ((RNA
Letters (L and R) attached to (drum) notes showing which hand or foot to use	Sticking
.Change from straight to swing time, and vice versa	Swing text
.Apply metronome and/or expression marks	Tempo marks
.Voltas, ottavas, pedal lines, guitar barre lines etc	Text-lines

Text basics

Add text

:To add a text-based element to the score, use one of the following general methods


- **Keyboard shortcut:** For example, press Ctrl+T to enter [Staff text](#), Ctrl+L to enter [Lyrics](#), and so on
- **Menu command:** Add → Text allows you to choose from a range of text-based elements
- **Workspace:** Select a note and click an icon in one of the palettes (double-click in versions prior to 3.4); or, alternatively, drag a symbol from a palette onto the staff. E.g. [Swing text](#), [Tempo text](#) etc

Notes: (1) The exact method depends on the type of text you are adding (see [Text](#)). (2) For general-purpose **text boxes** attached to staves, see [Staff and system text](#)

Text formatting

When a [text object](#) is created in MuseScore, it assumes the corresponding [Text Style](#): all [staff text](#), for example, has a unique Text Style, as have tempo markings, dynamics, chord symbols etc. Each Text Style consists of a number of text properties (font-face, font-size, font-style etc.), which can be viewed, mainly, in the **Text Styles** dialog. ((Format → Style... → [Text Styles](#)

A newly-created **text object** starts off with identical text properties to the Text Style. These can be viewed in the [Inspector](#)



However, these text properties are *not* limited to those of the default Text Style: if need be, you can edit them in the [Inspector](#) *independently* of Text Style

Finally, if you want to apply formatting to specific characters in a text object (font-face, font-size, Bold, Italic, Underline, superscript, subscript), you can do so in [text edit mode](#)

Adjust position of text objects

:To position a text object, use any of the following methods

- .Drag the object
- .Select the object and adjust the X or Y offset values in the Inspector
- :Select the object and apply any of the following keyboard shortcuts
 - .Move text left 0.1 staff space :← ○
 - .Move text right 0.1 staff space :→ ○
 - .Move text up 0.1 staff space :↑ ○
 - .Move text down 0.1 staff space :↓ ○
 - .Ctrl+← (Mac: Cmd+←): Move text left one staff space ○
 - .Ctrl+→ (Mac: Cmd+→): Move text right one staff space ○
 - .Ctrl+↑ (Mac: Cmd+↑): Move text up one staff space ○
 - .Ctrl+↓ (Mac: Cmd+↓): Moves text down one staff space ○

Text anchors

:When you apply a text element to the score, its anchor position will depend on the type

- .**Title, Subtitle, Composer, Poet**: Anchored to a frame
- .Fingering: Anchored to note heads
- .Lyrics: Anchored to a time position
- .Chord symbol: Anchored to a time position
- .Staff text: Anchored to a time position
- .System text: Anchored to a time position
- .Sticking: Anchored to a time position

Text editing

Text edit mode allows you to add or delete text, and apply formatting (e.g. **bold**, *italic*, underline etc.) to individual characters




Enter/exit text edit mode

:To enter **Text edit mode** use one of the following methods

- .Double-click a text object
- .Click on an already selected text object
- .Right-click on a text object and select Edit element
- .Click on a text object and press Alt+Shift+E

.*Note*: Creating a new text object (see Text basics) also puts the program into text edit mode

:You can access the various formatting functions from the **Text toolbar**, which appears below the document window



:To exit **Text edit mode** use one of the following


- .Press Esc
- .Click on a part of the score outside the edit window

Keyboard shortcuts


:In **Text edit mode**, the following keyboard shortcuts are available

- .Ctrl+B (Mac: Cmd+B) toggles **bold face**
- .Ctrl+I (Mac: Cmd+I) toggles *italic*
- .Ctrl+U (Mac: Cmd+U) toggles underline
- .Home End ← → ↑ ↓ moves cursor
- .Backspace (Mac: Delete) removes character to the left of the cursor
- .Del (Mac: → Delete or Fn+Del) removes character to the right of the cursor
- .starts new line ↵
- .(F2 (Mac: Fn+F2) Inserts special characters (see below)

You can use the **Special Characters** window to insert quarter notes, fractions, and many other kinds of special symbols (or characters into your text. A few symbols can also be accessed by shortcut (see below



To open **Special Characters**, use any of the following methods

- (Click on the  icon in the text toolbar (below the score window
- (Press F2 (Mac: Fn+F2

Note: (1) This only works in Text edit mode; (2) The Special Characters dialog should not be confused with the menu item of the same name in the macOS version of MuseScore

The dialog is divided into 3 tabs: Common symbols, musical symbols and unicode symbols. The musical and unicode tabs are further subdivided into alphabetically-arranged categories

Double-clicking an item in the Special Characters dialog immediately adds it to the text where the cursor is positioned. Multiple items can be applied without closing the dialog box, and the user can even continue to type normally, delete characters, enter numerical character codes etc., with it open

Special character shortcuts

In **Text edit mode** the following keyboard shortcuts can be used to access certain special characters

- (Ctrl+Shift+# (Mac: Cmd+Shift+#): **Sharp #**. (Note: This may not work on every keyboard layout
- \flat Ctrl+Shift+B (Mac: Cmd+Shift+B): **Flat**
- \natural Ctrl+Shift+H (Mac: Cmd+Shift+H): **Natural**
- Ctrl+Shift+P (Mac: Cmd+Shift+P): **Piano *p***
- Ctrl+Shift+F (Mac: Cmd+Shift+F): **Forte *f***
- Ctrl+Shift+M (Mac: Cmd+Shift+M): **Mezzo *m***
- Ctrl+Shift+R (Mac: Cmd+Shift+R): **Rinforzando *r***
- Ctrl+Shift+S (Mac: Cmd+Shift+S): **Sforzando *s***
- Ctrl+Shift+N (Mac: Cmd+Shift+N): **Niente *n***
- Ctrl+Shift+Z (Mac: Cmd+Shift+Z): **Z z**
- Ctrl+Alt+- (Mac: Cmd+Alt+-): **Elision**

See also


- [Chord symbol](#)
- [Lyrics](#)
- [Frame](#)
- [Edit mode](#)

Text styles and properties

Text styles

When you create a text object, it initially assumes the properties of the **Text Style** applicable to its class. *Staff text* objects, for example, have their own style, as do *tempo markings*, *lyrics*, *chord symbols*, and so on

:To view and edit any **Text Style**: select Format → Style... → Text Styles. This gives you access to the following properties




- **.Name**: Change the name of a user style if desired
- **.Font face / Font size**: The name of the font (e.g. *Times New Roman*, *Arial* etc.) and its size in points
- **.Follow staff size**: Whether text size changes in proportion to score scaling
- **.Font style**: The font style to use, e.g. Italic, Bold or Underline
- **.Align**: Horizontal (left, center, right) and Vertical
- **.Color**: Color of the text
- **.Offset X/Y**: Horizontal and vertical offsets in sp. units
- **.Frame**: Choose to have a circular or square frame around the text
- **.Border**: Color of the frame border
- **.Highlight**: Color of the background within the frame
- **.Thickness**: Thickness of the line of the frame in space units
- **.Margin**: Inner frame margin in space units
- **.Corner radius**: For box frame, radius of rounded corner

Notes: Opacity is set by the parameter "Alpha channel" in the "Select Color" dialog: a value between 0, transparent, and 255, opaque

Alternatively, you can edit the properties of a **Text Style** by selecting an object of the desired style in the score, adjusting its properties in the Inspector, and clicking the **Set as style** buttons as you go. This will automatically update the **Text Style** and all relevant text objects in the score

Text objects

If you want to format a *particular text object* in the score differently to its Text Style, select it and adjust its text properties in the Inspector



If you have made changes to a particular text property in the Inspector, but want to revert that property to the **Text Style** definition, press the "Reset to style default" button

Text Styles (together with all other styles in a document) can be saved as *astyle file* and loaded into other MuseScore files. See [Save and load style](#)

See also

- [Text editing](#) •
- [Header/Footer](#) •
- [Behavior of applied text and lines](#) •

Staff and system text

Staff Text or **System Text** is invaluable as general purpose text. To apply to the score, use one of the following methods

- Select a note or rest; then for **Staff text**, press Ctrl+T; or for **System text**, press Shift+Ctrl+T
- Select a note or rest; then select the desired option from Add → Text
- (Select a note or rest, then click the desired text from a palette (double-click in versions prior to 3.4
- Drag the desired text from a palette onto a note or rest

This will create an empty bounding box for text entry. Press Esc or click on an empty space outside the box to exit

Apart from their indicative use, staff and system text also have optional playback properties: see below

Summary of differences

Appears in Instrument ?parts	Playback (if applicable	?Applies to	Text style
Staff instrument only	Staff only	Staff only	Staff text
All instruments	All system staves	All system staves	System Text

Staff text

Staff Text is applied to one staff (or Grand staff) in the score, and is indicative only for that staff; any playback effect associated with the text is limited in the same way. The text will appear in the corresponding instrument part

If you choose to hide empty staves, any staff text belonging to an empty staff will also be hidden

Staff text properties

The regular properties of the text, such as font, size, italics etc, can be viewed and updated directly in the inspector, but staff text can also have properties related to playback

Staff text can, for example, be used to apply indications such as *Solo* or *Pizzicato* to one staff in a score. Depending on what the instruction of the staff text is, playback of that staff at the text location can sometimes be altered to match the instruction. The playback properties of a staff text can be accessed in two ways

- Select the staff text, and click on "Properties" in the "Staff Text" section of the Inspector
- Right-click on the text and choose "Staff Text Properties," then click on the relevant tab

The dialog window that opens contains tabs for the following playback properties

Change Channel

This property can be used to change the sound of an instrument, such as switching between open and muted sound for a trumpet, or between arco and pizzicato for a violin. This only works for instruments which are defined to have more than one channel. You can check this by selecting the "Change Channel" tab and click on one of the option fields in the "Channel:" column. If there is only one option "normal", this instrument only has one channel. See [Mid-staff Sound Change](#) for more info

Swing Settings

To switch between playing with "straight" and "swing" feeling for just this staff/instrument. Note that you can also apply swing to all staves in the score or to the the complete score from start to finish. See [Swing](#) for more info

Capo Settings

For stringed instruments you can apply a "capo", transposing the playback up by a number of frets/halfnote steps. See [Capo playback](#) for more info

MIDI Action

This tab does not do anything and can be ignored

When staff text is copied and pasted elsewhere in the score, or if it is added to a custom palette, the playback properties are also copied

System text is applied to one staff in the score, but is indicative for every staff in the system. Any associated playback properties are applied to the whole system. The text will appear in all instrument parts.

System text is never hidden by the [hide empty staves](#) feature.

System text properties

To add or edit [Swing](#)

Right-click on the text and choose **System Text properties**, then click on the **Swing Settings** tab •

See also


[Mid-staff sound change](#) •

External links

[\(How to change instrument sound \(e.g. pizz., con sordino\) midway through score\)](#) (MuseScore HowTo) •

Chord symbols

Chord symbols are an abbreviated way of representing musical chords (see [Chord names and symbols](#) (Wikipedia) for further details). For example



Note: To fill measures with slashes, see [Fill with slashes](#) or [Toggle rhythmic slash notation](#)

As well as conventional chord symbol notation, MuseScore as of version 3.3 also supports the [Nashville Number System](#) (NNS), and [Roman Numeral Analysis](#) (RNA)

Enter a chord symbol

Select a start note or a slash .1

(Press Ctrl+K (Mac: Cmd+K) .2

The cursor is now positioned above the staff ready for input. Enter the chord symbol just like normal text, as follows .3

Root note: A, B, C, D, E, F, G •

(Sharp: # (hash symbol, Alt+3 on a UK keyboard •

(Flat: b (small letter "b" •

(Double sharp: x (small letter "x") or ## (two hash symbols •

(Double flat: bb (small letter "b" twice •

Natural: natural. *Note:* There should be no space before the word "natural", but any chord text following it should •

be separated by a space—the latter inserted using the command Ctrl+Space. Thus, to write **B:m**: enter

"Bnatural", then press Ctrl+Space, then type "m". You can also use Ctrl+Shift+H. Note that neither of these

transpose or play back (other than the root note), or export to MusicXML properly

(For other symbols, see [Chord symbol syntax](#) (below) •

Move the cursor forward or backwards to continue entering or editing chord symbols (see [Keyboard commands](#) .4

(below

.Exit chord symbol mode by pressing Esc .5

When you exit a chord symbol, the characters entered will automatically assume the correct format: by default **root note** typed in lower case will turn into upper case (for alternative options, see [Automatic Capitalization](#)); a "#", "b" or "natural" will turn into a proper sharp (#), flat (b) or natural (♮) and so on. Do not try to use actual flat, sharp and natural signs, as MuseScore will not understand those properly.

Keyboard commands

The following commands are available during chord symbol entry

- Space move Cursor to next note, rest, or beat •
- Shift+Space move cursor to previous note, rest, or beat •
- Ctrl+Space (Mac: Alt+Space) add a space to the chord name •
- move cursor to next beat ; •
- ← move cursor to previous beat : •
- Tab move cursor to next measure •
- Shift+Tab move cursor to previous measure •

- (Ctrl (Mac: Cmd) plus number (1 - 9) move Cursor by duration corresponding to number (e.g.; half note for 6
- .Esc exit

Chord symbol syntax

MuseScore understands most of the abbreviations used in chord symbols

- **(Major:** M, Ma, Maj, ma, maj, Δ (type or ^ for the triangle
- - , **Minor:** m, mi, min

(Diminished: dim, ° (entered with lowercase letter o, shows as ° if using the [Jazz style](#), as o otherwise

.Half-diminished: ø (type 0, zero). Alternatively, you can, of course, choose abbreviations such as mi7b5 etc

- + , **Augmented:** aug

The following abbreviations are also valid: *extensions* and *alterations* like b9 or #5, sus, alt, and no3; *inversions* and *.slash chords*, such as C7/E; *commas*; *parentheses*, which can enclose part, or even all, of a chord symbol

Edit a chord symbol

An existing chord symbol can be edited in a similar way to ordinary text: See [Text editing](#)

Transpose chord symbols

Chord symbols are automatically transposed by default if you apply the menu [Transpose](#) command to the containing .measures. If this is not required, you can untick the "Transpose chord symbols" option in the same dialog

Chord symbol text

To adjust the appearance of *all chord symbol* text, use any of the following options

- From the main menu, choose Format → Style → Text Styles → Chord Symbol. Then edit the text properties as required
- Select a chord symbol and make changes in the [Inspector](#), pressing the "Set as style" buttons as you go

Chord symbol style


To access formatting options for **chord symbols**

From the menu, select Format → Style... → [Chord Symbols](#). Adjustable properties are listed under the following headings


Appearance

Three options are possible: **Standard** and **Jazz** and **Custom**. You can select between these using the radio buttons

In the **Standard** style, chords are rendered simply, with the font determined by your [chord symbol text](#) style



In the **Jazz** style, the MuseJazz font is used for a handwritten look, with distinctive superscript and other formatting characteristics. The Jazz style is selected by default if you use any of the Jazz templates



The **Custom** style option allows you to customize the look of chord symbols (and also ensures compatibility with older scores). Select a customized **Chord symbols style file** in the field below: this can be created by copying and modifying one of the pre-existing files in the "styles" folder. Documentation can be found in the same folder. Note, however, that this is for advanced users only, and there is no guarantee these files will be supported in the future

Note spelling

By default, MuseScore uses letter names for chord symbols. For users in regions where other note naming schemes are used, MuseScore provides the following controls

- ..., # **Standard:** A, Bb, B, C, C
- ..., # **German:** A, Bb, H, C, C
- ..., **Full German:** A, B, H, C, Cis

- ..., **Solfeggio**: Do, Do#, Reb, Re •
- ..., **French**: Do, Do#, Réb, Ré •

Automatic Capitalization

By default, MuseScore automatically capitalizes all note names on exit, regardless of whether you entered them in upper or lower case. However, you can also choose other automatic capitalization options

- ..., **Lower case minor chords**: c, cm, cm7 •
- ..., **Lower case bass notes**: C/e •
- ..., **All caps note names**: DO, RE, MI •

You can also turn off the automatic capitalization completely, in which case note names are simply rendered the way you type them

Positioning

- Distance to fretboard diagram**: If a fretboard diagram is present, this value is the height at which the chord symbol (is applied *above* the diagram (negative values can be used
- Minimum chord spacing**: The space to leave between chord symbols •
- Maximum barline distance**: Changes the size of the gap between the last chord symbol in the measure and the following barline. You only need to adjust this value if there is a continuous problem in the score with overlap between the last symbol in one measure and the first symbol in the next •

Note: In addition to the settings described here, the default position of applied chord symbols is also determined by settings in the [Text Styles](#) dialog. The effect is cumulative

Capo

Enter the number of the capo position at which you want to display substitute chords, in brackets, after all chord symbols in the score


Nashville Number System

The Nashville Number System (NNS), available in MuseScore since version 3.3, is a shorthand way of representing chords based on scale degrees rather than chord letters. This allows an accompaniment to be played in any key from the same chord chart

To start entering Nashville notation

- 1. Select a start note
- 2. From the menu, select Add → Text → Nashville Number

Just as with standard chord symbols, you can type Nashville notation normally and MuseScore will do its best to recognize and format the symbols appropriately. The same shortcuts used for navigation when entering standard chord symbols (e.g. Space, see [above](#)) are available for Nashville notation as well



Roman Numeral Analysis

As of MuseScore 3.3, the **Roman Numeral Analysis** system is supported—a type of musical analysis where chords are represented by upper and lower case Roman numerals (I, ii, III, iv etc.), superscripts, subscripts and other modifying symbols. It is used to notate and analyze the harmony of a composition independent of its key (see [External links](#) for further details)

Note: Unlike standard chord symbols and Nashville notation, which MuseScore formats using its own algorithms, RNA uses the free and open source [Campania font](#) to format the symbols. This allows MuseScore to format the symbols as you type, rather than applying the formatting only when you are done. Also, if you install the Campania font on your system normally, you can use it in other programs as well and benefit from the same formatting

Enter RNA

- 1. Select a start note
- 2. From the menu, select Add → Text → Roman Numeral Analysis. Alternatively, set up a keyboard shortcut to do the same thing in [Preferences](#)
- 3. Input the RNA symbols for the chord just like normal text, as follows

Major chord: Upper case roman numerals ◦

Minor chord: Lower case roman numerals ◦

(Diminished chord: o (lower case ◦

(Half-diminished chord: 0 (zero ◦

+ **:Augmented chord** ◦

Chord inversions: Enter up to 3 single-digit numbers, top note first ◦

(Accidentals: # (sharp), b (flat ◦

."For other symbols, see the images below, [Examples of RNA](#) ◦

;Move the cursor forward or backwards to continue entering or editing symbols for other chords .4

.When RNA is completed, exit by pressing Esc, or by clicking on a blank section of the score .5

Just as with standard chord symbols, you can type Roman numeral analysis normally and MuseScore will do its best to recognize and format the symbols appropriately. The same shortcuts used for navigation when entering standard chord symbols are available for Roman numeral analysis as well (see [Keyboard commands](#) (above

Examples of RNA

:Type this



:To get this



(Playback (as of version 3.5

.See [Playback: Chord symbols / Nashville numbers](#)

External Links

- [\(Nashville Number System](#) ↗ (Wikipedia •
- [\(Roman Numeral Analysis](#) ↗ (Wikipedia •
- [Campania font](#) ↗ •
- [Chord Symbol Voicings for Playback](#) ↗ •

Fingering

.Fingering symbols for various instruments are found in the [Fingering palette](#) in the Advanced workspace

0	1	2	3	4	5
p	i	m	a	c	0
1	2	3	4	5	0
1	2	3	4	5	6
φ		·	

.**Keyboard** music employs the numbers 1–5 to represent fingers of the left or right hand •

Guitar music uses the numbers 0–4 to represent left-hand fingering (T is occasionally used for the thumb). Right-hand fingering is indicated by the letters p, i, m, a, c. Circled numbers represent instrument strings •

.The last five symbols in the palette are used for **lute** fingering in historical music •

Note: To enable the display of fingering in tablature, right-click on the TAB, and select [Staff/Part Properties...](#) → [Advanced](#) → [Style Properties](#); then check the box labelled "Show fingering in tablature"

Add fingering to a single note

:Use any of the following methods

.(Select a note and click one of the fingering symbols in a Palette (double-click in versions prior to 3.4 •

Drag and drop a fingering symbol from a palette onto a note •

.When fingering is added to a note, the focus immediately shifts to the symbol, so you can adjust it right away

Add fingering to several notes

.1 ;Select the desired notes

.2 .(Click a fingering symbol in a palette (double-click in versions prior to 3.4

(Easy fingering input mode (version 3.1 and above

.This special feature allows you to add fingering quickly and easily to successive notes

.1 :Choose one of the following options

Add the first fingering symbol using one of the methods shown above: this can be a "Left Hand Guitar ◦
;"Fingering", "Fingering" or "String Number

For "Fingering" only: select a note and press the keyboard shortcut for "Add fingering," then type the desired ◦
.number

.Tip: Create a shortcut for this command in Preferences: Shortcuts: Ctrl+Alt+F, for example

.2 :Choose one of the following options

◦ ;→+To move the cursor to the**next note**: Press Space, or Alt

◦ ;← + To move the cursor to the**previous note**: Shift+Space, or Alt

.3 ;Type the desired number

.4 ;Repeat steps 2 and 3 as required

.5 .Press Esc, or click on an empty space in the document window, to exit

Adjust position of fingering

Single fingering

:To change the position of *one* symbol, use any of the following methods

◦ .↓ ↑ → ← +For fine adjustments (0.1 sp) use the arrow keys; For larger adjustments (1 sp) use Ctrl

◦ .Change X and Y offsets in the Inspector

◦ .Drag the symbol using your mouse

Multiple fingering

:To change the position of multiple symbols

.1 ;Select the desired fingering symbols

.2 .Adjust using the X and Y offsets in the Inspector

.To restore a symbol to its default position, select it and press Ctrl+R

Edit fingering text

Fingering symbols are text objects and can be edited in the usual way. Text properties and overall stye can be adjusted in
.the Inspector

Lyrics

Enter a lyrics line

First line

.1 ;Enter the notes of the melody line

.2 ;Select the note where you want to start entering lyrics

.3 ;To enter **lyrics mode**, type Ctrl+L (Mac: Cmd+L); or from the main menu, select Add → Text → Lyrics

.4 ;Type a syllable

.5 :Use the following options to continue entering lyrics

◦ .**Go to the next syllable**: Press Space (or Ctrl+→ (Mac: Alt+→)) at the end of a syllable

◦ .**Hyphen** (to connect syllables): Press - at the end of a syllable

◦ .((→+**Go to the previous syllable**: Press Shift+Space (or Ctrl+← (Mac: Alt

◦ .**Move left**: Press ← (left arrow). If the cursor is at the beginning of a syllable, it will jump to the previous one

◦ .**Move right**: Press → (right arrow). If the cursor is at the end of a syllable, it will jump to the next one

◦ .(**Move to the syllable below**: Press ↓ (down arrow

◦ .(**Move to the syllable above**: Press ↑ (up arrow

◦ **Start new lyrics line**: Press ↵ (Return) at the end of an existing lyrics syllable (Note: Don't use the Enter key

◦ .(If from the numeric keypad

.To exit **lyrics mode**, press Esc or click outside of the text box .6

Subsequent lines

:(.If you want to add another lyrics line to an existing one (e.g. a 2nd or 3rd verse etc

.1:Choose one of the following options .1

Select the note where you want to start the new lyrics line. Enter **lyrics mode** as shown in step 3 (above). The cursor moves to a new (blank) line

Enter text edit mode on an existing syllable, go to the end of the syllable and press (Return). The cursor moves to the next line

.2.(Continue entering lyrics from step 4 (above) .2

:Example

A musical score in G major (one sharp) and 4/4 time. The treble clef staff contains the melody with lyrics: "A - des - te, fi - del - es, Can - tet nunc hym - nos Er - go qui na - tus". The bass clef staff contains a simple accompaniment. The lyrics are aligned with the notes: "A" under the first note, "des" under the second, "te," under the third, "fi" under the fourth, "del" under the fifth, "es," under the sixth, "Can" under the seventh, "tet" under the eighth, "nunc" under the ninth, "hym" under the tenth, "nos" under the eleventh, "Er" under the twelfth, "go" under the thirteenth, "qui" under the fourteenth, and "na - tus" under the fifteenth.

Special characters

In most cases, lyrics can be edited just like normal text. However, special keyboard shortcuts are required to enter the following characters

.(**Space character**: Ctrl+Space (Mac: Alt+Space) •

.-+**hyphen**): Ctrl+- (Mac: Alt+-) or AltGr) - •

.(**Line feed**: Ctrl+↵ (Mac: Alt+Return) or Enter (from the numeric keypad) •

Verse numbers

To number verses, simply type the number (e.g. 1.) and space before the first syllable. MuseScore will automatically align the numbers and first syllable correctly

Melisma

A **melisma** is a syllable or word that extends over two or more notes. It is indicated by an underline extending from the base of a syllable to the last note of the melisma. The underline is created by positioning the cursor at the end of a syllable and pressing shift+_ : once for each note in the melisma. See the image below

A musical score in G major (one sharp) and 4/4 time. The treble clef staff contains the melody. The lyrics are "soul, _____ To". The word "soul," is underlined with a long horizontal line that extends across four notes. The word "To" is underlined with a shorter horizontal line that extends across two notes. The bass clef staff contains a simple accompaniment.

:The above lyric was created in the following manner

.,Type the letters, soul .1

._+_At the end of the word, press shift .2

.3.Type the letters To, then press Esc .3


For non-last syllables to extend, just use additional dashes-, usually only one of them will show (more when the distance between the syllables is large enough), and the syllable will right-align to the first note, similar to last syllables that got .notated with a melisma, see above

:Two syllables under a note can be joined with an **elision slur**, also known as a "lyric slur" or "synalepha". For example




:To create the example lyric text, starting with the syllable text "te

;Type te .1

Click on the keyboard icon  in the bottom-left corner of the screen, or press F2 to open the Special Characters .2
;palette

:Use one of the following options .3

Double-click one of the three elision slurs in the "Common Symbols" tab: "Narrow elision", "Elision", or "Wide elision" (these can be found between the "C Clef" and the "p" dynamic—see image below



Double-click the elision slur found after the 7/8 fraction in the "Common Symbols" tab (next to last character in the image above). Depending on the font, add one or more spaces before/after the slur using $\text{Ctrl}+\text{Space}$ (Mac: $\text{Alt}+\text{Space}$)

Note: Not all fonts include the "undertie" character (U+203F $_$ "undertie", present in "Special Characters" mainly for compatibility with MuseScore 1.x scores). To find out which fonts on your computer support it, see "[fontlist](#)" (look for any font that shows a tie between "te" and "A" instead of a blank rectangle

.Type A .4

.(-+As of 3.6: $\text{Ctrl}+\text{Alt}+-$ (Mac: $\text{Cmd}+\text{Alt}$)

Edit Lyrics

- ;Enter text edit mode on an existing syllable .1
- ;Use standard text editing commands to make changes .2
- .Continue entering lyrics (see above); or exit **lyrics mode** by pressing Esc .3

Adjust properties of lyrics

:To make global adjustments to the properties of all lyrics in the score

- ;From the menu, select Format → Style... → Lyrics .1
- .Edit Placement, Line height, Margins, Dash and Melisma properties as required .2

Adjust position of individual lyrics lines

:To adjust the position of a *particular* lyrics line

- Select the lyrics line: i.e. right-click on a word in the line, and (from the menu) choose Select → More...; then check the .1
- ;"relevant options, which should include "Same system
- .Adjust the X and Y offsets in the Inspector .2

Copy lyrics to clipboard

:To copy *all* lyrics to the clipboard

- From the menu bar, select Tools → Copy Lyrics to Clipboard

Paste lyrics from clipboard

:To copy and paste lyrics from a text file (say) into a score

1. Enter the notes in the score to which the lyrics will be attached
2. Set up your lyrics in a text file, with appropriate spaces, hyphens, line-breaks etc
3. Copy the lyrics from the text-file into the clipboard
4. (Select the start note in MuseScore, and press Ctrl+L (Mac: Cmd+L) (step 3 under [Enter lyrics in a score](#))
5. Repeatedly applying paste will enter successive words of the lyrics. You may need to enter melismas and make other corrections as you go along

See also

- [Text](#)
- [Chord symbol](#)

External links

- [\(How to insert Lyrics\)](#) (MuseScore HowTo)
- [\(How to move lyrics\)](#) (MuseScore HowTo)
- [\(How to add a block of text to a score\)](#) (MuseScore HowTo)
- [\(How to copy lyrics, or lyrics with rhythm\)](#) (MuseScore HowTo)
- [\(How to add lyrics in columns\)](#) (MuseScore HowTo)
- [Video tutorial: MuseScore in Minutes: Lesson 6 - Text, Lyrics and Chords](#)

Rehearsal marks

:Rehearsal marks can be used in a number of ways

- To identify specific points in a score to facilitate rehearsing
- As bookmarks in the score to which you can instantly navigate—using the Find/Search command
- To mark the various sections in the score

Typically, **rehearsal marks** consist of one or more letters and/or numbers, and appear in sequence in the score—e.g. A, B, C..., or 1, 2, 3... etc. Alternatively, they may display measure numbers (usually larger than standard measure numbers, boldface and/or enclosed in boxes). Multimeasure rests are automatically broken before and after rehearsal marks.

Rehearsal marks can be added to the score (i) *automatically*—which ensures that they are named in sequence—or (ii) *manually*, allowing you to name them as you wish

Add a rehearsal mark

Manual Placement

:To create a rehearsal mark manually

1. Click on a note (or rest) at the desired location
2. Select one of the following options
 - (Press Ctrl+M (Mac: Cmd+M)
3. From the menu, choose Add → Text → Rehearsal Mark
- .Enter the desired text

Automatic placement

Add an alphanumeric rehearsal mark

:Use either of the following options

- Click on a note (or rest) at the desired location, then click the [B1] rehearsal mark icon in the "Text palette" (double-click in versions prior to 3.4)
- Drag and drop the rehearsal mark from the "Text" palette onto the score

Notes: (1) By default, marks are added in the sequence, A, B, C etc. (2) To change the format of subsequently-added

marks (to lower case letters, or numbers), edit the previous rehearsal mark accordingly. (3) Marks added between existing rehearsal marks append a number or letter to the previous mark: it is a good idea to apply the [Resequence](#) command afterwards (see below)

Add a measure-number rehearsal mark

Add the first rehearsal mark in the series as an alphabetical one; then [edit](#) it to read the *same* as the number of the measure it is attached to
.Add subsequent marks as shown [above](#). They will automatically adopt the measure-number format

Automatically resequence rehearsal marks

MuseScore allows the user to automatically re-order a series of rehearsal marks if they have got out of sequence for any reason. Use the following method

Before making a selection, you can, if desired, establish a new format for the rehearsal marks (lower/upper case, number, or measure number) by manually altering the first mark in the range accordingly
Select the range of measures you wish to apply the **Resequence** command to (if there is no selection then the program assumes you wish to resequence all measures)
From the menu, select **Tools** → **Resequence Rehearsal Marks**

MuseScore automatically detects the sequence based on the *first rehearsal mark* in the selection—all rehearsal marks in the selection are then altered accordingly. The following sequences are possible

.A, B, C etc •
.a, b, c etc •
.Numerical: 1, 2, 3 etc •
Numerical: according to measure numbers. This requires the number of the first mark in the series to be equal to the number of the measure it is attached to

Text style

Rehearsal marks are a variety of [system text](#), appearing both on the score and on every part. By default, they are in a large bold font, and enclosed in frames. All aspects of their appearance can be changed globally via the rehearsal mark [Text style](#)

Search for a rehearsal mark

(See [Find](#) (Viewing and navigation

See also

[Text properties](#) •

External links

([Rehearsal Letter](#) [↗](#) (Wikipedia article) •

Formatting

Layout and formatting

Layout and formatting options for the score are accessed from the **Format** menu

Ways to affect layout

The *main* commands and dialogs affecting score layout are listed immediately below. Other formatting options are (covered further down the page (but for text, see [Text styles and properties](#)

[Page Settings](#): Adjust the overall dimensions of your score such as page size, page margins, and scaling •

[Increase/Decrease Layout Stretch](#): Adjust the score spacing by stretching or squashing selected measures •

[Score](#): Set overall score details, such as music font, display of multimeasure rests, and whether to hide empty staves •

[Page](#): Adjust staff and system spacing, score and lyric margins etc •

[Measure Style](#): Set the measure spacing, which affects the number of measures per line •

.Sizes: Set the default size of "small" and grace notes, small staves and small clefs •

:Other commands

.Add/Remove System Breaks: Set the number of measures per system •

Breaks and spacers: Apply system, page or section breaks. You can also add extra space between *particular* systems or staves where needed •

Style

The **Style** submenu contains dialogs which allow you to adjust the global formatting of many score elements. To open **Style** use any of the following options

- ...From the menu, select Format → Style
- ...Right-click on a space in the document window and select Style
- (Use a keyboard shortcut (see [Shortcuts](#)))

:The **Style** dialogs are as follows

Score

.To open the **Score** dialog, select Format → Style... → Score

This dialog allows you to set global properties, such as the music font, display of multimeasure rests, whether or not to hide empty staves, swing playback etc

Musical symbols font: Choice of display in Emmentaler, Bravura or Gonville fonts. Tick the box to "automatically" load style settings based on font •

.Musical text font: Choice of display in Emmentaler, Bravura, Gonville or MuseJazz fonts •

Display in concert pitch: Tick this option to display the score at concert pitch. If unticked the score is displayed at written pitch •

.Create multimeasure rests: Tick to display multimeasure rests •

.Minimum number of empty measures: The default is 2 •

.Minimum width of measure: The default width is 4 sp •

Hide empty staves within systems: This option saves space by hiding those staves in a system which consist of only empty measures. Used for *condensed scores* •

Don't hide empty staves in first system Always display staves in first system even if they consist of empty measures •

:Always show brackets which span to single staff •

Display note values across measure boundaries: A feature useful for notating early music. See [Unbarred notation](#) •

Hide instrument name if there is only one instrument You don't usually need to display the instrument name in this case •

.Swing settings allows you to control the degree of swing for the whole score •

.Swing: Choice of OFF (default) / Eight Note / Sixteenth note ◦

.Select swing ratio: The default is 60% ◦


.If you prefer to set swing on the score page, see [Swing](#)

Page

.To open the **Page** dialog, select Format → Style... → Page

This dialog allows you to adjust the overall layout of your score by changing the spacing of margins, systems, staves, lyrics lines, and frames. You can also control the display of key signatures, time signatures, and clefs

:The diagram below is a guide to various parameters under the control of this dialog



.Music top margin: The distance between the top staff line of the first staff on the page and the top page margin •

Music bottom margin: The distance between the bottom staff line of the last staff on the page and the bottom page margin •

.(Staff distance: The space between staves which are not part of a grand staff (see below) •

Grand staff distance: The space between staves that share the *same* instrument—such as the piano, organ, or those of a guitar staff/tab pair •

(Note: To alter the space above one particular staff see Extra distance above staff (Staff properties

.Min. system distance: The minimum distance allowed between one system and the next •

.Max. system distance: The maximum distance allowed between one system and the next •

.Vertical frame top margin: The default margin height *above* a vertical frame •

.Vertical frame bottom margin: The default margin height *below* a vertical frame •

Last system fill threshold: If the last system is longer than this percentage of the page width, it gets stretched to fill that width •

The following check boxes allow you to control the display of clefs, time signatures, and key signatures—including the courtesy kind

Create clef for all systems / Create key signature for all systems / Create courtesy clefs / Create courtesy time signatures / Create courtesy key signatures •

Sizes

To open the **Sizes** dialog, select Format → Style... → Sizes

Sets the proportional size of "small" notes and grace notes, as well as small staves and small clefs. Changing this would be unusual

Header, Footer

To open the **Header, Footer** dialog, select Format → Style... → Header, Footer

This allows you to add header and footer text using meta tags (see Score properties)—such as page numbers, page headers, copyright information etc. For example, you can create different Headers and Footers for even and odd pages, such as putting page numbers on the right for odd-numbered pages and on the left for even-numbered pages

If you hover with your mouse over the Header or Footer text region, a list of macros will appear, showing their meaning, as well as the existing meta tags and their content

To create a header or footer for an individual part, that part needs to be the active tab. To create a header or footer for a score with linked parts, make sure the main score is in the active tab

Measure Numbers

.To open the **Measure Numbers** dialog, select Format → Style... → Measure Numbers

.This allows you to specify whether measure numbers will appear in the score, and, if so, at what intervals

- .**Measure numbers**: Tick to turn on automatic measure numbers •
- .**Show first**: Tick if you want the first measure to display a number •
- All staves**: Tick to display numbers on all staves of a system. Untick if you want the number to appear on the top staff of the system only •
- .**Every system**: Select this option to place measure numbers at the start of each system •
- Interval**: To specify that measure numbers should appear at a measure interval shown by the number. For example, an interval of 1 numbers every measure; an interval of 5 numbers every fifth measure •

System

.To open the **System** dialog, select Format → Style... → System

.This dialog allows you to adjust certain properties of all systems

:Brackets

- .**System bracket thickness**: Set the *width* of system brackets •
- .**Brace thickness**: Set the *width* of system braces •
- .**System bracket distance**: Set the *distance* between system brackets and the start barlines •
- .**Brace distance**: Set the *distance* between system braces and the start barlines •

.See also [Brackets](#)

:Dividers

- .**Left / Right**: Specify whether to show system dividers, what types, and apply global positioning offset values •

Clefs

.To open the **Clefs** dialog, select Format → Style... → Clefs

.Choose the style of the default tablature clef:**Standard** or **Serif**

Accidentals

.To open the **Accidentals** dialog, select Format → Style... → Accidentals

Allows you to specify how the score displays key signature accidentals at key changes. See [Naturals on key signature changes](#)

Measure

.To open the **Measure** dialog, select Format → Style... → Measure

.For details, see [Measure](#)

Barlines

.To open the **Barlines** dialog, select Format → Style... → Barlines

- .**Show repeat barline tips ("winged repeats"** •
- .**Barline at start of single staff**: Whether to show barlines at the beginning of a staff •
- .**Barline at start of multiple staff**: Whether to show barlines at the beginning of multiple staves •
- .**Scale barlines to staff size**: Affects "small" staves only •

Other properties allow you to set the thickness of "thin," "thick" and double barlines, the distance between double barlines, and the repeat barline to dot distance

Notes

To open the **Notes** dialog, select Style → General... → Notes. The dialog can also be opened direct from the score by right-clicking on any note and selecting "Style

Here you can adjust the distance and thickness of note-related objects (stems, ledger lines, dots, accidentals). Changing these would be unusual.

Beams

.To open the **Beams** dialog, select Style → General... → Beams

:This allows you to set the overall properties of note beams in the score

- **Beam thickness**
- **Beam distance**: The vertical distance between beams
- **Broken beam minimum length**: Affects secondary beams where they do not fully extend from note to note

.Ticking the **Flatten all beams** option means that all note beams will be horizontal only—not sloped

Tuplets

.To open the **Tuplets** dialog, select Format → Style... → Tuplets

:Vertical Distance from Notes

- **Maximum slope**: Limit the slope of tuplet brackets
- **Vertical distance from stem**: Refers to tuplet numbers and brackets
- **Vertical distance from notehead**: Refers to tuplet numbers and brackets

:Horizontal distance from notes

- **Distance before stem of first note**: Sets default position of start of tuplet bracket when above/below note stems
- **Distance before head of first note**: Sets default position of start of tuplet bracket when above/below noteheads
- **Distance after stem of last note**: Sets default position of end of tuplet bracket when above/below note stems
- **Distance after head of last note**: Sets default position of end of tuplet bracket when above/below noteheads

:Brackets

- **Bracket thickness**
- **Bracket hook height**: Sets the default length of the vertical hooks at the ends of tuplet brackets


:Properties

- **Direction / Number type / Bracket type**

Arpeggios

.To open the **Arpeggios** dialog, select Format → Style... → Arpeggios

:Here you can change the distance to note, line thickness, and hook length of the following arpeggio and strum symbols



Slurs/Ties

.To open the **Slurs/Ties** dialog, select Format → Style... → Slurs/Ties

- **Line thickness at end**
- **Line thickness middle**
- **Dotted line thickness**
- **Minimum tie length**
- **Autoplace min. distance**

Hairpins

.To open the **Hairpins** dialog, select Format → Style... → Hairpins

:(Here you can set the default properties of hairpins (crescendo and decrescendo lines)

- **Placement**: Whether to place above or below the staff
- **Position above/below**: Set a numerical value in sp. units
- **Height**: The width of the mouth of the hairpin
- **Continue height**
- **Autoplace distance to dynamics**
- **Line thickness**

Volta

.To open the **Volta** dialog, select Format → Style... → Volta

:Here you can set the default properties of voltas

- **.Default position:** Set X- and Y-offsets
- **.Hook height:** The length of descending lines at the ends of voltas
- **Line thickness**
- **.Line style:** A solid line is the default option, but there are dotted and dashed alternatives

Ottava

.To open the **Ottava** dialog, select Format → Style... → Ottava

:(Here you can set the default properties of ottavas (octave lines)

- **.Numbers only:** If unticked, the ottava also displays "va" or "vb" after the number
- **.Position above/below:** Set the X- and Y-offsets for the ottava
- **.Hook height above/below:** The length of the ascending/descending line at the end of the ottava
- **Line thickness**
- **.Line style:** A dotted line is the default option, but there are solid, dotted and dashed alternatives

Pedal

.To open the **Pedal** dialog, select Format → Style... → Pedal

:Here you can set the default properties of pedallines

- **.Placement:** Below or above the staff
- **.Position above/below:** Set the exact default position using offset values
- **Line thickness**
- **.Line style:** solid is the default but there is a range of dashed and dotted options

Trill

.To open the **Trill** dialog, select Format → Style... → Trill

:Here you can set the default placement of Trilllines

- **.Placement:** Below or above the staff
- **.Position above/below:** Set the exact default position using offset values

Vibrato

.To open the **Vibrato** dialog, select Format → Style... → Vibrato

:Here you can set the default placement of Vibratolines

- **.Placement:** Below or above the staff
- **.Position above/below:** Set the exact default position using offset values

Bend

.To open the **Bend** dialog, select Format → Style... → Bend

.Here you can set the display properties of Bends. This includes the line thickness, arrow width and font properties

Text Line

.To open the **Text Line** dialog, select Format → Style... → Text Line

:Here you can set the default placement of text lines

- **.Placement:** Below or above the staff
- **.Position above/below:** Set the exact default position using offset values

Articulations, Ornaments

.To open the **Articulations, Ornaments** dialog, select Format → Style... → Articulations, Ornaments

.This dialog allows you set the default placement distances and size (as a percentage) of articulations and ornaments

.To open the **Fermatas** dialog, select Format → Style... → Fermatas

.This dialog allows you set the default placement **offermatas**

Staff Text

.To open the **Staff text** dialog, select Format → Style... → Staff Text

.This dialog allows you set the default placement and autoplacement properties of staff text


Tempo Text

.To open the **Tempo text** dialog, select Format → Style... → Staff Text

.This dialog allows you set the default placement and autoplacement properties of tempo text

Lyrics

.To open the **Lyrics** dialog, select Format → Style... → Lyrics



Lyrics Text

- **.Placement:** Default position of lyric lines in relation to the staff; Above or Below
- **.Position above / Position below:** The X and Y offsets for "Placement"
- **.Line height:** Default distance between lyric lines
- **.Min. top margin:** Minimum distance between the lyric lines and the parent staff's *skyline*
- **.Min. bottom margin:** Minimum distance between the lyric lines and the *skyline* of the next staff
- **.Min. distance:** Minimum distance between lyrics syllables
- **:Align verse number**

Lyrics Dash

- **.Min. dash length:** Minimum length of inter-syllable dashes
- **.Max. dash length:** Maximum length of inter-syllable dashes
- **Max. dash distance:** Maximum distance allowed between dashes. Reducing this value allows more dashes to form between syllables where possible—and vice versa
- **.Dash thickness:** The (vertical) thickness of the dash
- **Dash pad:** The distance between the - and the syllable
- **.Dash y position ratio:** Affects the vertical placement of the dash
- **.Always force dash:** Tick to ensure that a dash is always visible between syllables

Lyrics melisma

- **.Melisma thickness:** The (vertical) thickness of the melisma
- **Melisma pad:** The distance between the _ and the syllable
- **:Align**

.See also, [Melismas](#)

Dynamics

.To open the **Dynamics** dialog, select Format → Style... → Dynamics

.This dialog allows you set the default placement and autoplacement properties of [dynamics](#)

Rehearsal Marks

.To open the **Rehearsal Marks** dialog, select Format → Style... → Rehearsal Marks

.This dialog allows you set the default placement and autoplacement properties of [rehearsal marks](#)

Figured Bass

.To open the **Figured Bass** dialog, select Format → Style... → Figured Bass

.This allows you to set the default font, style, alignment and position of [figured bass](#)

Chord Symbols

.To open the **Chord Symbols** dialog, select Format → Style... → Chord Symbols

:This section allows you to adjust the format and positioning of [chord symbols](#)

:Appearance

.Choose a default chord symbol style—Standard, Jazz or Custom •

:Note spelling

.Choose the spelling convention for chord symbols and whether to use capital or small letters •

:Positioning

Distance to fretboard diagram: The distance (in sp. units) from a chord symbol to a fretboard diagram when both are applied to the same location on a staff. This value overrides the above "Default vertical position" setting. The user can choose to place a chord symbol below a fretboard diagram by entering a negative value

Minimum chord spacing: The minimum space to allow between chord symbols •

Maximum barline distance: Increases the distance between the final chord symbol in a measure and the following barline. You may wish to adjust this value if there is a recurring problem in the score with overlap between the final chord symbol in one measure and the following chord symbol

:Capo

Capo fret position: Enter the number of the capo position at which you want to display substitute chords, in brackets, for all chord symbols in the score •

Fretboard Diagrams

.To open the **Fretboard Diagrams** dialog, select Format → Style... → Fretboard Diagrams

.This section allows you to adjust the format and positioning of [Fretboard diagrams](#)

Default vertical position: the distance in sp. units from a newly applied fretboard diagram to a staff. A negative value may be used •

Scale: Increase or decrease the size of the fretboard diagram in the score •

Fret offset number font size: Increase or decrease the size of a fret number displayed next to a diagram •

Position Left/Right: Display fret number to the left or right of the fretboard diagram •

Barre line thickness: Make barre lines in fretboard diagrams thicker or thinner •

Text Styles

.To open the **Text Styles** dialog, select Format → Style... → Text Styles

.This dialog allows you to set the formatting of *all* text styles. Individual text styles can also be set from the [Inspector](#)

OK / Cancel / Apply buttons

Any changes made in the **Style** dialog are immediately applied to the score, but can be rescinded at any time by pressing **Cancel**—which also exits the dialog. Press **OK** to save your changes to the score and close the window

If you are making formatting adjustments in an instrument part, use the Apply to all Parts button to apply all changes to all parts in the score

...Page Settings


.See [Page settings](#)

Add / Remove System breaks

:This tool adds or removes system breaks over *all* or *part* of the score

.Select a range of measures: if no selection is made, the command is applied to the whole score .1

.Choose Format → Add/Remove System Breaks.... The following dialog appears .2



:Choose one of the following options .3

- Break systems every X (select number) measures
- Add system break at end of each system
- Remove current system breaks

.Press OK .4

Stretch

.Used to increase, decrease or reset the horizontal spacing of notes within selected measures

Increase / Decrease layout stretch

.Select a range of measures. Or use Ctrl+A to select the whole score .1

:Choose one of two options .2

:To **increase stretch** ◦

.(Use the shortcut } (right curly bracket) (Mac: Ctrl+Alt+9) ■

.Or from the menu bar, select Format → Stretch → Increase Layout Stretch ■

:To **decrease stretch** ◦

.(Use the shortcut { (left curly bracket) (Mac: Ctrl+Alt+8) ■

.Or from the menu bar, select Format → Stretch → Decrease Layout Stretch ■

Reset stretch

:To reset stretch to the default spacing of 1

.Select a range of measures. Or use Ctrl+A to select the whole score .1

.From the menu, select Format → Stretch → Reset Layout Stretch .2

.See also [Measure Properties: Layout stretch](#). This allows you to set the stretch more precisely

Reset Style

:To reset *all* text styles to the "factory" default settings

.From the menu, select Format → Reset Style •

Reset Beams

:To restore beams to the mode defined in the local time signatures

.Select the section of the score you want to reset. If nothing is selected, the operation will apply to the whole score .1

.Select Format → Reset Beams .2

.See also [Beams](#)

Reset Shapes and Positions

The **Reset Shapes and Positions** command restores the default positions, note stem directions and shapes (slurs, ties etc.) for selected score elements. To apply

- .[Select](#) the elements or the region of the score that you wish to reset. Or use `Ctrl+A` to select the whole score .1
- .Press `Ctrl+R`; or, from the menu, select `Format → Reset Shapes and positions` .2

Load / Save style

It is easy to transfer a complete set of styles (all General Style settings, all [text styles](#), and [page settings](#)) from one score to the other using the **Load/Save Style** feature

:To **load** a customized style

-Go to `Format → Load Style` .1
- .(Navigate to and select the Style file (.mss) and click `Open` (or double-click on the file) .2

.All existing styles in the score should update automatically

:To **save** a customized style

-Go to `Format → Save Style` .1
- .Name and save the **style file** (the default folder is set in your [Preferences](#)). Styles are stored as *.mss files .2

Note: You can also define a preferred style for scores and parts in the [Score](#) section of MuseScore's Preferences

See also

- [To edit spacing between notes](#) •
- [Upgrading from MuseScore 1.x, local relay layout](#) •

External links

- [\(Creating Modified Stave Notation in MuseScore ↗ \(MuseScore Tutorial](#) •
- [\(MuseScore in 10 Easy Steps: Part 10A Layout and Formatting \(a video tutorial ↗](#) •
- [\(MuseScore in 10 Easy Steps: Part 10B Layout and Formatting \(a video tutorial ↗](#) •

Measure

.To open the **Measure** dialog, select `Format → Style... → Measure`

.This allows you to adjust the distance between various items within measures

Introduction

If you change a **measure style** property, MuseScore automatically adjusts the score to maintain the correct spacing between notes and rests according to best music engraving practice. It will also correctly reposition any *elements* attached to notes or rests, such as fingerings, dynamics, lines etc

All settings related to measure width and note spacing are *minimum* values. Measures are automatically stretched, if necessary, to maintain existing [page margins](#)

All the properties listed below use the **staff space** (abbreviated to "sp") as the basic unit of measurement. See [Page settings: Scaling](#) for more details

Options


- Minimum measure width:** Sets the minimum horizontal length of measures. In measures containing very little content (e.g., a single whole note or whole measure rest), the measure will only shrink as far as this minimum
- Spacing (1=tight):** Condenses or expands the space *after* notes or rests. This setting thus affects not only space between notes but also between the last note and the ending barline. For the space between the *beginning* of the (measure and the first note or rest, see **Note left margin** (below
- Note left margin:** Sets the distance from the start barline to the first note
- Barline to grace note distance:** Sets the distance between a barline and a grace note that occurs before the first (actual note in a measure (independently of the "Note left margin" setting

- **Barline to accidental distance:** Sets the distance between a barline and an accidental placed before the first note
 .(in a measure (independently of the "Note left margin" setting
- **.Note to barline distance:** Sets the distance from the last note to the following barline
- **Minimum note distance:** Specifies the smallest amount of space MuseScore will allow after each note (depending
 .(on other factors, *more* space may be allowed
- **Clef left margin:** Sets the distance between the very beginning of each line and the clef. (This option is rarely
 (.needed
- **.Key signature left margin:** Sets the distance between the beginning of the measure and a key signature
- **Time signature left margin:** Sets the distance between the beginning of the measure and a time signature (if there
 .(is no key signature in between
- **Time signature to barline distance:** To be added
- **.Clef/key right margin:** Sets the distance between a mid-staff clef or key signature and the following note or rest
- **.Clef to barline distance:** Sets the distance between a barline and a clef change preceding it
- **.Clef to key distance:** Sets the distance from the clef to a key signature following it
- **Clef to time signature distance:** Sets the distance from the clef to the time signature following it (if there is no key
 .(signature in between
- **.Key to time signature distance:** Sets the distance from a key signature to the following time signature
- **..Key to barline distance:** To be added
- **System header distance:** Sets the distance from a clef or key signature at the beginning of a system to the first
 .note or rest
- **System header with time signature distance:** Sets the distance from a time signature at the beginning of a system
 .to the first note or rest
- **.Multimeasure rest margin:** Sets the distance between a multimeasure rest and the barlines on either side
- **Staff line thickness:** Sets the thickness of the lines of the staff, which allows you to make the staff thicker and
 .darker, if you need greater visibility on your printouts
- **Note:** Changes to an individual measure's **Stretch** (using Format → Stretch → Increase/Decrease Layout Stretch) are
 .calculated after, and proportional to, the global **Spacing** setting

Page settings

Page settings allows you to adjust the *overall* dimensions of your score such as page size, page margins, and scaling. It
 ...is one of the main layout tools in MuseScore—along with the options available from Format → Style

....To open the **Page settings** dialog: from the menu, select Format → Page Settings



Page size

Here you can select the paper format, either by standard name (e.g., Letter or A4), or by specifying the height and width in either mm or inches (use the radio buttons to choose which unit of measurement to use). The initial default page size depends on your localization—in the United States, Letter size paper is standard.

You can also choose to format your music in **Landscape** or **Portrait** orientation using the radio buttons. You can (optionally use **Two sided** layout (i.e., book format, with mirror left and right margins for even and odd pages—see [below](#)).

Odd/Even Page Margins

The **Even Page Margins** and **Odd Page Margins** settings allow you to define the printable area of your pages. Aside from changing the margins around the music on the page, other settings, such as the positions of headers and footers, are calculated relative to the margins defined here.

If the "Two sided" checkbox under "Page Size" is selected, you can set margins differently for mirroring odd and even pages. Otherwise, only one set of margins can be modified, but will apply to all pages.

To display page margins in your score on screen (though not in print), go to [View → Show Page Margins](#).

Scaling

The **Scaling** property allows you to increase or decrease the size of your score.

In MuseScore, the sizes of score elements, such as note heads, note stems, accidentals, clefs etc., are defined in terms of a unit of measurement called a **staff space**—abbreviated to **sp.** (see [Glossary](#)). As you change the "Staff space" setting, *all* score elements follow suit and thus correct proportions are maintained. The exception is **Text** in which you can set an *absolute* value, independent of "Scaling".

Note: Changing the "Scaling" does not always change the number of systems per page, because system distance can vary between limits set under "Min system distance" and "Max system distance" (see [Format → Style... → Page](#)).

Unit

Here you can choose to display the values in Inches or millimeters.

First page number

Sets the number of the first page of the particular score. Page numbers below 1 won't get printed—e.g., setting the first page number to -1 would result in the first and second page showing no page number, and page number 1 appearing on the third page.

Apply to all Parts

The Apply to all Parts button is available when modifying a **part**, rather than the main score (see [Part extraction](#)). If you change the page settings of one part and want the rest of the parts to have the same settings, this button will apply the .change to all parts in one go

Breaks and spacers

The **Breaks & Spacers palette** contains the following non-printing symbols



The first three symbols are called breaks; the vertical lines are known as spacers

Breaks

A **break** can be applied to either a measure or a frame. There are three types

System break: Forces the next part of the score to start in a new system •

Page break: Forces the next part of the score to start on a new page •

Section break: Forces the next part of the score to start in a new system and starts a new section (see below). It •
can be combined with a page break if required

Notes: (1) Break symbols are visible on the screen, but do not appear on printouts. (2) To add (or remove) system breaks over *all* or *part* of the score, see [Add/Remove System breaks](#). (3) To split a measure, see [Measure operations: Split and join](#)

Add a break to a measure

Breaks can be added using either (1) a keyboard shortcut; or (2) a break symbol from a palette

Using a keyboard shortcut

To add a **System break** or a **Page break** only

Select any one of the following .1

;Barline ◦

;Measure ◦

;Notehead ◦

;(Text element associated with a staff (e.g. lyric syllable, chord symbol, staff text etc ◦

;(Range of measures (if you choose this option, a break will be applied before and after the selection ◦

Choose one of the following options .2

(System break: Press \leftarrow (toggle ◦

(Page break: Press $\text{Ctrl}+\leftarrow$ (Mac: $\text{Cmd}+\leftarrow$) (toggle ◦

Using a palette break symbol

Any break can be added from a workspace palette

Select any one of the following .1

;Barline ◦

;Measure ◦

;Notehead ◦

;(Text element associated with a staff (e.g. lyric syllable, chord symbol, staff text etc ◦

;(Range of measures (if you choose this option, a break will be applied before and after the selection ◦

Click a break symbol in a palette (double-click in versions prior to 3.4). Repeat to toggle off .2

Alternatively, *drag* any break symbol from a palette onto a measure •

Add a break to a frame

To add a break to a frame, use one of the following options

Drag a break from a palette onto a frame •

(Select a frame then click a palette break symbol (double-click in versions prior to 3.4 •

Delete breaks

Use one of the following options

Select one or more breaks and press Del •

Move a break

Although breaks are not visible on printed output, you can reposition one, if required, by entering [edit mode](#) on it and using [the keyboard arrow buttons](#) (see [Adjust position of text objects](#))

Section break

A **Section break**, as the name suggests, is used to create separate sections within a score. Like a **system break**, it forces the next measure or frame to begin a new system, and can also be used in association with a **page break** if required. A section break could be used, for example, to divide a piece into separate movements

Each section can have its own measure numbering independent of the rest of the score. By default, the first measure of a section is numbered "1" (see image below), though like the first measure of the score itself, the number is not displayed unless configured in the [measure properties](#) dialog. The same dialog can be used to change the numbering according to your preference

If you change Time signature or Key signature at the beginning of the new section, there will be no courtesy signature at the end of the previous section. See example below



When you play back the score, the program adds a short pause between each section. In addition, the *first end repeat barline* in a section always sends the playback cursor to the beginning of the section, so a *start repeat barline* is optional

The following properties can be adjusted in the [Inspector](#) after selecting the section break

- *Pause*: Length of pause, in seconds, at end of the section
- *Start new section with long instrument names* (checkbox)
- *Start new section with measure number one* (checkbox)
- *Start new section with first system indentation* (checkbox, as of 3.6)

Prior to version 3.4, the same properties are accessed by right-clicking the break and selecting [Section Break Properties](#)

Spacers

There are three types of **spacers**

- **Staff spacer up**: An up-pointing arrow. For adding space *above* a staff
- **Staff spacer down**: A down-pointing arrow. For adding space *below* a staff
- **Staff spacer fixed down**: Looks like a capital letter "I." For fixing the distance between two staves (useful to override style or autoplace settings in one spot only). Negative values are possible

Note: Spacers cannot be applied to a frame

Add a spacer

Use either of the following options

- (Select a measure, then click a [palette](#) spacer symbol (double-click in versions prior to 3.4)
- Drag a spacer symbol from a palette onto a measure

Spacer symbols are visible on the screen, but do not appear on printouts

Note: Spacers are designed for *local* adjustments only. If you wish to adjust the space between staves across the *whole* score, use the settings in [Format → Style... → Page](#) instead

Adjust a spacer

To adjust the height of a **spacer**, choose one of these options

- (Click the spacer and drag the blue end-handle up and down (double-click in versions prior to 3.4)
- Click the spacer and use the [↑↓](#) keys and/or [Ctrl+↑↓](#) to move the end-handle up and down (double-click in versions prior to 3.4)

- Click on the spacer and adjust the height property in the Inspector

Delete a spacer

- Click on the spacer and press the Del key

See also

[Add/Remove System breaks](#)

Frames

A **Frame** is a rectangular container for empty space, text or pictures in the score. It can be one of three types

- Horizontal: Used to create a break in a particular system. Can contain one or more text objects and/or images
- Vertical: Inserted above a system or appended to the last system. Can contain one or more text objects and/or images
- Text: Inserted above a system or appended to the last system. Can contain one text object only

Horizontal frame

A **horizontal frame** is used to create a break in a system. For example, you can

- Create a coda, with an adjustable gap separating it from the rest of the score (as in the example below)



- Create an offset at the beginning of the score, where there is no staff name to perform the same function
- Create an adjustable right margin at the end of a system
- Create space for some text or image(s)
- Create a space between a 'historical incipit' and the beginning of the modern edition

Insert/append horizontal frame

(See [Create a Frame](#) (below)

Adjust width of horizontal frame

Use one of the following methods

- Click (double-click prior to version 3.4) the frame and drag the handle to the right or left
- Select the frame and adjust "Width" in the Inspector

Add text or image to horizontal frame

- **To add text**: Right-click on the frame and select Add → Text

- **To add an image**: Right-click on the frame and select Add → Picture

Vertical frame

A **vertical frame** can be inserted above a system or appended to the last system. It can contain one or more text objects and/or images. The height is adjustable and the width equals the system width

It can be used, for example, to

- Create an area at the head of a score for Title/Subtitle/Composer/Lyricist text etc. (see [below](#))
- Create a title page (see [below](#))
- Add single- or multi-column lyric text (at the end of a score)
- Create subtitles and other annotations between systems

Insert/append vertical frame

(See [Create a Frame](#) (below)


Adjust height of vertical frame

:Use one of the following methods

- .Click (double-click prior to version 3.4) the frame and drag the handle up or down
- .Select the frame and adjust "Height" in the Inspector

Edit vertical frame properties

:Selecting the frame allows you to adjust various parameters in the Inspector



.**Top Gap**: Adjusts distance between frame and element above

.**Bottom Gap**: Adjusts distance between frame and element below

.**Height**: Adjusts height of the frame

.**Left Margin**: Moves left-aligned text objects to the right

.**Right Margin**: Moves right-aligned text objects to the left

.(**Top margin**: Moves top-aligned text objects downwards (see also [Format](#) → [Style...](#) → [Page](#)

.(**Bottom Margin**: Moves bottom-aligned text objects upwards (see also [Format](#) → [Style...](#) → [Page](#)

Add text or image to vertical frame

.**To add text**: Right-click on the frame, select [Add](#), and choose one of the text options

.**To add an image**: Right-click on the frame and select [Add](#) → [Picture](#)

You can create as many objects as you like within a frame. Their positions can be adjusted independently by dragging or, more accurately, by altering the offset values in the Inspector. To format text objects, see [Text editing](#) and [Text styles and properties](#)

Insert horizontal frame in vertical frame

.Right-click on the frame and select [Add](#) → [Insert Horizontal Frame](#)

:The horizontal frame is automatically *left-aligned* and fills the entire vertical frame. To *right-align* it

.1 Reduce the width of the horizontal frame

.2 Deselect the frame then drag it to the right. To restore left-alignment, drag the frame to the left

Title" frame"

A vertical frame is automatically created at the beginning of a score, showing the title, subtitle, composer, lyricist etc., when you fill in the information fields provided on page 1 of the [New Score Wizard](#)

:If the score does not have a vertical frame at the beginning, you can create one as follows

.1 From the menu, select [Add](#) → [Text](#) → [Title/Subtitle/Composer/Lyricist](#)

.2 ;Type the desired text

.3 .Press [Esc](#), or click on an empty space, to exit

Text frame

A **Text frame** looks like a vertical frame, but is specialized for text input: *one* text object is allowed per frame. The height automatically expands to fit the content and there is no height adjustment handle

:A text frame can be used, for example, to

• .Create lyric text at the end of a score

- .Create subtitles and other annotations between systems
- .Create and insert an empty [blank] page anywhere in the score, including at the beginning

Insert/ append text frame

.(See [Create a Frame](#) (below

Edit text frame properties

:Selecting the frame allows you to adjust various parameters in the Inspector

- .**Top Gap:** Adjusts distance between frame and element above
- .**Bottom Gap:** Adjusts distance between frame and element below
- .**Height:** Not applicable to text frames
- .**Left Margin:** Moves left-aligned text objects to the right
- .**Right Margin:** Moves right-aligned text objects to the left
- .**Top margin:** Moves top-aligned text objects downwards
- .**Bottom Margin:** Moves bottom-aligned text upwards

Create a frame

Insert a frame into the score

:From the menu

- .[Select](#) a measure .1
- .From the menu select Add → Frames → Insert Horizontal/Vertical/Text Frame .2

:From a measure

- .Right-click on a measure .1
- .Select Add → Insert Horizontal/Vertical/Text Frame .2

:From a palette

.See [Apply symbols from a palette](#)

Append a frame to the score

- .From the menu select Add → Frames → Append Horizontal/Vertical/Text Frame

Delete a frame

:Use one of the following

- .Select the frame boundary and press Del
- .Select the frame boundary, then right-click on the frame and select Delete

Apply a break

:System, page or section [breaks](#) can be applied to frames as well as measures. Use one of two methods

- Select a frame and click (double-click prior to version 3.4) [palette](#) break symbol (for example, in the Breaks & Spacers palette)
- .Drag a break symbol from a palette onto a frame

See also

- .[Text Properties](#): to put a visual frame (border) around text
- .[Insert measures](#): to insert measures before a frame

External links

- ([How to add a block of text to a score](#)) (MuseScore HowTo)
- ([How to create a blank or title page at the beginning of a score](#))
- [[Page Formatting in MuseScore 1.1 - 1. Frames, Text & Line Breaks](#)] [video]

Images

You can use **Images** to illustrate scores, or to add symbols that are not included in the standard [palettes](#). MuseScore

:supports the following formats

- (PNG (*.png)
- (JPEG (*.jpg and *.jpeg)
- (.SVG (*.svg) (MuseScore currently does not support SVG shading, blurring, clipping or masking)

Add image

:Use one of the following options

- Drag-and-drop an image file (from outside MuseScore) either into a vertical or horizontal frame, or onto a note or rest in the score
- .Right-click on a frame, select Add → Picture, then pick an image from the file selector

.Once it has been imported into a score, an image (just like other score elements) can be added to a palette if required

Cut/copy and paste image

- .1 .Click on an image in the score
- .2 .Apply any of the standard copy/cut commands
- .3 .Click on a note, rest or frame
- .4 .Apply any of the standard paste commands

Modify image

To modify the width/height of an image, double-click it and drag any of the handles. If you want to adjust width or height separately, untick "Lock aspect ratio" first in the Inspector

.You can adjust the position of an image by simply dragging it

See also

- Image capture
- Custom palettes

External links

- ([How to create an ossia with image capture](#)) (MuseScore HowTo)
- ([How to create an ossia with another staff](#)) (MuseScore HowTo)

Image capture

MuseScore's **image capture** feature allows you to save a snapshot of any part of the score window. PNG, PDF and SVG formats are supported

Save a snapshot



- .1 .Click on the **Toggle image capture** button
- .2 .Press shift + drag, to create a new selection rectangle
- .3 Fine tune the rectangle position, if required, by dragging it and/or changing the "Position" values in the "Image Capture" section of the Inspector
- .4 Fine tune the rectangle area, if required, by dragging the handles, and/or changing the "Size" values in the Inspector

.5 :Right-click on the selection rectangle to open the **Image Capture** menu. Select the desired option

◦ **.Save As (Print Mode)**. This saves an image of the selection area as it would look if printed, e.g




◦ **.Save as (Screenshot Mode)**. This saves a selection of the actual screen, including any line break symbols, invisible elements etc., e.g



.You can save the image in either PNG (default), SVG or PDF format

Image capture menu

:(Right-clicking on the selection rectangle opens the **Image Capture** menu (Mac: Ctrl + click, or 2-finger-tap



- .**Copy**: Choose this to copy an image before pasting it in the same or another MuseScore file •
- Copy with Link to Score**: Choose this to copy an image including a link to the MuseScore file. When pasting this •
- into a program that supports this, you can click on the image to open the MuseScore file
- Resolution**: Set the resolution, and hence the size of the saved or copied image. Try 100 dpi to start with, if you are •
- unsure
- .**Transparent background**: Turn image transparency on or off •
- .**Auto re-size to page** Adjusts the selection rectangle to fit the page •
- .(**Resize to A/B/C/D**: Choose a customized selection rectangle (as set below •
- .**Set Standard Size**: Resize the selection rectangle, then choose "Set size A/B/C/D" to store it •

See also

- [Image](#) •

External links

- ([Create an ossia with image capture](#) ↗ (MuseScore HowTo •
- ([How to create an ossia with another staff](#) ↗ (MuseScore HowTo •


Align elements

:While dragging an element

- To constrain movement to the **horizontal** only: Click and hold on the element, pressCtrl, then drag the element left •
- or right
- To constrain movement to the **vertical** only: Click and hold on the element, pressShift, then drag the element up or •
- down

Snap to grid

.**Snap to grid** is a feature which allows you to *drag* an element in precise steps—useful for exact positioning



To enable snap to grid, select an element and click one or both of the snap to grid buttons, located to the right of the X (horizontal) and Y (vertical) offset fields in the [Inspector](#). You can then *drag* the element in steps equal to the **grid**

.spacing. The default value is 0.5sp

:To change the **grid spacing**

1. Right-click on any of the snap to grid buttons in the Inspector, and select **Configure Grid**
2. Set values for the horizontal and vertical grid spacing as required. Note that this is a fractional setting

Advanced topics

Accessibility

Introduction

This document is written for blind and visually impaired users of MuseScore 3. It is not intended to provide a full description of all of the features of MuseScore; you should read this in conjunction with the regular MuseScore documentation

MuseScore comes with support for the free and open source [NVDA screen reader](#) for Windows. You can also [install a script](#) to enable support for [JAWS](#), or [install a script](#) for [Orca](#) on Linux

Eventually we hope to support other screen readers such as [VoiceOver](#) and [Narrator](#). Currently, unsupported screen readers will usually read menus and dialogs, but reading the score note by note currently requires one of the supported screen readers

Beginning with MuseScore 3.3, most of the features of MuseScore are fully accessible, it is viable both as a score reader and editor. Previous versions were more limited with respect to editing

Initial setup

When you run MuseScore for the first time, you will be asked some questions on startup. We recommend you accept the defaults, but answer "no" to the question about showing tours, since these unfortunately are not yet accessible

When MuseScore starts, the first thing you normally see is the [Start Center](#) window. This shows you a list of recent scores that you can access via Shift+Tab and then using the left and right cursor keys. You may find it easier to open scores directly from the File menu, however so you can press Esc to close the Start Center if you prefer. In fact you may want to permanently disable it. After closing the Start Center, open the Edit menu (Alt+E), choose Preferences, and in the General tab, uncheck Show Start Center, then close the Preferences window

MuseScore includes keyboard shortcuts for many of its commands, and others that do not have shortcuts defined by default can be customized later, in Edit, Preferences, Shortcuts

Finding your way around

The user interface in MuseScore works much like other notation programs or other document-oriented programs in general. It has a single main document window within which you can work with a score. MuseScore supports multiple document tabs within this window. It also supports a split-screen view to let you work with two documents at once, and you can have multiple tabs in each window

In addition to the score window, MuseScore has a menu bar that you can access via the shortcuts for the individual menus

- File: Alt+F •
- Edit: Alt+E •
- View: Alt+V •
- Add: Alt+A •
- Format: Alt+O •
- Tools: Alt+T •
- Plugins: Alt+P •
- Help: Alt+H •

Hint: once you have opened a menu, it may take several presses of the Up or Down keys before everything is read properly. Also, if at any point the screenreader stops responding, a useful trick to kickstart it again is to press Alt to move focus to the menu bar, then Esc to return to the score. Sometimes switching to another application then back can help as well

In addition to the menu bar, there are also a number of toolbars, palettes, and sub-windows within MuseScore, and you can cycle through the controls in these using Tab (or Shift+Tab to move backwards through this same cycle). When you first start MuseScore, or load a score, focus should be in the main score window

If nothing is selected (press Esc to clear any selection), pressing Tab takes you to a toolbar containing a series of buttons for operations like New, Open, Play, and so forth. Tab will skip any buttons that aren't currently active. The names and shortcuts (where applicable) for these buttons should be read by your screen reader

Once you have cycled through the buttons on the toolbar, the next window Tab will visit is the Palettes. This is used to .(add various elements to a score (dynamics, articulations, and so forth

If an element is selected in the score, the first window visited by Tab is the Inspector, which is used for making various manual adjustments in your score. Many of these features are based on the visual appearance of the score (although a .(few relate to playback

If you have opened one of the additional optional windows, such as the Selection Filter, the Tab key will also visit these. You can close windows you do not need by going to the View menu and making sure none of the first set of checkboxes is selected (the windows that appear before the Zoom settings). By default, only the Palettes and Inspector should be selected. See [Initial Setup](#) for instructions for disabling the Start Center. F9 can be used to toggle the Palettes while F8 will .toggle the Inspector

To return focus to the score window after visiting the toolbar, or a subwindow, press Esc. If something was selected before visiting the other window, the selection is left intact, but pressing Esc once focus is in the score window clears the selection. The selection is automatically restored when you commence navigation using the accessibility commands .described below

The score window

When you first start MuseScore 3 an empty example score is loaded by default. If you wish to experiment with editing features, this would be a good place to begin. Otherwise, you will probably want to start by loading a score. MuseScore uses the standard shortcuts to access system commands like Ctrl+O (Mac: Cmd+O) to open a file, Ctrl+S (Mac: Cmd+S) to .save, Ctrl+W (Mac: Cmd+W) to close, etc

If you press Ctrl+O (Mac: Cmd+O) to load a score, you are presented with a fairly standard file dialog. MuseScore can open scores in its own format (MSCZ or MSCX) as well as import scores in the standard MusicXML format, in MIDI format, or from a few other programs such as Guitar Pro, Capella, and Band-in-a-Box. Once you have loaded a score, it is displayed in a new tab within the score window. You can move between the tabs in the score window using Ctrl+Tab (does not apply .for Mac). Hint: if the name of the score in the current tab is not read, ask your screen reader to read the title bar

To read the score note by note, see below, but there are a few other interesting things you can do with a loaded score. You can press Space to have MuseScore play the score for you. You can use File / Export to convert to another format, including PDF, PNG, WAV, MP3, MIDI, MusicXML, etc. And of course, you can print it via File / Print or Ctrl+P (Mac: .(Cmd+P

If a score contains multiple instruments, it may already have linked parts generated. Linked parts are presented as part tabs within score tabs, but currently, there is no way to navigate these part tabs using the keyboard. The parts would not normally contain information different from the score; they would just be displayed differently (each part on its own page). If a score does not already have parts generated, you can do so through File / Parts, and that dialog is accessible. If you wish to print the parts, you can work around the inability of accessing part tabs individually by using the File / Export Parts .dialog, which automatically exports PDF's (or other formats) for all parts in one step

Score reading

When you first load a score, the score window has the keyboard focus, but there will be nothing selected. The first step to reading a score is to select something, and the most natural place to begin is with the first element of the score. After a score is loaded, Alt+Right (Mac: Alt+Right) will select the literal first element, which is likely the title; Ctrl+Home (Mac: .(Cmd+Home) will select the first "musical" element (usually a clef or an initial barline

As you navigate between elements, your screen reader should give the name of the selected element. You will hear it read the name of the element (for example, "Treble clef") and also give position information (for example, "Measure 1; Beat 1; Staff 1; Violin"). The amount of information read is optimized to not repeat information that has not changed. .Pressing Shift currently interrupts the reading, which might also be useful

Most navigation in MuseScore is centered around notes and rests only—it will skip clefs, key signatures, time signatures, barlines, and other elements. So if you just use the standard Right and Left keys to move through your score, you will only hear about notes and rests (and the elements attached to them). However, there are two special accessibility commands :that you will find useful to gain a more complete summarization of the score

- (Next element: Alt+Right (Mac: Alt+Right •
- Previous element: Alt+Left (Mac: Alt+Left •

These commands include clefs and other elements that the other navigation commands skip, and also navigate through all voices within the current staff, whereas other navigation commands such as Right and Left only navigate through the currently selected voice until you explicitly change voices. For instance, if you are on a quarter note on beat 1 of measure 1, and there are two voices in that measure, then pressing Right will move on to the next note of voice 1—which will be on beat 2—whereas pressing Alt+Right (Mac: Alt+Right) will stay on beat 1 but move to the note on voice 2. Only once you have moved through all notes on the current beat on the current staff will the shortcut move you on to the next beat. The intent .is that this shortcut should be useful for navigating through a score if you don't already know what the contents are

When you navigate to an element, your screen reader should read information about it. For notes and rests, it will also read information about elements attached to them, such as lyrics, articulations, chord symbols, etc. The accessibility

.commands will also navigate through those elements individually

One important note: Up and Down by themselves, with Shift, or with Ctrl / Cmd are not useful shortcuts for navigation! Instead, they change the pitch of the currently selected note or notes. Be careful not to inadvertently edit a score you are trying to read. Up and Down should only be used with Alt if your intent is navigation only. See the list of navigation shortcuts below

If you should lose track of your place in the score - or if you lose the selection completely - press Shift+L ("location") to get the current location

Moving forwards or backwards in time

The following shortcuts are useful for moving "horizontally" through a score

- Next element: Alt+Right ●
- Previous element: Alt+Left ●
- Next chord or rest: Right ●
- Previous chord or rest: Left ●
- Next measure: Ctrl+Right ●
- Previous measure: Ctrl+Left ●
- Go to measure: Ctrl+F ●
- First element: Ctrl+Home ●
- Last element: Ctrl+End ●

Moving between notes at a given point in time

The following shortcuts are useful for moving "vertically" through a score

- Next element: Alt+Right ●
- Previous element: Alt+Left ●
- Next higher note in voice, previous voice, or staff above: Alt+Up ●
- Next lower note in voice, next voice, or staff below: Alt+Down ●
- Top note in chord: Ctrl+Alt+Up ●
- Bottom note in chord: Ctrl+Alt+Down ●

The Alt+Up and Alt+Down commands are similar to the Alt+Right and Alt+Left commands in that they are designed to help you discover the content of a score. You do not need to know how many notes are in a chord, how many voices are in a staff, or how many staves are in a score in order to move vertically through the score using these commands

Filtering score reading

Excluding certain elements like lyrics, or chord names while reading the score is possible by using the Selection filter (6). Uncheck those elements you don't want to read. However, this feature may not currently be implemented

Score playback

The Space bar serves both to start and stop playback. Playback will start with the currently selected note if one is selected; where playback was last stopped if no note is selected; or at the beginning of the score on first playback

MuseScore supports looped playback so you can repeat a section of a piece for practice purposes. To set the "in" and "out" points for the loop playback via the Play Panel (F11)

1. First select the note in the score window where the loop should start
2. Go to the Play Panel and press the Set loop In position toggle button
3. Back to the score window, navigate to the note where you want the loop to end
4. Switch again to Play Panel, and press the Set loop Out position toggle button
5. To enable or disable the loop, press the Loop Playback toggle button

You can also control the loop playback and control other playback parameters, such as overriding the basic tempo of a score, using the View / Play Panel (F11)

Score creation and editing

While some advanced score editing techniques require visual inspection of the score, and a small number of commands may require the mouse, as of MuseScore 3.3 most score editing features are fully accessible

You can enter music into the default empty score (a score with one staff, using a piano sound), or edit an existing score that you have opened already, or you can create a new score with the set of instruments you want

Creating a new score

To create a new score, use File, New or Ctrl+N. A wizard then walks you through the score creation process

The first screen of the wizard has fields to enter the title, composer, and other information. The second allows you to select a template (predefined scores for common ensembles like choral SATB or jazz big band) or to select instruments. The third allows you to select an initial key signature and tempo. Sometimes this screen gets skipped, so if this happens, press the Back button to go back. To select a key, use Up and Down. The key signature control does not work well with some screenreaders, but if you give the "read current line" command (e.g., NVDA+L), it may read the currently-selected key. The next and final screen of the wizard allows you to select an initial time signature, pickup (anacrusis), and the number of measures to start with.

.Once you have a score, you can begin editing it

Note input

To enter notes, you need to be in note input mode. First, navigate to the measure in which you would like to enter notes, then press N. Almost everything about note input is designed to be keyboard accessible, and the standard documentation should be good to help you through the process. Bear in mind that MuseScore can either be in note input or normal mode, and it won't always be clear which mode of these you are in. When in doubt, press Esc. If you were in note input mode, this will take you out. If you were in normal mode, you will stay there, although you will also lose your selection

The basic process of note input is to first select a duration (for example, using shortcuts 4-5-6 for eighth, quarter, half), then enter a note by typing its letter name. Once a duration is selected you can enter multiple notes of the same duration. Press 0 to enter a rest

The Up and Down keys raise or lower the pitch by a half step, adding or removing accidentals as necessary. To change enharmonic spelling of a note, press J

To enter a tie, select the duration of the tied note then press+. To create triplets, select the total duration for the triplet, then press Ctrl+3 (similarly for quadruplets and other tuplets). To enter music in multiple voices on a single staff, pressing .(Ctrl+Alt plus a number from 1 to 4 will switch to that voice (keep in mind, the first voice for each staff is always voice 1

.There is much more to note input in MuseScore. See for [this section on Note Input in the Handbook](#) ↗

Selection

MuseScore supports the usual keyboard shortcuts for selection. Navigating is the same as selecting for single elements. To select a range of elements, navigate to the first, press and hold Shift, then navigate to the second. Ctrl+A will select the entire score

Palettes

As mentioned previously, many symbols other than notes are entered from the palettes window. The basic use model is, first select the element or elements in the score you want to apply the palette item to, then apply the palette element. There are a few different ways to select the palette element

The simplest method to use at first is to simply browse the palettes window by keyboard. To reach the palettes window, press Shift+Tab. The screenreader may not specifically tell you that you are in the palettes window, but you will discover that you are as you navigate. Depending on whether you have used the palettes before, focus may be where you left off, or at the top. Press Tab a few times to get to the first palette within the window (Clefs). You can browse the list of palettes using the Up and Down cursor keys. The Right cursor key opens a palette, and then all four cursor keys can be used to navigate through the elements (they are arranged in a table). You can also use Tab to navigate the palette names and contents

Once you have found a palette item you want to apply, press Enter to apply it to the currently-selected score elements and return focus to the score. The next time you press Shift+Tab to return to the palettes, the last-used palette item will still be selected, so Enter will apply it again. The screenreader may stop responding after applying a palette item, even though focus has returned to the score, but the trick of pressing Alt followed by Esc should get it working again

You can also use the palette search facility to quickly find a palette item. The search box is one of the first elements at the top of the palette, so you can navigate to it, or you can define a shortcut (Edit, Preferences, Shortcuts) for the "Palette search" command, which will subsequently take you directly to the search box. Once you are in the box, type the first few characters of a search term, and only palette items matching that search will be shown. You can then navigate to the search results and find the element you want. The Down cursor will take you directly to the first search result, then you can use Right after that. However, on some systems MuseScore may crash when using the palette search function with a screen reader enabled

Another way to reach the palettes window is with the F9 shortcut, which toggles the palettes window on and off. By default, the palettes window is open, so pressing F9 will close it, but then pressing it again opens the window and puts the cursor in the search box

There is one other useful technique for palette accessibility, and that is the "Apply current palette element" command (for which you can define a shortcut). If you are in the score, this will apply the last-used palette element automatically (the equivalent of Shift+Tab followed by Enter

Some elements can be added or edited via menu commands or keyboard shortcuts. The Edit menu has standard copy and paste commands (and the usual shortcuts work too). The Add menu has commands to add notes, tuplets, measures, frames, text, and some lines. The Format menu has commands relating mostly to the visual appearance of the score (e.g., page and staff size, position and size of symbols, fonts used for text), which can be extremely useful in producing large print a.k.a. "modified stave notation" scores (see below). The Tools menu has a number of other useful commands, including ones to remove measures or other selected ranges, to transpose a selection, to join and split measures, and more. any of these commands have shortcuts defined by default that should be read by a screenreader. You can define .custom shortcuts for most of the rest in Edit, Preferences, Shortcuts

There are also shortcuts for a number of palette items, and the possibility to define others (although many palette items :currently do not support this). Some useful shortcuts to remember include

Ctrl+T: staff text
 Alt+Shift+T: tempo
 Ctrl+L: lyrics
 Ctrl+K: chord symbol
 Ctrl+M: rehearsal mark

S: slur
 Shift+S: staccato
 Shift+V: accent
 Shift+N: tenuto
 Shift+O: marcato
 slash: grace note
 less than: crescendo
 greater than: diminuendo

Customization

You can customize the keyboard shortcuts by opening the Edit menu, selecting Preferences, then navigating to the Shortcuts tab. Once there, Tab will take you to the list of shortcuts, and you can navigate the list directly with the Up and Down cursor keys, but it is a very long list. You can instead hit Tab a few more times to reach the Search box, then type .the first few characters of the command to filter the list, then navigate back to the list

Once you have found the command you wish to customize, press Enter. You can then press the key combination you wish to be the shortcut. It can be a single key, a key with Shift, Ctrl, and/or other modifiers, or even a sequence or two or more keys pressed in succession. After entering the shortcut you wish, press Tab to get to the Add or Replace button (Tab is the only key that won't be interpreted as part of a shortcut sequence). If you reach Cancel without ever seeing Add or Replace, it means the shortcut you choose conflicts with another. Navigate back to the where you typed the shortcut and it will tell you the name of the command it conflicts with. Hit Tab to get to the Clear button to clear it, then try again .with a different shortcut

At some point, we may provide a set of special accessibility-optimized shortcuts. There is already a facility in the shortcut .dialog to save and load shortcut definitions, so it is possible to share shortcut definitions with other users

External links


- [\(MuseScore Accessibility Demo \(YouTube\) ↗](#) •
- [\(Creating a New Score in MuseScore with NVDA\) ↗](#) (MuseScore Tutorial •
- [\(Inputting notes in MuseScore with NVDA\) ↗](#) (MuseScore Tutorial •
- [\(Creating Modified Stave Notation in MuseScore\) ↗](#) (MuseScore Tutorial •

Albums

.The Album feature has been disabled for 3.x. It will come back in 4.0

The Album Manager allows you to prepare a list of multiple scores and save the list as an album file ("*.album"), print all the scores as one long print job with consistent page numbers, or even join the scores into a single new MSCZ score. .This is ideal for preparing an exercise book or combining multiple movements of an orchestration

...To open the Album Manager, go to File → Album



Create album

1. To create a new album, click the **New** button. Fill in a title in the "Album Name:" box at the top
2. To add scores to the album, click **Add Score**. A file selection dialog will appear and let you choose one or multiple scores from your file system. Click **OK**
3. The scores you add will appear in a list in the Album Manager. You can rearrange their order by selecting a score and clicking the **Up** or **Down** button

Load album

If you have previously created an album, you can open it through the Album Manager by clicking the **Load** button. A file selection dialog will appear to let you load the .album file from your file system

Print album

To print an album as if it were a single document, click **Print Album**. The scores loaded into the Album Manager are printed in the order they are listed in with the correct page numbers, ignoring the page number offset values in **Layout → Page Settings...** → First page number for all but the first score. As the album is printed in one print job, double-sided printing (duplex printing) also works as expected

Join scores

To combine multiple scores into a single .mscz file, click **Join Scores**. The scores are combined in the selected order into one single score. If not already present, line- and section breaks are added to the last measure or frame of each score in the combined file

All style settings are taken from the first score, different style settings from subsequent score are ignored

All the scores should have the same number of parts and staves for this to work correctly, ideally with the same instruments in the same order. If the scores have the same total *number* of instruments but not the same ones, or not in the same order, then the instrument names from the first score will overwrite ones from subsequent scores. If some of the scores have fewer instruments than the first score, then empty staves will be created for those sections. **Any part or staff that is not present in the first score will be lost in the joined score**

Save album

Upon clicking the **Close** button, you will be prompted to save your album as a .album file. This file is not the same as a joined score; it simply consists of the list of scores. Album files can be loaded into the Album Manager as described above

Automatic placement

MuseScore's **automatic placement** (AP) feature ensures that, in most cases, elements are correctly spaced and do not collide or overlap with each other

Note: When you create an element, AP is automatically enabled, but can be turned off if required (see Disable automatic placement)

Default position

A newly-created element, such as staff text or fingering, assumes a default position on the staff specified by "positional" properties contained in the Style menu. These "positional" properties may include things such as

- **Placement:** Whether the element appears above or below the staff
- **Offset:** For elements with no "Placement above/below" properties, this specifies the default position. See Offset X/Y

Autoplace min distance: Minimum distance from other elements when autoplace is enabled •

.For details of the settings available for each element type, see [Layout and formatting: Style](#)

Change the default placement of an element

:Use one of the following methods

- From the menu, select **Format** → **Style**; choose an element type and then adjust the placement/position settings
- Select a relevant element in the score and change the placement/position settings in the [Inspector](#); then press the [Set as style](#) button (s) to update the [Style](#) settings

Manual adjustments

Adjust position of element

:Use one of the following methods

- **(Select the element and adjust the X and Y offsets in the Inspector** (see [X and Y offsets](#)
- **Move the element using the arrow buttons.** Change to **edit mode** first, if necessary
- **Drag and drop the element using the mouse** Use this method in preference to the above, if you want to *move an element across another one* (e.g. fingering across a slur). Once located on the other side you can use the X/Y offsets in the Inspector, or the keyboard arrow keys to fine tune the position

Place element above/below staff

Elements with a "Placement" property available in the [Inspector](#) can be easily moved from *above* the staff to *below* it, and vice versa

1. Select one or more elements
2. Use one of the following methods
 - Change the "Placement" setting in the Inspector
 - Press x to toggle between above/below

Note: When automatic placement is enabled for an element, you cannot position it in a way that causes a collision with other elements

Disable automatic placement

- Select the element and uncheck the "Automatic placement" box in the [Inspector](#)

The element reverts to its default position. It can be repositioned as desired and is no longer avoided when placing other elements

Stacking order

:To change the value for **Stacking order**

- Select the element and change the "Stacking order" value in the [Inspector](#)

In cases where elements are allowed to overlap, **Stacking order** controls the order in which they are placed on top of each other. The element with the lower value will be placed behind

Cross-staff notation

In piano scores, it is common to write a musical phrase extending across both staves—bass and treble. This can be entered in MuseScore as follows

1. Enter the notation in one staff to begin with. e.g.



2. Select a note and press **Ctrl+Shift + ↓/↑** (Mac: **Cmd+Shift + ↓/↑**). This moves all the notes in that [voice](#) down/up to the other staff. e.g.



.Note: If you only want to move certain notes in a chord you need to ensure that they are in a separate voice

To adjust the beam, double-click it to show the handles. Use the keyboard arrows or drag the handles to change the .3
:beam angle and height



See also

- Barlines: How to extend barlines over multiple staves
- Beams: How to adjust beam angle and height

External links

(How to span a chord or stem over two staves [↗](#) (MuseScore HowTo) •


Early music features

MuseScore offers several specialized functions to create engravings of early music (particularly medieval and .renaissance) akin to commercial editions from the 20th century onwards

Unbarred (or unmetred) notation

In MuseScore, notes lasting longer than the duration of a measure are normally tied across barlines. However MuseScore has a special feature which allows it to display the note values intact, without splitting and tying them in this way. This :enables you to notate music which is unbarred (i.e. not divided into measures), such as that of the **renaissance**


.From the menu bar, select Format → Style... → Score .1
". ... Tick the box labelled "Display note values across measure boundaries" .2



.Click "OK" or "Apply." The existing score is immediately updated .3

Example


The example below shows an excerpt from the original score of "De Profundis Clamavi" for 4 voices by Nicolas .1
:Champion



:The same excerpt displayed in MuseScore .2



". ... And after activating "Display note values across measure boundaries" .3



To get rid of the barlines, just untick the "Show barlines" box in the Staff / Part properties dialog. See also .4
 .(Mensurstrich (below

Note: The feature is still in development and may contain bugs. The longest supported note value is the longa (a dotted
 .(longa is still broken up and tied over

Mensurstrich

Since a complete lack of barlines could make performing the music more difficult for current musicians, many modern
 .engravers settled on a compromise called *Mensurstrich*, where barlines are drawn between, but not across, staves



:To place barlines between staves


- .1 In the lowest staff (usually the bottom staff of a system) where the proposed *Mensurstriche* is required, uncheck
 ;"Show barlines" in the **Staff/Part Properties** dialog
- .2 ;In the staff above where you want the *Mensurstriche*, click on one barline
- .3 ;In the **Barline** section of the **Inspector**, tick the "Span to next staff" option
- .4 In the **Barline** section of the Inspector, adjust the "Span from" value so that the top of the barline meets the bottom
 ;(line of the staff (e.g., set to 8
- .5 .Click the "Set as staff default" button

Ambitus

Before there was the concept of an absolute pitch, performers were required to transpose vocal music to a singable range
 for their ensemble "on the fly." To aid them, an **ambitus** was sometimes included, marking the entire range of a voice at
 .the beginning of the piece

:To apply an ambitus, use one of the following methods

- .Drag the ambitus symbol (from the **Lines** palette of the Advanced workspace) onto a clef
- Select one or more clefs, then click (double-click prior to version 3.4) the ambitus symbol (in the **Lines** palette of the
 .(Advanced workspace



When applied, the ambitus automatically displays the note range of the score: if there is a **section break** then *only* the note
 .range of the section is displayed. Beyond the section break a new ambitus may be applied

The note range of the ambitus can be adjusted manually by selecting it and changing the "Top note" and "Bottom note"
 .values in the **Inspector**. For automatic adjustment click the **Update Range** button in the inspector

Mensural time signatures

In the mensural notation system, time signatures did not define the length of a measure, but the length of breves and
 semibreves. MuseScore supports mensural time symbols as a display method in the Time signature properties dialog
 .rather than as symbols, but they are just for show, as the proportion of e.g. half notes per whole notes cannot be modified

One way to make use of these symbols is to replicate when composers of the renaissance had multiple voices in different
 time signatures simultaneously without using tuplets. Edit the time signature on a per-staff basis, as long as the beginning
 and end of a measure in all staves match up. If they do not, then consider increasing the size of the measures to the
 .lowest common denominator



De Profundis Clamavi for 5 voices by Josquin Des Prez

Period tablature

Authentic-looking period tablature is possible for instruments such as the lute, theorbo etc. The various historical styles are well supported by a choice of fretmark and note symbol fonts, optional “upside-down” tablature, and special symbols for bass-string notes. See [Tablature](#)

See also

[Measure Operations: Split and join](#) •

Figured bass

Adding a new figured bass indication

- .1 Select the note to which the figured bass applies
 - .2 Press the **Figured Bass** shortcut. The default is Ctrl+G (Mac: Cmd+G): this can be changed in [Preferences: Shortcuts](#) if desired
 - .3 (Enter the text in the editor 'blue box' as required (see below
 - .4 Use one of the following options as required
- Press Space to move to the next note ready for another figured bass indication (or click outside the editor box to exit it). The editor advances to the next note, or to the rest of the staff to which figured bass is being added. ((To move to a point in between, or to extend a figured bass group for a longer duration, see [Duration](#) (below




- .Shift+Space moves the editing box to the previous staff note or rest
- .Tab advances the editing box to the beginning of the next measure
- .Shift+Tab moves the editing box to the beginning of the previous measure

Text format

Digits

Digits are entered directly. Groups of several digits stacked one above the other are also entered directly in a single text, :stacking them with Enter



Accidentals


:Accidentals can be entered using regular keys

:type	:To enter
bb	double flat
b	flat
h	natural
#	sharp
##	double sharp

These characters will automatically turn into the proper signs when you leave the editor. Accidentals can be entered before, or after a digit (and of course, in place of a digit, for altered thirds), according to the required style; both styles are properly aligned, with the accidental 'hanging' at the left, or the right

Combined shapes

Slashed digits or digits with a cross can be entered by adding , / or + after the digit (combining suffixes); the proper :combined shape will be substituted when leaving the editor



:The built-in font can manage combination equivalence, favoring the more common substitution

(1+ 2+ 3+ 4+ result in 1+ 2+ 3+ 4+ (or +4 ,+3 ,+2 ,+1

(5 6 7 8 9 and 5\, 6\, 7\, 8\, 9\ result in 5 6 7 8 9 (or

.Please remember that / can only be combined with 5; any other 'slashed' figure is rendered with a question mark

(can also be used before a digit; in this case it is not combined, but it is properly aligned ('+' hanging at the left side +


Parentheses

Open and closed parentheses, both round: '(', ')' and square: '[', ']', can be inserted before and after accidentals, before and after a digit, before and after a continuation line; added parentheses will not disturb the proper alignment of the main .character

Notes: (1) The editor does not check that parentheses, open and closed, round or square, are properly balanced. (2) Several parentheses in a row are non-syntactical and prevent proper recognition of the entered text. (3) A parenthesis .between a digit and a combining suffix ('+', '\', '/') is accepted, but prevents shape combination

Continuation lines

Continuation lines are input by adding an '_' (underscore) at the end of the line. Each digit of a group can have its own :continuation line



.Continuation lines are drawn for the whole duration of the figured bass group

Extended' continuation lines'

Occasionally, a continuation line has to connect with the continuation line of a following group, when a chord degree has to be kept across two groups. Examples (both from J. Boismortier, *Pièces de viole*, op. 31, Paris 1730



In the first case, each group has its own continuation line; in the second, the continuation line of the first group is carried 'into' the second

.This can be obtained by entering several (two or more) underscores "___" at the end of the text line of the first group

Duration

Each figured bass group has a duration, which is indicated by a light gray line above it (of course, this line is for information only and it is not printed or exported to PDF

Initially, a group has the same duration of the note to which it is attached. A different duration may be required to fit several groups under a single note or to extend a group to span several notes

To achieve this, each key combination in the table below can be used to (1) advance the editing box by the indicated duration, and (2) set the duration of the previous group up to the new editing box position

.Pressing several of them in sequence without entering any figured bass text repeatedly extends the previous group

:to get	:Type
1/64	Ctrl+1
1/32	Ctrl+2
1/16	Ctrl+3
(quaver) 1/8	Ctrl+4
(crochet) 1/4	Ctrl+5
(half note (minim	Ctrl+6
whole note	Ctrl+7
((semibreve	Ctrl+7
(whole notes (breve 2	Ctrl+8

(The digits are the same as are used to set the note durations)

:Setting the exact figured bass group duration is only mandatory in two cases

- .(When several groups are fit under a single staff note (there is no other way .1
- .When continuation lines are used, as line length depends on the group duration .2

.However, it is a good practice to always set the duration to the intended value for the purposes of plugins and MusicXML

Editing existing figured basses

:To edit a figured bass indication already entered use one of the following options


- .Select it, or the note it belongs to and press the same *Figured Bass* shortcut used to create a new one •
- .Double-click it •

The usual text editor box will open with the text converted back to plain characters ('b', '#' and 'h' for accidentals, separate combining suffixes, underscores, etc.) for simpler editing


Once done, press Space to move to a next note, or click outside the editor box to exit it, as for newly created figured basses

Style


.To configure how figured bass is rendered: from the menu, select *Format* → *Style...* → *Figured Bass*




- Font:** The dropdown list contains all the fonts which have been configured for figured bass. A standard installation contains only one font, "MuseScore Figured Bass," which is also the default font
 - Size:** Select a font-size in points. *Note:* This value is also modified by any change made to **Scaling** (Format → Page Settings...), or **Scale** ("Staff properties")
 - Vertical Position:** The distance (in spaces) from the top of the staff to the top margin of the figured bass text. Negative values go up (figured bass above the staff) and positive values go down (figured bass below the staff: a value greater than 4 is needed to step over the staff itself)
 - Line Height:** The distance between the base line of each figured bass line, as a percentage of font size
- The following picture visualizes each numeric parameter



- Alignment:** Select the vertical alignment: with *Top*, the top line of each group is aligned with the main vertical position and the group 'hangs' from it (this is normally used with figured bass notation and is the default); with *Bottom*, the bottom line is aligned with the main vertical position and the group 'sits' on it (this is sometimes used in some kinds of harmonic analysis notations)



- Style:** Choose between "Modern" or "Historic." The difference between the two styles is shown below



Proper syntax

For the relevant substitutions and shape combinations to take effect and for proper alignment, the figured bass mechanism expects input texts to follow some rules (which are in any case, the rules for a syntactical figured bass):

- There can be only one accidental (before or after), or only one combining suffix per figure
- There cannot be both an accidental **and** a combining suffix
- There can be an accidental without a digit (altered third), but not a combining suffix without a digit
- Any other character not listed above is not expected

If a text entered does not follow these rules, it will not be processed: it will be stored and displayed as it is, without any layout

Summary of keys

:to get	:Type
.Adds a new figured bass group to the selected note	Ctrl+G
.Advances the editing box to the next note	Space
.Moves the editing box to the previous note	Shift+Space
.Advances the editing box to the next measure	Tab
.Moves the editing box to the previous measure	Shift+Tab
.Advances the editing box by 1/64, setting the duration of the previous group	Ctrl+1
.Advances the editing box by 1/32, setting the duration of the previous group	Ctrl+2
.Advances the editing box by 1/16, setting the duration of the previous group	Ctrl+3
.Advances the editing box by 1/8 (<i>quaver</i>), setting the duration of the previous group	Ctrl+4
.Advances the editing box by 1/4 (<i>crochet</i>), setting the duration of the previous group	Ctrl+5
.Advances the editing box by a half note (<i>minim</i>), setting the duration of the previous group	Ctrl+6
.Advances the editing box by a whole note (<i>semibreve</i>), setting the duration of the previous group	Ctrl+7
.Advances the editing box by two whole notes (<i>breve</i>), setting the duration of the previous group	Ctrl+8
.(Enters an actual space; useful when figure appears "on the second line" (e.g., 5 4 -> 3	Ctrl+Space
.Enters a double flat	BB
.Enters a flat	B
.Enters a natural	H
.Enters a sharp	#
.Enters a double sharp	##
.Enters a continuation line	_
.Enters an extended continuation line	__

.Note: For Mac commands, Ctrl is replaced with Cmd

File formats

MuseScore can import and export a wide variety of file formats, allowing you to share and publish scores in the format that best meets your needs

MuseScore native format

:MuseScore saves files in the following native formats

- .mscz: The default MuseScore file format. Being compressed it takes up relatively little disk space.*
- mscx: An uncompressed MuseScore file format, mainly used for debugging or storing in a versioning system*
- mscz, /, *.mscx.: These are backup files. Notice the point (full stop) added before the file name, and the comma.*
.added to the file extension

A note about fonts: *MuseScore does not embed text fonts in saved or exported native format files. If you want your MuseScore file to be viewed by other MuseScore users, make sure you are using the built-in Edwin (since version 3.6), FreeSerif, or FreeSans font families for your text, or a font that the other parties have installed too. If a system does not have the fonts specified in your original file, MuseScore will use a fallback option, which may cause your score to appear differently.*

(MuseScore format (*.mscz

MSCZ is the standard MuseScore file format and recommended for most uses. A score saved in this format takes up very little disk space, but preserves all the necessary information. The format is a ZIP-compressed version of .mscx files and includes any images the score may contain and a thumbnail

(Uncompressed MuseScore format (*.mscx

MSCX is the uncompressed version of the MuseScore file format. A score saved in this format will retain all information, except images. It can be opened with a text editor, allowing the user access to the file's source code

(MuseScore backup file (*.mscz,) or (*.mscx

Backup files are created automatically and saved in the same folder as your normal MuseScore file. The backup copy contains the previously saved version of the MuseScore file and can be important if your normal copy becomes corrupted,

.or for looking at an older version of the score

The backup file adds a period to the beginning of the file name (.) and a comma (,) to the end (e.g. if your normal file is called "untitled.mscz", the backup copy will be ".untitled.mscz,"), and the period and comma need to be removed from the name in order to open the backup file in MuseScore. As it is stored in the same folder as your normal MuseScore file, you ("may also need to give it a unique name (e.g. changing ".untitled.mscz," to "untitled-backup1.mscz

Note: In order to see the MuseScore backup files, you may need to change your system settings to "Show hidden files". See also [How to recover a backup copy of a score](#)

(Graphic files (export only

.MuseScore can export a score as a graphic file in either PDF, PNG or SVG format

(PDF (*.pdf

PDF (Portable Document Format) files are ideal for sharing your sheet music with others who do not need to edit the content. This is a very widely-used format and most users will have a PDF viewer of some kind on their computers

:To set the resolution of exported PDFs

;From the menu bar, choose Edit → Preferences... (Mac: MuseScore → Preferences...), and select the "Export" tab .1
.Set the resolution in the "PDF" section .2

(PNG (*.png

PNG (Portable Network Graphics) files are based on a bitmap image format, widely supported by software on Windows, Mac OS, and Linux, and very popular on the web. MuseScore creates PNG images as they would appear if printed, one image per page

:To set the resolution of exported PNG images

;From the menu bar, choose Edit → Preferences... (Mac: MuseScore → Preferences...), and select the "Export" tab .1
.Set the resolution and transparency in the PNG/SVG section .2

Note: If you want to create images that show only parts of the score (with or without screen-only items such as frame boxes, invisible notes, and out-of-range note colors), use [Image capture](#) instead

(SVG (*.svg

SVG (Scalable Vector Graphics) files can be opened by most web browsers (except Internet Explorer before version 9) and most vector graphics software. However, most SVG software does not support embedded fonts, so the appropriate MuseScore fonts must be installed to view these files correctly. SVG is the current format for all scores [saved](#) on MuseScore.com

To set resolution and transparency of exported SVG files, see the instructions under [PNG \(above\)](#). Note that MuseScore (does not (yet) support gradients on export (although it does for [images](#) in a score

(Audio files (export only

MuseScore can create *normalized*, stereo audio of the score in any of the following formats WAV, MP3, OGG VORBIS, FLAC. To export an audio file

;...From the menu, select File → Export .1
.Choose the desired format from the dropdown menu, then press Save .2

:You can adjust the **sample rate** of all audio formats as follows

;From the menu bar, select Edit → Preferences... (Mac: MuseScore → Preferences...), and click on the Export tab .1
.Set "Sample rate" in the "Audio" section .2

(WAV audio (*.wav

WAV (Waveform Audio Format) is an *uncompressed* sound format. This was developed by Microsoft and IBM, and is widely supported by software for Windows, OS X, and Linux. It is an ideal format for use when creating CDs, as full sound quality is preserved. For sharing via email or the internet, use a compressed alternative such as MP3

(MP3 (*.mp3

MP3 is a very widely-used compressed audio format. MP3 files are ideal for sharing and downloading over the internet due to their relatively small size

:To set the MP3 bitrate

;From the menu bar, choose Edit → Preferences... (Mac: MuseScore → Preferences...), and select the "Export" tab .1
.Set the MP3 bitrate in the "Audio" section .2

(FLAC audio (*.flac

[Free Lossless Audio Codec](#) [↗](#) (FLAC) is compressed audio format. FLAC files are approximately half the size of uncompressed audio and just as good quality. Windows and OS X do not have built-in support for FLAC, but software .such as the free and open source [VLC media player](#) [↗](#) can play FLAC files on any operating system

(Ogg Vorbis (*.ogg

[Ogg Vorbis](#) [↗](#) is intended as a patent-free replacement for the popular MP3 audio format (which MuseScore also supports —see above). Like MP3, Ogg Vorbis files are relatively small (often a tenth of uncompressed audio), but some sound quality is lost. Windows and OS X do not have built-in support for Ogg Vorbis. However, software such as [VLC media](#) [↗](#) .[player](#) and [Firefox](#) [↗](#) can play Ogg files on any operating system

Share with other music software

MuseScore can [import](#) and [export MusicXML](#) and [MIDI](#) files; it is also able to import a variety of native format files from .other music notation programs

(MusicXML (*.musicxml, *.xml

[MusicXML](#) [↗](#) is the universal standard for sheet music. It is the recommended format for sharing sheet music between different scorewriters, including MuseScore, Sibelius, Finale, and more than 100 others. MuseScore imports *.xml and *.musicxml, exports *.musicxml, and the outdated *.xml(since version 3.5) because the program you want to import it needs .that, in previous MuseScore version you need to rename it yourself after the export

(Compressed MusicXML (*.mxl

Compressed MusicXML creates smaller files than regular MusicXML. This is a newer standard and isn't as widely .supported by older scorewriters, but MuseScore has full import and export support

(MIDI (*.mid, *.midi, *.kar

MIDI (Musical Instrument Digital Interface) is a format widely supported by sequencers and music notation software. For .details of the protocol see the [MIDI Association](#) [↗](#) website

MIDI files are very useful for playback purposes but contain little in the way of score layout information (formatting, pitch spelling, voicing, ornaments, articulations, repeats, key signatures etc.). To share files between *different* music notation .software, [MusicXML](#) is recommended instead

.For details about how to import MIDI files see [MIDI import](#)

(MuseData (*.md) (import only

[MuseData](#) [↗](#) is a format developed by Walter B. Hewlett beginning in 1983 as an early means of sharing music notation between software. It has since been eclipsed by MusicXML, but several thousand scores in this format are still available .online

(Capella (*.cap, *.capx) (import only

CAP and CAPX files are created by the score writer, [Capella](#) [↗](#). MuseScore imports version 2000 (3.0) or later fairly .accurately

(Bagpipe Music Writer (*.bww) (import only

.BWW files are created by the niche score writer, [Bagpipe Music Writer](#) [↗](#)

(BB (*.mgu, *.sgu) (import only

.BB files are created by the music arranging software, [Band-in-a-Box](#) [↗](#). MuseScore's support is currently experimental

(Overture (*.ove) (import only

OVE files are created by the score writer [Overture](#) [↗](#). This format is mainly popular in Chinese-language environments, such as Mainland China, Hong Kong, and Taiwan. MuseScore's support is currently experimental and seems to support

.Overture 3 and later only

(Guitar Pro (various—import only

MuseScore can open [Guitar Pro](#) files with the following extensions: *.gtp, *.gp3, *.gp4, *.gp5, *.gpx, and, as of version 3.5, *.gp

(Power Tab Editor (*.ptb) (import only

.PTB files are created by [Power Tab Editor](#). MuseScore's support is currently experimental

See also

[Open/Save/Export/Print](#) •
[Recovered files](#) •

External links

([How to recover a backup copy of a score](#)) (MuseScore HowTo •


Fretboard diagrams

Note: *This page applies to MuseScore 3.1 and above only. Users of versions prior to 3.1 should go to [Fretboard diagrams](#) .((prior to version 3.1*

Fretboard Diagrams overview

MuseScore allows the use and creation of **fretboard** (or **chord**) **diagrams**. They usually appear above the staff on lead sheets and piano scores. They are commonly used for guitar chords, but MuseScore permits the creation of diagrams for any instrument

.Below is a simple example of Fretboard Diagrams use



The image shows a musical score for the song "Home on the Range" in 3/4 time. Above the staff, four fretboard diagrams are shown for the chords C, C7, F, and Fm. The C chord diagram shows the open strings (x02345). The C7 chord diagram shows the open strings (x02345) with a flat on the 7th string. The F chord diagram shows the open strings (213213). The Fm chord diagram shows the open strings (213213) with a flat on the 3rd string. The score itself consists of a treble clef staff with a melody and a bass clef staff with a bass line.

Note: Fretboard Diagrams are an alternative to and quite different from [Tablature](#), which is a specialized notation form) (that is preferred by some string instrument players

.The Fretboard Diagram mechanism can be used in several different ways

Standard chords. A set of 21 common chord diagrams for the guitar are found in the Fretboard Diagrams palette in .1 the Advanced Workspace. These consist of a single example of a major, minor, and seventh chord for each diatonic scale tone (CDEFGAB). These 21 chords are adequate for many simple pop or folk music scores. See the [overview](#) .of this palette below


Modified chords. In many cases, the standard chords from the Fretboard Diagrams palette are used as a starting .2 point for creating modified chord diagrams, via the [Inspector](#). This technique enables chord extensions, alterations, different voicings, different positions, etc. to be applied to the 21 standard diagrams. There are literally thousands of guitar chords in general use, making a comprehensive palette or dictionary impractical. See [How to use Fretboard](#) Diagrams for custom/complex chords for examples

Freehand" chords. More advanced guitarists often prefer to start from a blank chord grid, and then draw the" .3 specific chord tones desired. See [How to use Fretboard Diagrams for custom/complex chords](#) for examples

Note: Many aspects of music notation follow well-established engraving standards. Guitar chord diagrams are an exception. Usage has varied widely from year to year, from publisher to publisher, from teacher to teacher, and from arranger to arranger. Many inconsistent practices persist today, and distinct styles of chord notation are preferred in different musical genres and regions. For this reason, the MuseScore Fretboard Diagram interface supports diagrams of .various types. Users are free to choose their preferences

Overview of the standard guitar chord palette

The Fretboard Diagrams palette in the Advanced Workspace provides 21 diagrams, comprising a single major, minor, and seventh chord for each diatonic scale tone (CDEFGAB). The name of each diagram appears when the cursor hovers over the entry.



Note: This range of chord diagrams, or indeed any selection of 21 chords, would not typically be sufficient for publication purposes. Arrangers must consider many other voicings, positions, and chord qualities. This palette is also an example of the diverse diagram formats in use, as discussed above. These 21 chords happen to incorporate **open/mute string indicators** (the X and O symbols above the diagrams). Although those symbols *do* often appear in published scores, their usage varies by context. For example, jazz arrangements generally omit mute string indicators, unless contextually important, and rarely use open strings.

Additional palettes that contain a broader range of standard chords are expected to be available in the future. These would try to address the needs of specific musical genres and situations.

Overview of creating modified or custom chords

Modified Fretboard Diagrams are created by adding and then editing an existing diagram from the palette. By modifying standard chords, it is possible to create Fretboard Diagrams for *any* playable chord, and to reflect fingering on *any* Western fretted stringed instrument, regardless of tuning, number of strings, or number of frets. Most of the material below deals with the process of modifying diagrams and creating new ones.

Custom diagrams can be saved to a custom palette if desired for future use. Modified diagrams can, of course, be copied/pasted within a score in the usual ways.

To add a Fretboard Diagram


To add a Fretboard Diagram to the score, use one of the following methods:

- Select a note in voice 1 and double-click a Fretboard Diagram from the palette.
- Drag and drop a Fretboard Diagram from a palette to the desired position in the score.


As the cursor hovers over the chosen diagram within the palette, its name will appear as a **pop-up hint** (see the example in the overview).

Chord Symbols linked to Fretboard Diagrams

When adding a Fretboard Diagram to a score, a chord symbol is also automatically created. The chord symbol is normally placed above the diagram, and uses the chord name from the chord's palette cell. Automatic placement and formatting of a diagram's chord symbol is controlled by style settings (see style settings, below).



A Fretboard Diagram's generated chord symbol can be selected, moved, and modified like any other text element. It behaves generally like the normal **chord symbols** that are added using Add → Text → Chord Symbol or the shortcut Ctrl+K.



Note 1: A field on the **Chord Symbols** style page (Style submenu: select Format → Style... → Chord symbols) – rather than on the **Fretboard Diagrams** style page – controls the chord symbol's **"Distance to Fretboard Diagram"**. This value interacts with the Element **"Minimum distance"** field, within the Inspector, to control automatic placement of the chord symbol relative to the diagram. Note also that the Fretboard Diagram's "top edge" includes the blank space where **open/mute string indicators** would appear, even if that area is empty. This may leave a larger gap than is desired. As usual, manual placement can be used to override the automatic settings.

Note 2: Automatic chord symbols generated for Fretboard Diagrams are not completely integrated with normal Chord Symbols that may be directly associated with notes on the staff. Specifically, focus does not flow from a Fretboard Diagram's chord symbol back to the sequence of other symbols on the page when using Space to move through the chord symbols. This minor issue will be addressed in a future update.

Use of Chord Symbols with Fretboard Diagrams

- **Add a diagram's Chord Symbol** automatically simply by adding a Fretboard Diagram as described above
- **Delete a diagram's Chord Symbol** by selecting the symbol and deleting it, as with any text item
- **Add a new Chord Symbol to a diagram without one** by selecting the Fretboard Diagram and using **.Add → Text → Chord Symbol** or the shortcut **Ctrl+K**


(...To adjust a Fretboard Diagram's element properties (position, color, stacking order

The **position** of a Fretboard Diagram can be adjusted using the keyboard arrows in **Edit mode**; or with the X- and Y- offsets in the "Element" section at the top of the Inspector

.Visibility, Color and Stacking order can also be adjusted in the "Element" section: see the diagram under editing

To adjust global/default Fretboard Diagram style properties

Certain default and global properties of Fretboard Diagrams (see diagram below) can be adjusted from the Style submenu: select Format → Style... → Fretboard Diagrams. Some of these properties are subject to override via the Inspector; but most affect all Fretboard Diagrams in the score



- **Default vertical position** specifies the default placement of the diagram relative to the staff. (Subject to override via Inspector)
- **.(Scale** specifies the default scale (i.e. diagram size). (Subject to override via Inspector)
- **.(Fret number font size and ...position** control placement of fret numbers on all diagrams. (Global)
- **Barre line thickness** controls how large a line is used to represent a barre on all diagrams. By default, this is the

same thickness as the solid dots. A smaller line will allow dots to be visible under the barre, for situations where that (is desirable. (Global

.(Relative dot size controls the size of dots on all diagrams, relative to the size of the scaled grid. (Global •

.(String spacing controls the spacing between strings, and thus the total width of all diagrams. (Global •

Fret spacing controls the spacing between frets, and thus the total height of all diagrams relative to the number of (frets they each display. (Global •

Most Fretboard Diagram properties exposed by the Inspector offer "reset to style default" and "save as style default" buttons. These values do not typically appear on the style page, but are manipulated via the Inspector

To edit a Fretboard Diagram

:When a Fretboard Diagram is selected, it can be edited in the Inspector as follows


:The Inspector displays three sections related to the Fretboard Diagram

An Element section that controls the Fretboard Diagram's visibility, placement, color, and other aspects that are used in common with other MuseScore elements; see adjust element properties and the Inspector for details

.A Fretboard Diagram section, with control fields and buttons that define the appearance of this diagram

.A magnified version of the Fretboard Diagram, showing its details and allowing editing

.Below is an example of the Inspector with a Fretboard Diagram selected



Editing Fretboard Diagram properties

(.See Inspector properties above in the editing example)

.To adjust the **scale (size)** of the diagram: Use **Scale** •

.To adjust the diagram's **placement relative to the staff**: Use **Placement** •

To adjust the **number of instrument strings**: Use **Strings**. Strings are added/removed from the left side of the diagram

To adjust **how many frets to display** (i.e. the height of the diagram): Use **Frets**. Frets are added/removed from the bottom of the diagram

.To adjust the **first fret position**: Use **Fret number**. A digit is shown next to the first visible fret

.To specify **thickening of the nut** (a heavy line above the first fret): Use **Show nut** •

.Place the **finger dots** as described below •

(.See Inspector properties above in the editing example)



- To **remove all current dots**, use the "Clear" button above the diagram. (Note: you could save a blank grid in a custom palette, as a starting point for custom diagrams)
- To **create a dot**, click on a fret in the diagram at the bottom of the inspector; click again to remove the dot
- To **move a dot**, clear its current position by clicking on it; then create the desired dot
- To **create a barre or partial barre**: Click the "Barre" button above the diagram; then click at the leftmost position desired for the barre. The barre will extend to the right edge of the fretboard. **Keyboard shortcut**: Holding the shift key, click on the string where you want a barre to begin
- To **end a barre before the rightmost string** Click the "Barre" button above the diagram; then click at the rightmost position desired on an existing barre. The barre will end at that string. **Keyboard shortcut**: Holding the shift key, click on the string where you want a barre to end
- To **delete a barre**: Click the "Barre" button above the diagram; then click at the leftmost position of the barre. It will be removed. **Keyboard shortcut**: Holding the shift key, click on the leftmost position of the barre
- To **create multiple barres**: Use the above steps to create one than one barre, e.g. to show the third finger covering two strings
- To **adjust the barre thickness**: Use the Style options (Format->Style->Fretboard Diagrams) to adjust the barre line thickness relative to the dots. This will allow dots to be visible on the barre, for cases where that is desired
- To **Indicate open and mute strings**(optional). Click just above the diagram to toggle a string between
 - Open (o ◦
 - (Mute/unplayed (x ◦
 - No indication ◦

(Finger dot editing (advanced use


Some arrangers and educators use a more advanced form of Fretboard Diagram that a) incorporates multiple types of "dot", and that b) allows multiple dots per string

This technique is particularly associated with the many books and arrangements published by **Ted Greene** and his successors. (Note: No other notation software currently supports this diagram style


Multi-dot notation style. With this approach, the round dots are played first. Then, on successive beats, the notes represented by the other dots are then played in order. This allows a single diagram to represent several beats of music. (The usual sequence is: dot → X → square → delta. Usage varies however.) Here are two examples of multi-dot diagrams



Optional-note notation style. Another use of multiple dots per string allows other symbols to show optional notes, rather than delayed notes. Typically, a related chord voicing is shown, such as an optional extension or an optional rootless chord version. Here is an example of an optional extension



MuseScore Fretboard Diagrams allow the creation of these and other types of multi-symbol diagrams. A chord is first created and edited using the basic steps described above. Then, the **multiple dot buttons** above the diagram are used to



- .1 "To **begin adding multiple dots (i.e. symbols)** to a diagram, click '**Multiple dots**'
- .2 To **add another dot to a string**, click above or below an existing symbol. The next symbol in sequence will be
- .3 placed at that position, e.g. if there is already a dot, an X will appear next
- .4 To **remove any symbol from a diagram**, click on it
- To **enter a particular symbol out of sequence**, click on the button with that symbol before adding the dot; e.g. to enter an X on a string with no current dots, because that note should be played after the rest of the chord, click on the X and then place it as desired

Note: Experienced users of **Ted Greene** style diagrams will find that several secondary features from Ted's diagrams are not yet supported in MuseScore. These include: a. Displaying the fret number on a higher fret than the first visible fret. b. Allowing the note symbols to include digits, not just the four dot styles currently supported. c. Allowing the creation of annotation on and between diagrams, such as circling a particular note, or drawing lines linking notes in adjacent diagrams. However, MuseScore does provide many tools for drawing and annotation that can serve in place of these (.techniques

Note: Because multi-note symbols are not standardized, even within the **Ted Greene** community, users must be careful) (.to indicate how they are being used within a given score


External links

- ([How to use Fretboard Diagrams for custom/complex chords](#)) (MuseScore HowTo)
- ([Palette with fretboard diagrams for Mandolin](#)) (Forum article)
- ([Palette with fretboard diagrams for Ukulele](#)) (Forum article)

(Fretboard diagrams (prior to version 3.1

Note: *This page applies to versions of MuseScore prior to 3.1 only. Users of MuseScore 3.1 and above should go to [Fretboard diagrams](#)*

A range of **fretboard** (or **chord**) **diagrams** for the guitar are provided in the [Fretboard Diagramspalette](#) in the Advanced [Workspace](#).



You can create a chord diagram for *any* fretted, stringed instrument by [editing](#) an existing one. It can be saved to a [custom palette](#) for future use if required

Add a fretboard diagram

:To add a fretboard diagram to the score, use one of the following methods

- .Select a note in voice 1 and double-click a fretboard diagram from a [palette](#)
- .Drag and drop a fretboard diagram from a palette to the desired position in the score

.As the cursor hovers over the chosen diagram within the palette, its name will appear as a **pop-up hint**

Edit a fretboard diagram

:When a fretboard diagram is selected, it can be edited in the [Inspector](#) as follows

- .To adjust the **number of instrument strings**: Use **Strings**

- .To adjust the **fret position number**: Use **Offset**
- .To adjust how many frets to display (height-wise): Use **Frets**
- .To **place the finger dots**: Click on a fret to establish a dot; click again to remove the dot
- **To create a barre or partial barre**: First make sure that the desired fret position is clear of black dots (click on a dot to remove it). Then, holding the **Shift** key, click on the string where you want the barre to begin. (Note: Only one barre (can be applied per diagram; a partial barre must end on the first string
- **To delete a barre**: Click on the black dot where the barre begins
- **To Indicate open and mute strings**(if applicable): Click just above the diagram to toggle a string between
 - (Open (o
 - (Mute/unplayed (x
 - .No indication
- .To adjust the size: Use the **Scale** property

To adjust a diagram's element properties

The **position** of a Fretboard Diagram can be adjusted using the keyboard arrows in **Edit mode**; or with the X- and Y- offsets in the "Element" section at the top of the **Inspector**

Visibility, Color and **Stacking order** can also be adjusted from the "Element" section

To adjust a diagram's style properties

Certain default and global properties of Fretboard Diagrams (e.g. barre thickness, vertical position, scale, fret-number font-size and position) can be adjusted from the **Style** submenu: select **Format** → **Style...** → **Fretboard Diagrams**. Some of these properties are subject to override via the **Inspector**; but most affect all Fretboard Diagrams in the score


(Layer (experimental

This feature is still experimental and only visible if MuseScore is started using the '-e' option, see **Command line options**


For the Open-Goldberg project, the ability to create different versions of the score was needed. One version is the "Urtext", a score which is close to the original version of Bach. A second version could be a Czerny variation, which in addition to the Urtext, contains fingerings

The layer feature allows creating different versions out of one score file. If you want to add fingerings, you have to create a layer and tag the fingering elements with the layer name


:First, create layers




:Second, create a score variant




:Add the visible layer to the score variant, then select all fingerings and tag them with the name of the score variant



:Default layer



:Czerny layer



See also


[Command line options](#) •

MIDI import

MuseScore can import [MIDI](#) files (.mid/.midi/.kar) and convert them into music notation

To import a MIDI file, use the standard [Open](#) command. This converts the MIDI file into a MuseScore file (.mscz) •
and applies the default quantization settings

The **MIDI Import Panel** appears at the bottom of the screen: you can expand this by dragging the interface with the document window upwards. The panel shows all the tracks in the file (only those with note events are shown) and allows you to adjust parameters affecting the conversion process. *If there are multiple tracks*, then one more track is added at the top of the list to select all tracks at once



To accept the default conversion: Simply press the "X" symbol on the top-left of the Import Panel to close it. The panel can be re-opened at any time during the session by pressing "Show MIDI import panel" at the bottom of the document window •

To reimport the file: Adjust the desired parameters in the Import Panel ([see below](#)) and press Apply. If you have made changes to the Import Panel but wish to UNDO them, press Cancel. To close the Import Panel, press the "X" symbol at the top-left of the panel •

If you reimport the file after making changes to the temporary generated result score, MuseScore will prompt you what should happen with that modified score: Save it somewhere, Discard it or Cancel. The save option will save the modified score as a Musescore file in your *bin* directory without modifying the original MIDI file. It will then reimport the original MIDI file and apply the import panel settings. The import panel settings are NOT applied to the saved file. The Discard option will UNDO your changes to the Musecore file, then reimport the original MIDI file and apply the new settings. The Cancel option will reimport the original MIDI file in the first tab and apply any import panel setting then create a new tab with your modified score but without applying any import panel settings. The second tab is the same as hitting SAVE, then opening the saved file. Therefore, you cannot apply import panel settings to a user modified score. You must first apply the import panel settings, make any changes to the score, then save the score using the standard [Save](#) command

Mouse wheel scrolling (MIDI Import Panel): Vertical scrolling is the default. For horizontal scrolling, press Shift or Ctrl

.while using the wheel

Available operations

MuseScore instrument

Assign a MuseScore instrument (listed in instruments.xml or in specified custom xml file in Preferences) that defines .staff name, clef, transposition, articulations, etc

Quantization

:Quantize MIDI notes by some regular grid. The grid MAX resolution can be set via the drop-down menu

Value from preferences (default) - quantization value is taken from the main Preferences dialog of MuseScore •
(in the "Import" tab
Quarter, Eighth, 16th, 32nd, 64th, 128th - user-defined values •

However, the actual quantization grid size is adaptive and reduces when the note length is small, so for each note the quantization value is different. But there is an upper limit for the quantization value, and that value can be set by .the user as "max. quantization

For example, if some note is long - say, half note, and the max. quantization is set to 8th, then the note will be .quantized with the 8th-note grid, not the half- or quarter-note grid as it supposed to be by the algorithm
.Such quantization scheme allows to quantize all notes in the score (with different lengths!) adequately

Max. voices

.Sets maximum count of allowed musical voices

Search tuplets

When enabled, this option attempts to detect tuplets and applies the corresponding quantization grid to the tuplet .chords

Is human performance

If enabled, this option reduces the accuracy of MIDI-to-score conversion in favor of readability. It is useful for unaligned MIDI files, when no regular quantization grid is provided. For such files the automatic beat tracking .algorithm is used which tries to detect the bar positions throughout the piece

2x less measure count

The option is active for unaligned MIDI files (when "Is human performance" is checked by default). It halves measure count obtained in the internal beat tracking operation. It may be convenient when the beat tracking gives 2x more .frequent bar subdivision than necessary

Time signature

The option is active for unaligned MIDI files. The user can choose an appropriate time signature for the whole piece if the default detected value is wrong. The option is useful because it handles imported tuplets correctly unlike the .direct time signature setting from the palette

Split staff

This option is suited mainly for piano tracks - to assign notes to the left or right hand of the performer. It uses constant pitch separation (the user may choose the pitch via sub-options) or floating pitch separation (depending on .(the hand width - sort of a guess from the program point of view

For drum tracks ("Percussion" sound in the track list) it splits the staff into multiple staves, each of which gets only one drum pitch (i.e. drum sound). There is also a sub-option to allow/disallow the application of the square bracket .for the newly created set of drum tracks

Clef changes

Small clefs can be inserted within a staff to keep chords closer to the 5 staff lines. Clef changes depend on the average pitch of the chord. Tied groups of notes are not broken by the clef insertion (if it occurs, one can report a .bug for algorithm in importmidi_clef.cpp). This option is available for non-drum tracks only

Simplify durations

Reduces number of rests to form more "simple" note durations. For drum tracks this option can remove rests and .lengthen notes as well

Show staccato

.Option to show/hide staccato markings in the score

Dotted notes

.Controls whether MuseScore will use dotted notes or ties

Show tempo text

.Shows/hides tempo text markings in the score

Show chord names

.Shows/hides chord names in the score, if any, for XF MIDI file format

Recognize pickup measure

When enabled, this option doesn't change the time signature of the first bar that is shorter than the second bar. It is .also called anacrusis. This option is only available for all tracks at once

Detect swing

MuseScore tries to detect swing, and automatically replace a pattern of 4th + 8th notes in triplets (for the most common swing feel, 2:1), or a dotted 8th + 16th pattern (for shuffle, 3:1), with two straight 8ths and a "Swing" or "Shuffle" text at the beginning


Master palette

The **Master Palette** is a repository of symbols used to populate the workspaces (Basic, Advanced, and Custom). It is also

.used to create new Time Signatures and Key Signatures

:To open, use either of the following options

- .(Press Shift+F9 (Mac: fn+Shift+F9
- .From the menu, select View → Master Palette



The Master palette is divided into sections based on symbol type. Hovering the mouse over an item shows **atool tip** (a .(short definition in black on yellow background


:To transfer a Master palette item to acustom palette

- .Drag the symbol from the Master Palette window into a custom palette

Note: Except for the Symbols section (below), it is not usual to add items directly to the score from the Master palette: use the workspace palettes instead. However, if desired, items can be added directly using either (i) drag-and-drop or (ii) by .selecting one or more notes/rests and double-clicking the item

Symbols

The **Symbols** section of the Master Palette is a large repository of hundreds of musical symbols in addition to those found .in the preset workspaces. You can open it from the Master Palette, or directly from the score by using the shortcut



Find a symbol

The **Symbols** subcategories can be displayed by clicking on "Symbols". Use the **font menu** on the bottom right of the box to specify Emmentaler-, Gonville- or Bravura-specific symbols. You can search for a particular symbol by entering a keyword in the **search box**.

Apply a symbol

To add an item to the score from the Symbols section, use any of the following options

- Drag and drop a symbol onto a staff
- Select a note or rest and double-click a symbol

The position of the symbol can be adjusted by dragging or by changing the horizontal / vertical offsets in the **Inspector**. Color and visibility can also be adjusted in the Inspector

Note: Elements from the Symbols section do not follow any positioning rules (in many cases unlike identical elements from other sections of the Master Palette), nor do they affect score playback

Connect symbols

Elements from the Symbols section can be connected to each other on the score page, so that they can be moved as one unit

1. Apply first symbol to the score. Adjust position as required
2. Double-click, or drag-and-drop, a second element onto the first symbol. Adjust position as required


Drag the first element and the attached element will follow

See also

- [Palettes and workspaces](#)
- [\(Symbols and special characters\)](#) (add musical symbols to text objects)

Note input modes

MuseScore allows you to choose from any of several note input modes. [Step-time](#) (see below) is the default, but others can be accessed by clicking the small dropdown arrow next to the note entry button on the [note input toolbar](#)



Step-time

This is the default method of note input and involves entering notes one at a time: first by selecting a note duration using the mouse or computer keyboard, then choosing a pitch using the mouse, computer keyboard, MIDI keyboard or [virtual piano keyboard](#)

For details see [Basic note entry](#)

Re-pitch

Re-pitch mode allows you to correct the pitches of a sequence of notes while leaving their durations unchanged (not to be confused with [Accidental: Respell pitches](#))

1. Select a note as your starting point
2. Select the **Re-Pitch** option from the **Note input** drop-down menu; or use the keyboard shortcut, Ctrl+Shift+I (Mac: Cmd+Shift+I)
3. Now enter pitches using the computer keyboard, MIDI keyboard or [virtual piano keyboard](#)

You can also use the **Re-pitch** function to create a new passage from an existing one of the same sequence of durations —by copying and pasting the latter, then applying Re-pitch

Rhythm

Rhythm mode allows you to enter durations with a single keypress. Combining Rhythm and Re-pitch modes makes for a very efficient method of note entry

1. Select your starting point in the score and enter Rhythm mode
2. Select a duration from the note input toolbar, or press a duration shortcut (numbers 1-9) on your computer keyboard. A note will be added to the score with the selected duration. In contrast to **Basic note entry**, pressing the . key will toggle dotting or not dotting all subsequent durations. All following rhythms will be dotted until the . key is pressed again. Unlike **Basic note entry**, the dot is to be pressed prior to entering the rhythm
3. Entering rests is similar to adding dotted notes. Press the 0 key to toggle entering rests. All rhythms entered will be .rests until the 0 key is pressed again. This can be used concurrently with dotted notes
4. Continue pressing duration keys to enter notes with the chosen durations
5. Now use **Re-pitch mode** to set the pitches of the notes you just added

(Real-time (automatic

The Real-time modes basically allow you to perform the piece on a MIDI keyboard (or MuseScore's virtual piano keyboard) and have the notation added for you. However, you should be aware of the following limitations which currently apply

- It is not possible to use a computer keyboard for Real-time input
- You cannot enter tuplets or notes shorter than the selected duration
- You cannot enter notes into more than one voice at a time

However, these restrictions mean that MuseScore has very little guessing to do when working out how your input should be notated, which helps to keep the Real-time modes accurate

In the automatic version of Real-time input, you play at a fixed tempo indicated by a metronome click. You can adjust the tempo by changing the delay between clicks from the menu: Edit → Preferences... → Note Input (Mac: MuseScore → Preferences... → Note Input

1. Select your starting position in the score and enter Real-time (automatic) mode
2. Select a duration from the note input toolbar
3. (Press and hold a MIDI key or virtual piano key (a note will be added to the score
4. Listen for the metronome clicks. With each click the note grows by the selected duration
5. Release the key when the note has reached the desired length

The score stops advancing as soon as you release the key. If you want the score to continue advancing (e.g. to allow you to enter rests) then you can use the Real-time Advance shortcut to start the metronome

(Real-time (manual

In the manual version of Real-time input, you have to indicate your input tempo by tapping on a key or pedal, but you can play at any speed you like and it doesn't have to be constant. The default key for setting the tempo (called "Real-time Advance") is Enter on the numeric keypad (Mac: Fn+Return), but it is highly recommended that you change this to a MIDI key (or MIDI pedal (see below

1. Select your starting position in the score and enter Real-time (manual) mode
2. Select a duration from the note input toolbar
3. (Press and hold a MIDI key or virtual piano key (a note will be added to the score
4. Press the Real-time Advance key. With each press the note grows by the selected duration
5. Release the note when it has reached the desired length

Real-time Advance shortcut

The Real-time Advance shortcut is used to tap beats in manual Real-time mode, or to start the metronome clicks in automatic Real-time mode. It is called "Real-time Advance" because it causes the input position to move forward, or "advance", through the score

The default key for Real-time Advance is Enter on the numeric keypad (Mac: Fn+Return), but it is highly recommended that you assign this to a MIDI key or MIDI pedal via MuseScore's MIDI remote control. The MIDI remote control is available (from the menu: Edit → Preferences... → Note Input (Mac: MuseScore → Preferences... → Note Input

Alternatively, if you have a USB footswitch or computer pedal which can simulate keyboard keys, you could set it to simulate Enter on the numeric keypad

When the notes are entered they will be placed just before the selected starting element, which will be highlighted with a square blue marker. The start element and any subsequent notes or rests within the same measure will be shifted forward. You can move the insertion point forward and backward using the arrow keys → or ←, and the new insertion point will then be highlighted

Insert

Insert Input mode (called **Timewise** in versions prior to 3.0.2) allows you to insert and delete notes and rests within measures, automatically shifting subsequent music forwards or backwards. Measure duration is automatically updated as you go

- 1. Make sure you are in Note input mode, and that you have the element selected where you want to start inserting notes/rests
- 2. (Click on the arrow next to the Note input icon, and select **Insert** (or if Insert is the current default, just press N)
- 3. Enter a note or rest as you would in Step-Time mode. Each note is inserted before the current cursor position
- 4. Move the cursor forward and backward if required (using the arrow keys), to change the insertion point

Alternatively, if you have only one or two notes to insert, you may prefer to use a shortcut

- (Press Ctrl+Shift (Mac: Cmd+Shift) while adding the note by Mouse-click or keyboard shortcut (A-G

If, at any time, the total duration of the notes and rests within the measure does not match the time signature, a small + or - sign will be shown above the measure



(See also: Remove selected range (Tools

Normal mode

To leave Note Input mode, click on the Note Input tool button, press N, or press Esc. This puts you in **Normal mode**, in which you can change durations and delete notes or rests as follows

- If you select a note and press Del the note will be replaced by a rest of the same duration
- If you select a note or rest and press Ctrl+Del the note/rest will be deleted, and subsequent notes moved backward (see Remove selected range)
- If you reduce the duration of a note or rest the remaining duration will be filled with rests
- If you increase the duration of a note or rest it will subtract duration from the subsequent notes/rests to make up the duration. If this is done on the last note/rest in the measure, a note or rest with the required duration will be inserted in the start of the following measure, and the two will be tied together

See also

- Note input
- Copy and paste

External links

- Video: Semi-Realtime MIDI Demo Part 1: New note entry modes
- (Introduction to the new Repitch Mode (YouTube

Notehead schemes

You can choose choose any one of nine **notehead schemes** for a standard staff. To set a notehead scheme

- Right-click on a staff and select Staff/Part Properties...; click on Advanced Style Properties... and choose from the "Notehead scheme" dropdown list

The schemes are as follows

- **Normal:** This is the default scheme and the one the vast majority of people will use: it is also the only scheme in MuseScore 1 and 2. It uses normal noteheads which can be changed via the Noteheads palette or the Inspector
- **Pitch name:** Noteheads automatically and dynamically change to include the English pitch name in the notehead




- **German pitch name:** Just like the previous one but B will be replaced by H, and Bb by B



Solfège Movable Do (also called Tonic Solfa) [↗](#): Noteheads include the solfège syllable, depending on the degree in the scale. It uses Ti and not Si



Solfège Fixed Do [↗](#): Noteheads include the solfège syllable for the note name. As used in France, Italy, Spain, etc... It uses Si and not Ti



Shape (Walker): Noteheads follow the four-shape system used in books such as William Walker's *Southern Harmony* (1835)



Shape (Aikin): Noteheads follow the seven-shape system used in books such as Jesse B. Aikin's *The Christian Minstrel* (1846), and books by the Ruebush & Kieffer Publishing Company. It's the most used 7-shape system



Shape (Funk): Noteheads follow the seven-shape system used in books such as Joseph Funk's *Harmonia Sacra* (1851)




Shape Walker: Noteheads follow the seven-shape system used in books such as William Walker's *Christian Harmony* (1867)



(For more info about the different variant of shape notes, see the [SMuFL specification](#) [↗](#))

The setting applies to a given staff and the notehead will be used when entering and editing notes. Here is an example



Noteheads

A range of alternative noteheads can be accessed via the **Note Heads** palette of the *Advanced workspace*, or the *Inspector* (see *Change notehead group*, below).

Note: The design of the notehead may vary depending on the music font selected (Leland, Emmentaler, Gonville, Bravura, MuseJazz, Petaluma). Those in the palette are displayed as half notes in Bravura font.

Notehead groups

MuseScore supports a range of notehead styles

- Normal:** A standard notehead
- Crosshead** (Ghost note): Used in percussion notation to represent cymbals. It also indicates muted and/or percussive effects in stringed instruments such as the guitar
- Diamond:** Used to indicate harmonic notes in instruments such as the guitar, violin etc
- Slash:** Used to notate rhythms (e.g. guitar strums)
- Triangle up/down:** Used in percussion notation
- Shape notes:** Do, Re, Mi, Fa, Sol, La, Ti
- Circle cross:** Used in percussion notation
- Circled noteheads**
- Slashed notehead:** A notehead with an oblique line through it
- Plus noteheads**
- Alt. Brevis:** Used in early music notation
- Brackets** (Parentheses): applied around an existing note (or accidental)

Change notehead group

To change the *shape* of one or more noteheads in the score, use one of the following

- (Select one or more notes and click a notehead in a palette (double-click in versions prior to 3.4)
- Drag a notehead from a palette onto a note in the score
- Select one or more notes and change the notehead in the *Inspector*, using the drop-down list under **Note** → **Head** **group** (not supported for drum staves)

Change notehead type

Occasionally you may need to change the *apparent* duration of a notehead—i.e. *notehead type*—without altering its *actual*, underlying duration

1. Select one or more notes
2. Choose one of the following options from the *Inspector* under **Note** → **Head type**
 - Auto:** Automatic, i.e. apparent duration = actual duration
 - Whole:** Whole notehead, regardless of actual duration
 - Half:** Half notehead, regardless of actual duration
 - Quarter:** Quarter notehead, regardless of actual duration
 - Breve:** Breve notehead, regardless of actual duration

Shared noteheads

When two notes in *different voices*, but of the same written pitch, fall on the same beat, one of two things may happen

- The notes may *share* the same notehead
- The notes may be *offset*: i.e. arranged side by side

MuseScore uses the following rules

- Notes with stems in the same direction do not share noteheads
- Dotted notes do not share noteheads with undotted notes

- .Black notes do not share noteheads with white notes
- .Whole notes never share noteheads

.Note: If two unison notes occur in the same voice they are always offset

Change offset noteheads to shared

: To turn *offset noteheads* in opposite voices into *shared noteheads*

- Make the smaller-value notehead invisible by selecting it and using the keyboard shortcut V (or unchecking the ("Visible" option in the Inspector

In a small minority of cases (where the smaller value note is dotted) this workaround is not applicable, so use the following alternative

- Select the smaller value notehead and, in the "Note" section of the Inspector, change "Head type" to match that of the larger value note in the opposite voice

Examples of notehead sharing

In the first example below, the notes of voices 1 and 2 share noteheads by default, because they are all black, undotted notes



:By contrast, in the next example, white notes cannot share noteheads with black notes, so are offset to the right



To create a shared notehead, change the black eighth note's head type to match that of the white note or, pre-3.5, (make it invisible (as explained above



Remove duplicate fret marks

In certain cases, a shared notehead, when pasted to a tablature staff, may result in two separate fret marks on adjacent strings. To correct this, make any extraneous tablature notes invisible by selecting them and using the keyboard shortcut .v (or by unchecking the "visible" option in the Inspector

External links

- [Shape notes](#) at Wikipedia
- [Ghost notes](#) at Wikipedia

Parts

.MuseScore allows you to not only create and print a full score but also to generate individual player's **parts** from it

A part can be created from a specific instrument staff in the main score or even from a specific voice within a staff. This

.allows you to display multiple parts (e.g. Flute 1 & 2) on a single staff in the score but to extract them as separate parts

Part Playback


Musescore "solos" the Part you're viewing during playback—i.e. no other Parts sound. This is because the Mixer's "Play Part Only" box is checked by default

Simply uncheck the "Play Part Only" checkbox if you want hear all play enabled tracks while viewing a Part. Additionally you can use the Mixer's mute and solo buttons to achieve various partial mixes of all available tracks. This can prove quite helpful because it allows you to proofread, arrange and compose within any Part while hearing other tracks for context

Create all parts

The most straightforward method is to create all parts at once. Parts are generated on a one-to-one basis from the corresponding Instruments in the score

....From the menu, select File → Parts
Click All Parts (MuseScore 3.2-3.3.4: Generate; prior to MuseScore 3.2: New All) (parts are named with the instrument name, and a number added to differentiate parts that have the same label in the main score)



.Click OK .3

.The parts can now be accessed by clicking on tabs above the document window

Create specific parts

:(This method allows you to generate *specific* parts for only selected instruments (rather than all-at-once

;In the Parts window click Single Part (prior to MuseScore 3.4New) to create a part .1
In the center pane, type the words you want to use for the "Part title" (this also serves for the corresponding part of .2
;(the filename when exporting
Pick the instrument that you want to appear in your part from the "Instruments in Score" pane, and press + to add it .3
.to the "Instruments in Part" pane


.If you wish to create more parts, repeat steps 1 through 3 (above) for each part

.Click OK to save the parts .4

You have now finished setting up the parts. You do not need to do this again, unless you add or remove an instrument from your full score.

Customize parts

Once you have generated a part (or all parts), you can select any part at the top and use the controls at the bottom to control not only what instrument is in the part, but also which staves and voices within the instrument are included.



Add instruments to a part

:To add instruments to an existing part

- .1 Select the part in the "Parts" pane
- .2 Select the instrument from the "Instruments in Score" pane
- .3 Press + to add it to the "Instruments in Part" pane

Remove instruments from a part

:To remove instruments from an existing part

- .1 Select the part in the "Parts" pane
- .2 Select the instrument from the "Instruments in Part" pane
- .3 Press - to remove the instrument

Select staves for an instrument

:To select the staves of an instrument to include in the part

- .1 Select the part in the "Parts" pane
- .2 Click the arrow next to the instrument in "Instruments in Part" to expand the listing to show all staves and voices of the instrument
- .3 Select the staff to be removed
- .4 Press - to remove it from the instrument

Select voices for an instrument

- .1 Select the part in the "Parts" pane

Click the arrow next to the instrument in "Instruments in Part" to expand the listing to show all staves and voices of .2
the instrument
.Uncheck the voices to be removed .3

Note: If you select only voice 1 for a given staff, then only the content in voice 1 for that staff will be included in the part. Thus, in order to share flute 1 & 2 on the same staff, you will need to enter all notes onto both voices, even in passages .where they share content. You also cannot enter the two parts as chords in the passages where they share rhythms

Delete a Part

;(...Open the Parts dialog (File → Parts .1
;Select the relevant Part in the "Parts" pane .2
.Press Delete .3

Export parts

In order to be able to export parts, those need to have been created first, see [above](#)

...From the menu, select File → Export Parts .1
;(Navigate to the place you want them to be exported to and select the file format (PDF is the default .2
;(For filename just enter whatever prefix is useful for all parts, or leave the default (the filename of your score .3
.Click OK .4

This will generate files with the names "<title>" + "-" + "<part name>.<extension>". In addition, when exporting as PDF, .this will also generate "<title>" + "-Score_And_Parts.pdf

Save parts

Parts and score are "linked", which means that any change to the content in one will affect the other, but changes to the layout will not. When you have the parts created, they are saved along with the score (if you open the score you have .(tabs for the score and every part you created

:However, if you wish to save a part individually

;Make sure the part is "active." Select its tab if not .1
...From the menu, select File → Save As .2

Print a part

;Make sure the part is "active." Select its tab if not .1
.From the menu, select File → Print to open the print dialog .2

Plugins

?What are Plugins

Plugins are small pieces of software that add a particular feature to MuseScore. By enabling a plugin, a new menu option is appended to the **Plugins menu**: subsequently, when this option is selected, the plugin performs a particular task in the .score

Some plugins come pre-installed with MuseScore—see [Plugins installed by default](#) (below). You can find many more plugins in the [plugin repository](#) [↗](#): some work with MuseScore 3, others only with older versions of MuseScore, and some work with either. To tell one from the other: MuseScore 3.x and 2.x plugin code files have an extension of .qml; for older .versions, it is .js

Warning: Plugins can potentially contain bad or malicious code, which can compromise or damage your scores or system. Plugins are entirely unvetted (except for those that are [installed by default](#)). You either need to trust the author or .check the code yourself

Installation

Note: Some plugins may require the installation of other components (fonts, e.g.) to work. Check the plugin's .documentation for more information

Most plugins are provided as ZIP archives: download the plugin's .zip file and uncompress (unzip) it to one of the directories mentioned below (depending on your OS). If the plugin is provided directly as an uncompressed .qml file, .simply download it and place into one of the same directories

.Once a plugin is installed, it needs to be enabled in the **Plugin Manager** in order to use it—see [Enable/disable Plugins](#)

Windows

On Windows, new plugins should be installed into %HOMEPATH%\Documents\MuseScore3\Plugins. Alternatively, specify a different folder in MuseScore's Preferences

Pre-installed plugins can be found in %ProgramFiles%\MuseScore 3\Plugins (or %ProgramFiles(x86)%\MuseScore 3\Plugins for the 32-bit versions) and in %LOCALAPPDATA%\MuseScore\MuseScore 3\plugins on Windows 7 and later. These folders should not be modified

macOS

On macOS, new plugins should be installed into ~/Documents/MuseScore3/Plugins. Alternatively, specify a different folder in MuseScore's Preferences

Pre-installed plugins can be found in the MuseScore bundle in /Applications/MuseScore 3.app/Contents/Resources/plugins (to reveal files in the app bundle, right-click on MuseScore 3.app and choose "Show package contents"), and in ~/Library/Application Support/MuseScore/MuseScore 3/plugins. These folders should not be modified

Linux


On Linux, new plugins should be installed into ~/Documents/MuseScore3/Plugins. Alternatively, specify a different folder in MuseScore's Preferences

Pre-installed plugins can be found in /usr/share/mscore-3.x/plugins and in ~/.local/share/data/MuseScore/MuseScore3/plugins. These folders should not be modified

.The directory names might be slightly different, depending on your operating system's language

Enable/disable plugins


.To be able to access the installed plugins from the Plugins menu, they need to be enabled in the **Plugin Manager**



.You do this simply by checking the appropriate tick box. This adds the name of the plugin to the list in the **Plugins menu**

Create/edit/run plugins

:It is possible to create new or edit existing plugins and run them via the **Plugin Creator**



.Documentation of all available elements can also be found here

Plugins installed by default

Some plugins come pre-installed with MuseScore, but they are not enabled by default. See [Enable/disable plugins](#) (above) to enable plugins

ABC Import

This plugin imports [ABC](#) text from a file or the clipboard and converts it to [MusicXML](#). Internet connection is required, because it uses an [external web-service](#) for the conversion

Notes → Color Notes

This demo plugin colors notes in the selected range (or the entire score), depending on their pitch. It colors the note head of all notes in all staves and voices according to the Boomwhackers convention. Each pitch has a different color. C and C# have a different color. C# and D♭ have the same color

To color all the notes in black, just run that plugin again (on the same selection). You could also use the ['Remove Notes Color' plugin](#) for this

Create Score

This demo plugin creates a new score. It creates a new piano score with 4 quarter notes: C, D, E, F. It's a good start to learn how to make a new score and add notes from a plugin

helloQml

.This demo plugin demonstrates some basic tasks

Notes → Note Names

This plugin names notes in a selected range or for the entire score. It displays the names of the notes (as [staff text](#)) according to MuseScore's [language settings](#): voices 1 and 3 notes above the staff; voices 2 and 4 notes below the staff; and chord notes in a comma separated list, starting with the top note

Panel

.This demo plugin creates a GUI panel

random/random2

.Creates a random score

run

.This demo plugin runs an external command. Probably this will only work on Linux

scorelist

.This test plugin iterates through the score list

ScoreView

Demo plugin to demonstrate the use of a ScoreView

Walk

This test plugin walks through all elements in a score

See also

[Tools](#) •


External links

[Plugins for 3.x](#) ↗ •

Preferences


(...You can customize many of MuseScore's default behaviors via the menu `Edit → Preferences...` (Mac: `MuseScore → Preferences`

:The Preferences dialog has multiple tabs



Reset All Preferences to Default will reset all preferences to the ones MuseScore had when you installed it. Ok will save the settings and close the dialog. Cancel will close the dialog without applying changes. Apply will make changes take effect without closing the dialog.

General




:Here you can define

- **Program Start:** Specify whether to start the session empty or to display a score. The options are one of the following: *Start empty* (no score) / *Continue last session* / *Start with new score* (i.e. New Score Wizard automatically (opens) / *Start with score* (the program default, or one of your own choosing). You can also choose which panels to display. This can be any combination of: *Splash screen*, *Play Panel*, *Navigator*, or *Start Center*. Also select if *Tours* will be active
- **Folders:** Specify the default folders for score files, style files, custom score templates, plugins, additional SoundFonts, images, and extensions
- **Language:** Choose the language used by the program. Translations may be updated from here too. Note that language translation updates can also be done via the menu: `Help → Resource Manager`
- **Telemetry:** Tick/untick to authorize MuseScore to collect usage data. The type of data collected is listed, and updated as needed, in [telemetry](#) ↗
- **Appearance:** Specify a dark or light theme, and the width and height of icons. Set display "Font face" and "Font

.size

- **Auto Save:** How frequently the program autosaves
- **OSC Remote Control**


Canvas



Use Canvas to set your preferred color and wallpaper for the score background and paper. The default "Background" is dark blue (RGB 20, 36, 51; Alpha 255) and the default "Paper," white

- **Background:** Use this to set the color or background of the score pages. Select "Color" then click on the bar to the right and make a choice from the color picker; or select "Wallpaper," click on the file icon and set a background image.
- **Paper:** Sets the color or background of the score pages. Controls identical to "Background" (above). You can also tick/untick "Use the same color in palettes".
- **Zoom:** This defines the Default zoom level and keyboard/mouse zoom precision.
- **Scroll Pages:** This defines the way that the pages are laid out in the score. Choose "Horizontally" for a row layout, or "Vertically" for a column layout. To limit scrolling, tick "Limit scroll area to page borders".
- **Miscellaneous:** "Draw antialiased" (the default option) makes diagonal lines and edges of shapes look smoother. "Proximity for selecting elements" controls the distance the mouse may be from an object and still act on it. Smaller numbers require more precision, making it harder to click on small objects. Larger numbers are less precise, making it harder not to click on nearby objects unintentionally. Choose a comfortable working value.

Note input



:On this tab there are note input and MIDI remote control preferences. Here the following can be set

Note Input

- Enable MIDI Input:** Leave checked to allow MIDI input of notes
- Color notes outside of usable pitch range:** For details, see [Coloring of notes outside an instrument's range](#) and [Usable pitch range](#) (Staff properties: all staves)
- Delay between notes in automatic real-time mode:** See [Real-time \(automatic\)](#)
- Play notes when editing:** When ticked, MuseScore *sounds* the note when it is entered or selected. Tick "Play whole chord when adding note," if you want to hear *all* the notes of a chord when it is added to. You can also edit the "Default duration"

MIDI Remote Control

Midi Remote Control allows you to use certain keys on your MIDI keyboard to enter notes and rests and to select note durations, without involving the computer mouse or (computer) keyboard. The default setting is off

:To assign a command to a MIDI key


1. Ensure that "MIDI Remote Control" is checked (your MIDI keyboard should be connected before opening the program)
2. Click the red button next to the option you wish to assign a MIDI key to: the red button now lights up
3. Press a MIDI keyboard key. The red button becomes unlit and the green button lights up instead. The MIDI key has now been assigned to the desired option
4. Repeat "2" and "3" to assign other keys

Once you have defined your key settings you can use the MIDI keyboard to control note input operations. You can verify your key settings by observing the MuseScore [Note Input toolbar](#) while pressing the MIDI keys

To temporarily deactivate Midi Remote Control: uncheck "Midi Remote Control": all MIDI input key action buttons are now greyed out. *Note:* Your key assignments are always saved between MuseScore sessions and are not affected by deactivation

Notes: (1) The "Clear" option turns off all the green buttons for the *current* MuseScore session but all the user-recorded MIDI key settings are retained and will be reloaded on the next session. (2) A MIDI key setting that is activated cannot afterwards be turned off, and the green button will always remain lit: however it can be overwritten with a different MIDI key by using the red button again. (3) If the same MIDI key is accidentally assigned to more than one option, then all the (associated green buttons remain lit although only one will work. To fix, see "(2

Score



:Score preferences include

Default Files


- Instrument list 1:** Default instrument list file one •
- Instrument list 2:** Default instrument list file two •
- (Score order list 1:** Default score order list file one (used for instrument ordering) •
- Score order list 2:** Default score order list file two •
- Style:** Default style for score •
- Style for part:** Default style for parts •

See also [Load/Save Style](#)

View

- .Show MIDI controls in mixer:** Enable this option to show MIDI controls by default in the mixer •

I/O



(PortAudio (API / Device

This enables you to set the audio interface (API) and specify the device to be used for audio playback: e.g. built-in .speakers/headphones, USB headset, wireless, etc

MIDI Input/Output/Output Latency

When an external MIDI input device is connected, its identifier appears in **MIDI Input**. When the device is connected *for the first time*, you also need to select the correct **MIDI Output** option in order to enable note input and correct audio playback (e.g. in Windows, this might be "MMS<device name>"): then close and reopen the program to confirm the .changes


Jack Audio Server

.Check these options as required if using the [JACK](#)  Audio Connection Kit

Audio Engine

In case of lost communication between your audio device or your MIDI keyboard and MuseScore (no sound output or .MIDI action), click on Restart Audio and MIDI Devices to restore them

Import



:These settings determine how files from other sources are imported

(Style Used for Import Use either the built in MuseScore style or a style you choose (see [Load/Save Style](#) •


MusicXML: Set the MusicXML import options •

Character Set Used When Importing Binary Files: Character Set used for Binary Files (Guitar Pro and Overture •
(character sets

MIDI: Define the shortest note when importing MIDI files •

When opening scores from older MuserScore versions: When enabled, you will be prompted if you want to •
.apply the new default engraving and style settings or not when opening a score created with a version before 3.6


Export



:These settings determine how various files are exported from MuseScore

- **.PNG:** PNG/SVG image resolution (in DPI) and whether to use transparent background
- **.MIDI:** Whether to expand repeats in exported MIDI files
- **.PDF:** PDF resolution (in DPI)
- **.Audio:** Set audio sample rate, MP3 bitrate, and whether to "normalize" exported audio
- **.MusicXML:** Whether to export the layout and how to export system and page breaks to MusicXML

Shortcuts



This tab lists all the commands in MuseScore and any keyboard shortcuts associated with them. Shortcuts listed in preferences also appear next to their associated commands in the menus

- **.To search for a particular command:** Enter its name in the "Search" box near the bottom of the window

- **.To create a new shortcut for a command**

1. Select an existing entry in the list
2. Click Define...; or just double-click the entry
3. Enter the new shortcut using up to four keys. Press clear if you need to re-enter the shortcut
4. Press Replace to change the existing shortcut; or Add, to keep the old shortcut and add the new one

.Note: Some shortcuts, including default ones, may not work with some keyboards

.To reset a shortcut to its system default Select a command in the list and press **Reset Shortcut to Default**


.To save the shortcuts list: Press **Save** and save to a file name of your choice

.To load a saved shortcut list Press **Load** etc

.To clear all shortcuts for an entry: Select the entry and press **Clear**

.To print out the shortcuts list (incl. export to pdf): Press **Print** etc


Update



.This sets whether MuseScore will check for updates and extensions at startup

.Updates may be checked manually in **Help** → **Check for updates**

Advanced




.Allows you to control specific settings for "application", "export", "i/o" and "user interface", as well as color settings

See also

- [Keyboard shortcuts](#)
- [Language settings and translation updates](#)
- [Update checking](#)

Recovered files

If MuseScore or your computer should crash, or if power is lost, a pop-up message upon restarting MuseScore will ask if you wish to restore the previous session



.Click Yes, to initiate attempted recovery of files from the interrupted session. Or click No to ignore message

Saving after session recovery

When MuseScore recovers files after a crash, it renames them with the full path name added in front of the original file name. This very long name will appear in the tab(s) above the active score window

To ensure that the file is saved in its original location You should immediately save the restored file using the "Save As..." option: this will open a window to allow you to navigate to the correct folder and directory. If you use the "Save" command instead, the file will be saved in its current location which is unlikely to be the original one

Finding recovered files

In the event that "Save" is used instead of "Save As..." with a recovered file, you will have to find the files in your computer. The actual location of those files will vary, depending on your operating system, and in which directory MuseScore is installed

For Windows 7, with a default installation of MuseScore to the program files directory, recovered files are auto-saved to (C:\Program Files\MuseScore 3\bin (actually %ProgramFiles%\MuseScore 3\bin

For Windows 10, look in C:\Users\[User Name]\AppData\Local\VirtualStore\Program Files\MuseScore 3\bin ((actually%LOCALAPPDATA%\VirtualStore%\ProgramFiles:-3%\MuseScore 3\bin

You may need to run a system-wide search in order to find files saved directly after a session recovery. Use keywords from the original file name as well as wildcards, and specify the date modified

See also

[Save/Export/Print](#)

External links

([How to recover a backup copy of a score](#)) (MuseScore HowTo


Score Comparison

.The **Score Comparison Tool** allows you to compare two versions of a score to find the differences between them

Introduction

:To open the Score Comparison Tool

.From the menu, select View → Score Comparison Tool •



:(The dialog opens below the document window and consists of three sections (left to right

.**Choose scores to compare:** Select the scores you want to compare •

.**Diff mode:** Select how to view the comparison •

.**Comparison:** A line by line comparison of the scores is displayed •

Select score

The first step is to select the score. Use the combo box next to "Score 1" to choose between the currently open scores, or click on the **Browse** button to open the File Explorer and select a score from disk. Secondly, use the next combo box on the right to choose whether the first score should be the current version, or the last saved version. Score 2 is set to the same .score you selected for Score 1, but you may choose another of the open scores

.When you have selected the scores and versions press **Compare** to do the comparison

Choose view

"Intelligent comparison" is the default option in **Diff mode:** this displays the differences between the scores in a human-readable format (e.g. "Measure 1: Note: property pitch changed from B4 to C5"). Change the **Diff Mode** selection to "Raw" .if you prefer to see the results displayed in XML code

View comparison

When you press **Compare** a list of differences will be displayed to the right, and the score view will automatically change to Documents Stacked. In the **Comparison** section, double-click on a difference from the list and both score views will .automatically pan to show you the changed element, which will also be highlighted

Leave comparison

To exit the Score Comparison tool, turn off the two options "Score Comparison Tool"and "Documents Stacked" in the View .menu

Example

.Below you will see two small scores with a few differences between them


:Last saved



:Current



:The result of the comparison will look like this



Score properties

The **Score Properties** dialog contains document meta tags such as "workTitle," "Composer," "Copyright" etc. To view the dialog

- .1 Make sure that the applicable score or instrument part is the active tab
- .2 From the menu, select File → Score Properties

Several meta tags are generated automatically when you create a score using the **New Score Wizard**, and others may be added later. Meta tags can also be incorporated into a header or footer if required—see [below](#)

Edit meta tags

- .1 Make sure that the applicable score or instrument part is the active tab
- .2 From the menu, select File → Score Properties

The screenshot shows the 'Score Properties' dialog box with the following fields and values:

- File Path: /Users/isaacweiss/Desktop/Getting_Started.mscz
- MuseScore Version: 2.0.2
- Revision: 0
- API-Level: 206
- arranger: (empty)
- composer: Isaac Weiss (<http://musescore.org/en/user/101731>)
- copyright: © CC NC-SA Isaac Weiss for MuseScore BVBA 2016
- creationDate: (empty)
- lyricist: (empty)
- movementNumber: (empty)
- movementTitle: (empty)
- platform: Apple Macintosh
- poet: (empty)
- source: <https://musescore.com/score/792126>
- translator: (empty)
- workNumber: (empty)
- workTitle: Getting Started

Buttons at the bottom: New, OK, Cancel.

- .3 Edit the text of the various meta tags as required
- .4 To add another meta tag, click on the New button. Fill in the "New tag name" field and press OK

The 'Input Tag Name' dialog box has a title bar with a red close button and a question mark. The main area contains a text input field labeled 'New tag name:' and 'OK' and 'Cancel' buttons at the bottom.

Pre-existing meta tags

Every score displays the following fields in **Score Properties**

- **File Path:** The score file's location on your Computer
- **MuseScore Version:** The version of MuseScore the score was last saved with
- **Revision:** The revision of MuseScore the score was last saved with
- **API-Level:** The file format version
- **arranger:** (empty)
- **composer:** This is initially set to the same text as "Composer" on the first page of the **New Score Wizard**
- **copyright:** This is initially set to the same text as "Copyright" on the first page of the **New Score Wizard** (if you need © :a copyright symbols, copy/paste this)
- **creationDate:** Date of the score creation. This could be empty, if the score was saved in test mode (see [Command line options](#))
- **lyricist:** This is initially set to the same text as "Lyricist" on the first page of the **New Score Wizard**
- **movementNumber:** (empty)
- **movementTitle:** (empty)
- **(originalFormat:** This tag exists only if the score is imported (see [file formats](#))
- **platform:** The computing platform the score was created on. This might be empty if the score was saved in test mode
- **poet:** (empty)
- **source:** May contain a URL if the score was downloaded from [saved to MuseScore.com](https://musescore.com)
- **(translator:** (empty)

- (workNumber: (empty
- .workTitle: This is initially set to the same text as "Title" on the first page of the New Score Wizard

Entering Work / Movement / Part metadata

- (workNumber is the number of the larger work (e.g. 8—for "The Four Seasons," Op. 8, by Vivaldi
- ("workTitle is the title of the larger work (e.g. "The Four Seasons
- (movementNumber is the number of the movement in the larger work (e.g. 3 for Autumn
- ("movementTitle is the title of the movement in the larger work (e.g. "Autumn

It is customary, when using the New Score Wizard, to create a work with the **movementTitle** as title (even though it ends up in **workTitle** then) and, directly after creating the score, amending this information in the Score Properties dialogue

:Every **part** additionally has the following meta tag, generated and filled on part creation


- **partName**: The name of the part as given on part creation (which is also used to fill the corresponding part name
- (text in the top vertical frame—*be aware that later changes to one are not reflected in the other*

Header/Footer

:To show the content of one or more meta tags in a header or footer for your score/part

;Make sure that the correct score or instrument part is the active tab .1

:From the menu, select **Format** → **Style...** → **Header, Footer** .2



If you hover with your mouse over the Header or Footer text region, a list of macros will appear, showing their meaning, as well as the existing meta tags and their content

Special symbols in header/footer	
\$p	- page number, except on first page
\$N	- page number, if there is more than one page
\$P	- page number, on all pages
\$n	- number of pages
\$f	- file name
\$F	- file path+name
\$d	- current date
\$D	- creation date
\$m	- last modification time
\$M	- last modification date
\$C	- copyright, on first page only
\$c	- copyright, on all pages
\$S	- the \$ sign itself
\$tag:	- meta data tag, see below
Available meta data tags and their current values:	
arranger	-
composer	-
copyright	-
creationDate	- 2016-05-02
lyricist	-
movementNumber	-
movementTitle	-
platform	- Microsoft Windows
poet	-
source	-
translator	-
workNumber	-
workTitle	- Test

- .3 ;Add tags (e.g. \$:workTitle) and macros (e.g. \$M) to the appropriate boxes, as required
- .4 ;Click Apply to see how the header or footer looks in the score. Make corrections to the dialog if required
- .5 ;If an instrument part is in the active tab, clickApply to all parts, if you want to apply these settings to all the score parts
- .6 .Click OK to assign the header or footer and exit the dialog


See also

- [Layout and formatting: Header and footer](#)
- [Command line options: Test mode](#)

Staff / Part properties

The **Staff / Part Properties** dialog allows you to make changes to the display of **astaff**, adjust its tuning and :transposition, change instrument etc. To open

-Right-click onto either an empty area in a staff, or the instrument name, and select Staff/Part Properties



.Staff / Part Properties dialog, as of version 3.0

:For practical purposes, there are four different types of staff

.1a. **Standard staff I.** A pitched staff used for most instruments except fretted, plucked-string ones

1b. **Standard staff II.** A pitched staff containing a *fretted, plucked-string instrument*, with options to set the number of instrument strings and tuning

Tablature staff. A staff containing a *fretted, plucked-string instrument*, which displays music as a series of fret-marks on strings. Also contains options to set the number of instrument strings and tuning

Percussion staff. A pitched staff for percussion instruments

It is possible to change one type of staff into another using the Instruments dialog, as long as the original staff is loaded with the right instrument. For example, in order to change a standard staff to tablature, it must contain a plucked-string instrument. Similarly, to change a standard staff to a percussion staff you need to ensure that it has an appropriate percussion instrument loaded and so on

Most options in the Staff / Part properties dialog are common to all staves, but each type also has one or two specific options of its own

Staff / Part Properties: all staves

:The following Staff Properties options are common to *all* staves

Lines

.The number of lines making up the staff

Line Distance

The distance between two staff lines, measured in spaces (abbr.: sp.). **Note:** It is *not* recommended to change this value from the default shown. If you need to make the staff larger or smaller, use the Page Settings dialog instead

Extra distance above staff

Increases or decreases the distance between the selected staff and the one above *in all systems*. **Note:** This setting does not apply to the top staff of a system, which is controlled by the minimum/maximum system distance (see Layout and (formatting: Format → Style ... → Page

Notes: To alter the spacing above just *one* staff line in a particular system, see Breaks and Spacers

Scale

Changes the size of the *selected* staff and all associated elements, as a percentage (to adjust the *overall* score size, use (Scaling from the Format → Page Settings... menu

Hide when empty

Together with the "Hide empty staves" setting in Format → Style ... → Score, this determines if the staff will be hidden when it is empty

:Possible values

- .**Auto** (default): The staff will be hidden if it is empty and "Hide empty staves" is set
- .**Always:** The staff will be hidden when empty, even if "Hide empty staves" is not set
- .**Never:** The staff will never be hidden when empty

Instrument: For instruments containing multiple staves, the staff is hidden only if all staves for that instrument are empty

Show clef

.Whether the staff clef will be shown

Show time signature

.Whether the staff time signature(s) will be shown or not

Show barlines

.Whether the staff barlines will be shown

Hide system barline

.Show/hide barline at left-hand edge of the staff

Do not hide if system is empty

Never hide this staff, even if the entire system is empty. This overrules any "Hide empty staves" setting in Format → Style ... → Score

Small staff

.Create a reduced-size staff. You can set the default from the menu in Format → Style ... → Sizes

Invisible staff lines

.Make staff lines invisible

Staff line color

.Use a color picker to change the color of the staff lines

Cutaway

Used to create a cutaway staff in which only measures containing notes are visible (e.g. [ossias](#) [↗](#) (Wikipedia)); or cutaway "scores). This can be used independently of "Hide when empty" or "Hide empty staves

Instrument

The instrument loaded in the **Instruments** (i) or [Select Instrument](#) dialog. The sound associated with this instrument can be changed, if desired, in the [Mixer](#)

Note: The properties below (i.e. *Part Name*, *Long Instrument Name* etc.) are set to the default values defined in the .MuseScore [instruments.xml](#) [↗](#) file

Part name

The name of the [part](#). This is also displayed in the [Mixer](#) and the [Instruments](#) dialog (i). Any edits you make to the Part name affect only that particular instrument and no other

Note: The Part name is defined by the value of the *trackName* element in the [instruments.xml](#) [↗](#) file. If *trackName* has not been defined, the value of *longName* (i.e. "Long instrument name"—see below) is used instead

Long instrument name

Name displayed to the left of the staff in the first system of the score. The long instrument name may also be edited *(directly as a text object* (see [Text editing](#)

Short instrument name

Name displayed to the left of the staff in subsequent systems of the score. The short instrument name may also be edited *directly as a text object* (see [Text editing](#)). Editing affects *all* occurrences in the score

Usable pitch range

- **.Amateur:** Notes outside this range will be colored olive green/dark yellow in the score
- **.Professional:** Notes outside this range will be colored red in the score

To disable out-of-range coloration of notes: From the menu, select [Edit](#) → [Preferences...](#) (Mac: [MuseScore](#) → [Preferences...](#)), ".click on the "Note Input" tab, and uncheck "Color notes outside of usable pitch range

.See also, [Coloring of notes outside an instrument's range](#)

Transpose written pitches to sound

This option ensures that the staves of transposing instruments display music at the correct written pitch. Set the transpose in term of a musical interval (plus octave if required) up or down

(Use single note dynamics (as of version 3.1

Leave ticked to allow playback of [single note dynamics](#) (such as **sfz** etc.) and hairpins, diminuendo and crescendo lines on single (or tied) notes

Navigation arrows

.Use the [↑](#) and [↓](#) buttons, at the bottom left of the Staff Properties window, to navigate to the previous or next staff

Staff / Part Properties: plucked strings only

,Staves of fretted, plucked-string instruments have a few extra options in addition to those listed [above](#)

Number of strings

.Displays the number of instrument strings

...Edit String Data

.This button opens a dialog box which allows you to set the number and tuning of strings. See [Change string tuning](#)

Advanced Style Properties

Clicking the [Advanced Style Properties...](#) button opens a window giving access to advanced display options for the staff. These will vary depending on the [staff type](#) chosen: see the relevant sections below for details

Template

At the bottom of the [Advanced Style Properties](#) dialog there are a number of buttons which allow you to easily change the :following

- *The number of lines displayed by a percussion staff*
- *The staff type of a plucked-string instrument* For example, you can change from standard staff to tablature and vice versa, or select from a number of tablature options

- ;"Make a selection from the drop-down list labelled "Template .1
- ;"Press < Reset to Template .2
- .(Press OK to accept the changes and exit the dialog (orCancel to cancel the operation .3

Standard and Percussion staff options

Show clef / time signature / barlines / key signature / ledger lines

.Option to turn the display of these elements ON or OFF

Stemless

.If checked, staff notes will have no stem, hook or beam


Notehead scheme

.See [Notehead scheme](#)

Tablature staff options

Upside down

If not checked, the top tablature line will refer to the highest string, and the bottom tablature line to the lowest string (this is the most common option). If checked, the top tablature line refers to the lowest string, and the bottom tablature line to the highest line (e.g. Italian-style lute tablatures). For example



.Upside down' tablature'

Tablature staff options: Fret Marks

Fret marks are the numbers or letters used to indicate the location of notes on the fingerboard. The following group of properties define the appearance of fret marks

Font

The font used to draw fret marks. 8 fonts are provided supporting all the necessary symbols in 8 different styles (modern Serif, modern Sans, Renaissance, Phalèse, Bonneuil-de Visée, Bonneuil-Gaultier, Dowland, Lute Didactic)

Size

.Font size of fret marks in typographic points. Built-in fonts usually look good at a size of 9-10pt

Vertical offset


MuseScore tries to place symbols in a sensible way and you do not usually need to alter this value (set to 0) for built-in fonts. If the font has symbols not aligned on the base line (or in some other way MuseScore does not expect), this property allows you to move fret-marks up (negative offsets) or down (positive offsets) for better vertical positioning. Values are in sp

Marks are

Choice of **Numbers** ('1', '2'...) or **Letters** ('a', 'b'...) as fret marks. When letters are used, 'j' is skipped and 'k' is used for the 9th fret

Marks are drawn


:Choice of placing fretmarks **On lines** or **Above lines**. For example



.Fretmark letters placed above line

Lines are

Choice of **Continuous** (lines pass through fret marks) or **Broken** (a small space appears in the line where the fretmark is displayed). For example



.Tablature with lines broken

Show back-tied fret marks

.If unticked, only the first note in a series of tied notes is displayed. If ticked, all notes in the tied series are displayed

Show fingering in tablature

.Tick to allow the display of fingering symbols applied from a palette

Tablature staff options: Note Values

.This group of properties defines the appearance of the symbols indicating note values

Font

The font used to draw the value symbols. Currently 5 fonts are provided supporting all the necessary symbols in 5 different styles (modern, Italian tablature, French tablature, French baroque (headless), French baroque). Used only with the *Note symbols* option

Size

.Font size, in typographic points. Built-in fonts usually look good at a size of 15pt. Used only with the *Note symbols* option

Vertical offset

Applies only when *Note symbols* is selected (see below). Use negative offset values to raise the note value symbols, positive values to lower them


:Shown as

(None: No note value will be drawn (as in the examples above) •

Note symbols: Symbols in the shape of notes will be drawn above the staff. When this option is selected, symbols are drawn **only** when the note value changes, without being repeated (by default) for a sequence of notes all of the same value. E.g



Stems and beams: Note stems and beams (or hooks) will be drawn. Values are indicated for each note, using the same typographic mechanics as for a regular staff; all commands of the standard Beam Palette can be applied to these beams too. E.g



:Repeat

.If several notes in sequence have the same duration, you can specify if and where to repeat the same note symbol. i.e

- Never •
- At new system •
- At new measure •
- Always •

.(Note: This option is only available if "Shown as: *Note symbols*" is selected (see above)

:Stem style

- .Beside staff: Stems are drawn as fixed height lines above/below the staff •
- .Through staff: Stems run through the staff to reach the fret marks •

.(Note: This option is only available when "Shown as: *Stems and Beams*" is selected (see above)

:Stem position

- .Above: Stems and beams are drawn above the staff •

.Below: Stems and beams are drawn below the staff •

Note: This option is only available when "Shown as: Stems and Beams" and "Stem style: Beside staff" is selected (see .(above

:Half notes

- None •
- As short stems •
- As slashed stems •

Note: This option is only available when "Shown as: Stems and Beams" and "Stem style: Beside staff" is selected (see .(above

Show rests

Whether note symbols should be used to indicate also the rests; when used for rests, note symbols are drawn at a slightly .lower position. Used only with the *Note symbols* option

Preview

.Displays a short score in tablature format with all the current parameters applied

Change instrument

You can change any instrument in a score to a different instrument at any time. The following method updates instrument .sound, staff name, and staff transposition all at once

- ...Right-click on an empty part of any measure OR on the instrument name and choose Staff Properties .1
- ;"Click on Change Instrument... (under "Part Properties" .2
- ;"Choose your new instrument and click OK to return to the Staff Properties dialog .3
- ;"Click ok again to return to the score .4

.Not to be confused with Mid-staff instrument change


External links

- [How to create an ossia with another staff](#) (for MuseScore 2, still works for MuseScore 3, but here the Cutaway • (option might be the better choice
- [How to create an ossia using image capture](#) (for MuseScore 2, still works for MuseScore 3, but here the Cutaway • (option might be the better choice

Staff Type Change

You can change the appearance of a staff mid-score by adding a **Staff type change** element to a measure, and adjusting .its properties in the Inspector

Add a Staff Type Change

- Select a measure in the score and, in the "Text" palette, click (double-click prior to version 3.4) the "Staff type .1
- ;"change" symbol,  ; alternatively, drag the "Staff type change" icon onto a measure .2
- ;"Select the symbol, and adjust its properties (see below) in the Inspector as required .2

Staff type change properties

When you alter a **Staff type change** property in the Inspector, the new value takes precedence over the value shown in the global Staff properties dialog. Only those property values in "Staff Properties" that cannot be changed in the "Staff .type change" dialog will be valid throughout the score

:"The properties that can be altered in the **Staff type change** dialog in the Inspector are

Offset

.(How far the changed staff shall be moved up or down: measured in *spaces* (*abbr.:* sp

Small

."Tick the box to create a reduced-size staff

Scale

."Changes the size of the staff and all associated elements, as a percentage

Lines

."The number of lines making up the staff

Line distance

.(The distance between two staff lines, measured in *spaces* (abbr.: *sp*)

Step offset

.How many steps up or down the notes in the staff are offset

Show barlines

.Whether the staff barlines will be shown

Show ledger lines

.Whether ledger lines will be shown for notes above/below the staff lines

Slash style

.Whether the notes shall be shown in standard or slash style

Notehead scheme

.Allows selection of how noteheads are displayed

Generate clefs

.Whether the staff clef will be shown

Generate time signatures

.Whether the staff time signature(s) will be shown or not

Generate key signatures

.Whether the staff key signatures will be shown or not

Example


.To illustrate the use of **Staff type change**, the staff shown below was created using the following steps

- .1 .Add a Staff type change to measure 2
- .2 .Set size to "Small"
- .3 .Set "Lines" to 4
- .4 .Add a second Staff Type Change to measure 3
- .5 .Change "Lines" to 7



:Afterwards the global Staff Properties are changed using Staff properties

- .1 .Set "Lines" to 2
- .2 .Change "Staff Line Color" to orange



As can be seen, the change in "Lines" is only effective up to the first staff type change, whereas the change to "Staff Line Color" is effective throughout the score

Timeline

Introduction

The timeline was developed as part of the Google Summer of Code 2017, and is included for the first time in MuseScore 3.0

Overview

The timeline is a navigation tool that displays an abstraction of the score to the order of measure numbers and instrument names. There are four parts to the timeline

Meta labels

Holding Alt and scrolling the mouse wheel up or down will move the grid and meta rows left or right respectively, faster than shift scrolling. The meta labels and instrument labels do not move

Dragging

.To drag the contents of the timeline, hold the left mouse button and move it around


Labels interaction

Rearranging meta labels

All meta labels besides the measures meta may be rearranged in any way. By moving the mouse cursor onto one of the meta labels, small up and down arrows will appear. Click the left mouse button on the up arrow to swap the meta label with the one above it. Click the left mouse button on the down arrow to swap the meta label with the one below it


Collapsing the meta labels

In order to hide all the meta labels while keeping all the meta information on the timeline, there is an arrow that appears on the measures meta when the mouse is over it. Click the left mouse button on the large up arrow to collapse all the currently visible meta rows into one row, where the meta values are staggered in that row. Click the left mouse button on the large down arrow to expand the meta rows again



Hiding instruments

All instruments--hidden or not--will be displayed on the timeline. To start this interaction, the mouse cursor is moved over an instrument label. A small eye will appear on the right side of the label that is open if the instrument is visible on the score, and closed if the instrument is hidden. Click the left mouse button on the eye to toggle between the two options



Zooming

.(To zoom in or out of the score, holdctrl and scroll the mouse wheel up or down respectively (Mac:Cmd + scroll

Context menus

To bring up a context menu, right-click on the timeline. There are three context menus found in these locations: meta labels, instrument labels, and meta rows

Meta labels context menu

Upon clicking the right mouse button on the meta labels, a context menu appears that displays all possible meta labels as well as two options: "Hide all" and "Show all." Next to each meta label in the menu, there is a check box that shows if the meta label is currently being shown on the timeline. To show or hide one of the meta labels, select the box of the meta label in the context menu. Selecting "Hide all" will hide all meta labels except for the measures meta. Selecting "Show all" will display all meta labels

Meta rows context menu

.Clicking the right mouse button on the meta rows will display the same context menu as the meta labels

Instrument context menu

Clicking the right mouse button on the instrument labels will display a context menu with the option to "Edit Instruments." .Selecting this will bring you to the same dialog as Edit > Instruments... or pressing I for the shortcut

Tools

.A number of useful commands can be found in the **Tools** menu

Transpose

.This opens the Transpose dialog with various options for transposing passages of music

.See Automatic transposition

Explode

The **explode** command allows you to select a passage of music *in a single staff* and split (explode) the chords into their constituent notes or voices as follows

- If the passage is all in voice 1, the top note of the chord is retained on the top staff, while the lower notes are moved to subsequent staves
- If the passage contains multiple voices, voice 1 notes are retained on the top staff, while other voices are moved to subsequent staves. All exploded voices are now in voice 1

To explode a section of the score

Ensure that there are enough staves underneath the source staff to receive the exploded notes. Create extra staves .1
.if necessary using the Instruments dialog

.Choose one of two options .2

Select a range of measures in the source staff: this allows all notes to be exploded if there are enough staves available

Select a range of measures that includes both the source staff and also extends downwards to include one or more destination staves: This limits the number of exploded notes/voices to the number of selected staves

.Choose Tools → Explode .3

Notes: (1) If the selection is all in voice 1, MuseScore will discard the lowest note(s) of any chord that contains more notes than the number of staves in the selection. (2) If the selection is all in voice 1, and if a given chord has fewer notes than the number of destination staves, then notes will be duplicated as needed so that every staff receives a note. (3) Any existing music in the destination staves is overwritten. (4) If you select a partial measure, the explode command will automatically expand it to a full measure

Implode

:"The **Implode** command works in the opposite way to "explode

- With *one staff* selected, all notes in voices 1–4 are combined into voice 1
- With *multiple staves* selected, the notes in the *second staff* are copied to the first available voice in the *top staff*, the notes in the *third staff* are copied to the next available voice in the *top staff* and so on

Apply implode to a single staff

.Select a range of measures in the desired staff .1

.Choose Tools → Implode .2

.All selected notes in the staff are now displayed in voice 1

Apply implode to multiple staves

.Ensure that there is only one voice in each staff .1

Select a range of measures in the *destination staff* and extend this selection downwards to include the other staves to be imploded .2

.Choose Tools → Implode .3

Voices

.This allows you to swap the voices of a selected measure-range of notes. See Exchange voices

Measure

.Join or split measures. See Measure operations: Split and join

Remove selected range

.This command is used to completely *remove* an element, or range of elements from the score

:To remove measures (including partial measures

- .1 Select a range of notes/rests, or a range of measures
- .2 Use one of the following methods
 - o (Press Ctrl+Del (Mac: Cmd+Del
 - o .Select Tools → Remove selected range

Note: If the selected range includes only *part* of a measure, the result will include a measure of smaller duration than the indicated Time Signature. This is indicated by a small - (minus) sign just above the system

:To join measures

- .1 ;Select (i.e. click on) a barline
- .2 Use one of the following methods
 - o (Press Ctrl+Del (Mac: Cmd+Del
 - o .Select Tools → Remove selected range

The following table is a comparative summary of the *Delete* and *Remove selected Range* commands when applied to *single* elements

Apply Remove selected range	Apply Delete	Selected Element
Removes score section	Replaces with rest	Note
Removes score section	No effect	(Rest (voice 1
Removes score section	Deletes rest	(Rest (voices 2-4
Deletes barline and joins measures	No effect	Barline
Removes measure	Replaces contents with rest	Measure


Note: To *insert* notes, see Insert

Fill with slashes

:This command fills the selection with slashes, one per beat

- .1 ;Select one or more measures
- .2 .From the menu, select Tools → Fill With Slashes

:If a measure is empty the slashes are added to voice 1, full-sized and centered on the middle line of the staff




Notes: (1) If there are already notes in a measure in the selection, the command will put the slashes into the *first available empty voice*. (2) Voice 2 slashes are full-sized and centered on the middle line of the staff; voices 3 slashes appear *small* and *above* the staff; voice 4 slashes are *small* and *below* the staff. (3) If a measure contains notes in all 4 voices, voice 1 will be overwritten. (4) All slashes are set to not transpose or playback

Toggle rhythmic slash notation

:This command toggles selected notes between normal notes and rhythmic slash notation

- .1 ;(Select a range of notes or measures (*Note:* use the selection filter if you need to exclude certain voices
- .2 .From the menu, select Tools → Toggle Rhythmic Slash Notation

.The selected noteheads are changed to *slash noteheads* which do not transpose or playback



Slash-notehead notes in *voices one or two* are fixed to the middle staff line; those in *voices three or four* are small ("accent" notation) and fixed above or below the staff



In *percussion staves*, notes in voices 3 and 4 are not converted to small slashes but to small notes above or below the staff.



Respell pitches

.Corrects accidentals to fit in with the current key signature. See [Accidentals: Respell pitches](#)

Regroup Rhythms

This option corrects note ties, durations and beaming so that they are grouped according to standard music notation practice. For example

:Before



:After



Any notes that are tied and are the same length as a dotted note will be changed to the dotted note with two limitations. (i) Only the last note of a group of tied notes will have a single dot. Notes with more than one dot are not produced using this option. (ii) Dotted notes will not span from one group of beamed notes to another unless their duration is the same as all of the beam groups it covers. Any notes with more than one dot will be regrouped according to the above rules

:To apply

;Select the section of the score you want to reset. If nothing is selected, the operation will apply to the whole score .1
 .Select Tools → Regroup Rhythms .2

Note: This is an experimental feature and there are known bugs. Articulations and ornaments are deleted and some pitches respelled. Ties across barlines may be lost on UNDO

Resequence rehearsal marks

The **Resequence Rehearsal Marks** command allows you to re-order the numbering/lettering of rehearsal marks if, for any reason, they have got out of sequence. For details see [Automatically resequence rehearsal marks](#)

(Unroll Repeats (version 3.1 and above

This command creates a copy of the score (in a new tab), eliminates the repeat barlines and notates the repeat sections in full instead

Copy lyrics to clipboard

:This command copies *all* the lyrics of the score to the clipboard

.From the menu, select Tools → Copy Lyrics to Clipboard •

Image capture

Take a snapshot of a selected part of the document window. PNG, PDF and SVG formats are supported. See [image capture](#)

Remove empty trailing measures

.This automatically removes any blank measures at the end of the score

See also

- [Breaks and spacers](#)
- [Rehearsal marks](#)

External links

- [\(How to merge/combine/implode two staves in one with two voices\)](#) (MuseScore HowTo)

Support

This chapter describes how to find help using MuseScore: the best places to look, the best way to ask a question on the .forums, and tips for reporting a bug

Helping to improve translations

You can help translate the MuseScore software and documentation into your own language, as mentioned in [.Development / Translating](#)

Software translation

1. Ask in the [forum to improve translation](#)
2. Connect to Transifex/MuseScore <http://translate.musescore.org>, which will redirect you to <https://www.transifex.com/projects/p/musescore>
3. (Select the language and then the section you want to help with (MuseScore, Instruments, Start Center or tours
4. (...Click on the "translate" button (the button text will depend on your language
5. ("Search for "strings" (informational meaning) you want to translate (you could filter "already translated items

Here is a technical explanation: [Continuous translation for MuseScore 2.0](#)

Website and handbook translation

See [Translation instructions](#)

See also


- [Language Settings and Update Translation, Update Translation](#)

Revert to factory settings

MuseScore has the option to revert back to the standard built-in presets or "factory-settings". This can be necessary if your settings are corrupted. **Warning:** Reverting to factory settings removes any changes you have made to the preferences, palettes, or window settings. This is not a commonly needed procedure; consult the forums first, as there .may be a way to solve your problem without resetting everything

Via menu

.If MuseScore still starts, it is possible to revert from within MuseScore :Go to Help → Revert to Factory Settings. A warning dialog will appear



Clicking Yes resets all MuseScore's settings as if the program was installed for the first time, and MuseScore will .immediately restart. No will safely cancel the revert

Via command line

.If MuseScore does not start, you must run this process via the [command line](#)

Instructions for Windows

- (If you have MuseScore open, you need to close it first (File → Quit .1
Type **Win+R** to open the Run dialog. Alternatively select "Start" using your mouse and type "run," then click the .2
"Run" program
...Click Browse .3
Look for MuseScore3.exe on your computer. The location may vary depending on your installation, but it is probably .4
something similar to My Computer → Local Disk → Program Files → MuseScore 3 → bin → MuseScore3.exe
Click Open to leave the Browse dialog and return to the Run dialog. The following text (or something similar) should .5
display in the Run dialog

(C:\Program Files\MuseScore 3\bin\MuseScore3.exe (actually %ProgramFiles%\MuseScore 3\bin\MuseScore3.exe

For the 32-bit version of MuseScore in a 64-bit version of Windows, the location is

(C:\Program Files (x86)\MuseScore 3\bin\MuseScore3.exe (actually %ProgramFiles(x86)%\MuseScore 3\bin\MuseScore3.exe

For the Windows Store version (Windows 10), it is pretty well hidden, search for it via Windows Explorer

Click after the quote and add a space followed by a hyphen and a capital F:-F .6

Press OK .7

."After a few seconds, MuseScore should start and all the settings reverted to "factory settings

:For advanced users, the main preference file is located at

C:\Users\[USERNAME]\AppData\Roaming\MuseScore\MuseScore3.ini •
(actually %APPDATA%\MuseScore\MuseScore3.ini)

:The other preferences (palettes, session, shortcuts, workspaces...) are in

(\C:\Users\[USERNAME]\AppData\Local\MuseScore\MuseScore3\ (actually %LOCALAPPDATA%\MuseScore\MuseScore3 •

For the Windows Store version (Windows 10), these are pretty well hidden, search for them via Windows Explorer

Instructions for MacOS

- (If you have MuseScore open, you need to quit the application first (MuseScore → Quit .1
Open Terminal (in Applications/Utilities, or via Spotlight search) and a session window should appear .2

:(Type (or copy/paste) the following command into your terminal line (include the '/' at the front .3

Applications/MuseScore\ 3.app/Contents/MacOS/mscore -F/

This resets all MuseScore preferences to factory settings and immediately launches the MuseScore application. Note that you cannot quit the Terminal without quitting MuseScore. You can safely quit MuseScore, quit the Terminal, and then .reopen MuseScore in the normal fashion, ready to continue using

.For advanced users, the main MuseScore preference file is located at~/Library/Preferences/org.musescore.MuseScore3.plist
./The other preferences (palettes, session, shortcuts, workspaces...) are in ~/Library/Application\ Support/MuseScore/MuseScore3

Instructions for Linux

.The following is true for Ubuntu, and most likely all other Linux distributions and UNIX-style operating systems

- (If you have MuseScore open, you need to quit the application first (File → Quit .1
From the Ubuntu main menu, choose Applications → Accessories → Terminal. A Terminal session window should appear .2

:(Type, (or copy/paste) the following command into your terminal line (Ctrl+Shift+V to paste in Terminal .3

mscore -F

Or, if you are using the ApplImage version, you must first use thecd command to change directory to wherever you :.(saved the ApplImage. For example, if you saved it to your Desktop (and there is only one

cd ~/Desktop
MuseScore*.ApplImage -F/

This resets all MuseScore preferences to factory settings and immediately launches the MuseScore application. You can .now quit Terminal, and continue using MuseScore

For advanced users, the main MuseScore preference file is located at\${XDG_CONFIG_HOME:-
~/config}/MuseScore/MuseScore3.ini

The other preferences (palettes, session, shortcuts, workspaces, ...) are in `$(XDG_DATA_HOME:-
./-/.local/share)/MuseScore/MuseScore3`

See also

[Command line options](#) •

Bug reports and Feature requests

Before filing bug reports or feature requests in the [Issue Tracker](#) it is recommended first to post it in the relevant [Forum](#) so others may help establish a bug as genuine, or provide ideas and second opinions for new features. Include a link to such discussion when creating the Issue

Bug reports

:Before posting in the [issue tracker](#)

Try to reproduce the issue with the [latest nightly](#). You may also view the [version history](#) to check whether it has been fixed/implemented already

:Please include as much of the following information as you know and limit each issue to one report

Version/revision of MuseScore you are using (e.g. version 3.0, revision [871c8ce](#)). Check Help → About...
(... (Mac: MuseScore → About MuseScore

(Operating system being used (e.g. Windows 10, macOS 10.15 or Ubuntu 20.04
Describe the precise steps that lead to the problem (where do you click, what keys do you press, what do you
(.see, etc

If you are not able to reproduce the problem with the steps, it is probably not worth reporting it as the developers will not be able to reproduce (and solve) it either. Remember that the goal of a bug report is not only to show the problem, but to allow others to reproduce it easily

:Please remember •

Attach the score that shows the problem, at least a minimal example —use the "File attachments" option at the bottom of the page, just above the Save and Preview buttons when you're typing your post

Feature requests

:When posting in the [Issue Tracker](#)

Be brief, but describe the goal as precisely as you can
Describe the context in which the new feature is intended to work
Suggest a specific workflow, if you can

Cross linking issues

When you write a comment in a forum topic, you can refer to an issue in the issue tracker using the following notation:
[#number]

That way the link in the comment will include the issue title and reflect the current status of the issue. Furthermore, it'll lead to the forum topic being listed in the issue itself

Type [#153286] get [#153286: Change instrument causes a crash](#)

External links

([How to write a good bug report: step-by-step instructions](#)) (MuseScore HowTo
([How to attach a file](#)) (MuseScore HowTo
[Compose tips](#)

Appendix

Keyboard shortcuts

Most keyboard shortcuts can be customized via the menu: select Edit → Preferences... → Shortcuts (Mac: MuseScore → Preferences... → Shortcuts). Below is a list of some of the initial shortcut settings

Navigation

(← + Beginning of score: Home (Mac: Fn
(→ + Last page of score: End (Mac: Fn
([Find/Go to](#) (measure number, [rehearsal mark](#), or pXX when XX is a page number): Ctrl+F (Mac: Cmd+F

Next score: Ctrl+Tab
Previous score: Shift+Ctrl+Tab

Zoom in: Ctrl++ (doesn't work on some systems) (Mac:Cmd++); or Ctrl (Mac: Cmd) + scroll up
Zoom out: Ctrl+- (Mac: Cmd+-); or Ctrl (Mac: Cmd) + scroll down

(↓+Next page: Pg Dn; or Shift + scroll down (Mac: Fn
(↑+Previous page: Pg Up; or Shift + scroll up (Mac: Fn

(→+Next measure: Ctrl+→ (Mac: Cmd
(←+Previous measure: Ctrl+← (Mac: Cmd

→ :Next note
← :Previous note

↓+Note below (within a chord or on lower staff):Alt
↑+Note above (within a chord or on higher staff): Alt

(Top note in chord: Ctrl+Alt+↑ (Ubuntu uses this shortcut for Workspaces instead
(Bottom note in chord: Ctrl+Alt+↓ (Ubuntu uses this shortcut for Workspaces instead

→+Next element (accessibility): Alt
←+Previous element (accessibility): Alt

Note input

Begin note input mode: N
Leave note input mode: N or Esc

Duration

.selects a duration. See also Note input 9 ... 1

Half duration of previous note: Q
Double duration of previous note: W

Decrease duration by one dot: (as of version 2.1) Shift+Q (e.g. a dotted quarter note becomes a quarter note; a quarter note becomes a dotted eighth note)

Increase duration by one dot : (as of version 2.1) Shift+W (e.g. an eighth note becomes a dotted eighth note; a dotted eighth note becomes a quarter note)

Voices

.To select a voice in note input mode

(Voice 1: Ctrl+Alt+1 (Mac: Cmd+Alt+1
(Voice 2: Ctrl+Alt+2 (Mac: Cmd+Alt+2
(Voice 3: Ctrl+Alt+3 (Mac: Cmd+Alt+3
(Voice 4: Ctrl+Alt+4 (Mac: Cmd+Alt+4

Pitch

.Pitches can be entered by their letter name (A-G), or via MIDI keyboard. See Note input for full details

(Repeat previous note or chord: R (the repeat can be of a different note value by selecting duration beforehand

(Repeat selection: R (The selection will be repeated from the first note position after the end of the selection

(↑+Raise pitch by octave: Ctrl+↑ (Mac: Cmd
(↓+Lower pitch by octave: Ctrl+↓ (Mac: Cmd

↑ : (Raise pitch by semi-tone (prefer sharp
↓ : (Lower pitch by semi-tone (prefer flat
↑+Raise pitch diatonically: Alt+Shift
↓+Lower pitch diatonically: Alt+Shift

Change enharmonic spelling in *both* written *and* concert pitch views: J
(Change enharmonic spelling in *current* view only: Ctrl+J (Mac: Cmd+J

(Rest: 0 (zero

Interval

[Add interval above current note: Alt+[Number

Layout

Flip direction (stem, slur, tie, tuplet bracket, etc.):X
Mirror note head: Shift+X
{:(Increase stretch of measure(s)
}:Decrease stretch of measure(s)
Line break on selected barline: Return
(Page break on selected barline: Ctrl+Return (Mac: Cmd+Return

Articulations

Staccato: Shift+S
Tenuto: Shift+N
Sforzato (accent): Shift+V
Marcato: Shift+O
/:(Grace note (acciaccatura
>:Crescendo
<:Decrescendo

Text entry

(Staff text: Ctrl+T (Mac:Cmd+T
(System text: Ctrl+Shift+T (Mac: Cmd+Shift+T
Tempo text: Alt+Shift+T
(Rehearsal Mark: Ctrl+M (Mac: Cmd+M

Lyrics entry

(Enter lyrics on a note: Ctrl+L (Mac: Cmd+L
Previous lyric syllable: Shift+Space
Next lyric syllable: if the current and the next syllables are separated by a '-': -, else Space
←:Move lyric syllable left by 0.1sp
→:Move lyric syllable right by 0.1sp
(←+Move lyric syllable left by 1sp: Ctrl+← (Mac: Cmd
(→+Move lyric syllable right by 1sp: Ctrl+→ (Mac: Cmd
←+Move lyric syllable left by 0.01sp: Alt
→+Move lyric syllable right by 0.01sp: Alt
(↑+Up to previous stanza: Ctrl+↑ (Mac: Cmd
(↓+Down to next stanza: Ctrl+↓ (Mac: Cmd

.For more lyric shortcuts, see [Lyrics](#)

Display

(Timeline: F12 (Mac: Fn+F12
(Play Panel: F11 (Mac: Fn+F11
(Mixer: F10 (Mac: Fn+F10
(Palette: F9 (Mac: Fn+F9
(Inspector: F8 (Mac: Fn+F8
Piano Keyboard: P
Selection filter: F6
(Display full screen: Ctrl+U (Mac: none, use View→Full screen instead

Miscellaneous

Toggle visibility on selected element(s): V
Show Instruments dialog: I
Toggle multimeasure rests on or off: M
(Reset element to default location: Ctrl+R (Mac: Cmd+R

See also

[Preferences: Shortcuts](#) •

Command line options

mscore, MuseScore3—MuseScore 3 sheet music editor

SYNOPSIS

You can launch MuseScore from the command line by typing

- (mscore [options] [filename ...]) (Mac and Linux/BSD/Unix •
- (musescore [options] [filename ...]) (Linux/BSD/Unix •
- (MuseScore3.exe [options] [filename ...]) (Windows •

[options] and [filename] are optional. For this to work the MuseScore executable must be in %PATH% (Windows) resp. \$PATH (Mac and Linux). If it is not, see [Revert to factory settings](#) for detailed instructions on how and where to find and execute the MuseScore executable from the command line on the various supported platforms

:A more detailed synopsis follows

```
[mscore [-deFfhlLmnOPRstvw
  [a | --use-audio driver-]
  [b | --bitrate bitrate-]
  [c | --config-folder pathname-]
  [D | --monitor-resolution DPI-]
  [d | --debug-]
[E | --install-extension extension file-]
  [e | --experimental-]
  [F | --factory-settings-]
  [f | --force-]
  [h | -? | --help-]
  [l | --dump-midi-in-]
  [i | --load-icons-]
  [j | --job file.json-]
  [L | --layout-debug-]
[M | --midi-operations file-]
  [m | --no-midi-]
  [n | --new-score-]
  [O | --dump-midi-out-]
  [o | --export-to file-]
[P | --export-score-parts-]
  [p | --plugin name-]
  [R | --revert-settings-]
[r | --image-resolution DPI-]
  [S | --style style-]
  [s | --no-synthesizer-]
[T | --trim-image margin-]
  [t | --test-mode-]
  [v | --version-]
  [w | --no-webview-]
[x | --gui-scaling factor-]
  [diff--]
  [long-version--]
  [no-fallback-font--]
  [raw-diff--]
  [run-test-script--]
  [score-media--]
  [score-meta--]
[score-highlight-config--]
  [score-mp3--]
  [score-parts--]
  [score-parts-pdf--]
  [score-transpose--]
  [source-update--]
  [template-mode--]
  [... file]
```

DESCRIPTION

MuseScore is a Free and Open Source WYSIWYG cross-platform multi-lingual music composition and notation software, (released under the GNU General Public Licence (GPLv2

Running **mscore** without any extra options launches the full graphical MuseScore program and opens any files specified on the command line

:The options are as follows

a | --use-audio driver-

Use audio driver: one of **jack**, **alsa**, **portaudio**, **pulse**

b | --bitrate bitrate-

Set MP3 output bitrate in kbit/s

c | --config-folder pathname-

Override configuration and settings directory

D | --monitor-resolution DPI-

(Specify monitor resolution (override autodetection

d | --debug-

Start MuseScore in debug mode

E | --install-extension extension file-

Install an extension file; soundfonts are loaded by default unless **-e** is also specified

e | --experimental-

Enable experimental features, such as [layers](#)

F | --factory-settings-

Use only the standard built-in presets (“factory settings”) and delete user preferences; compare with the **R** option
(see also [Revert to factory settings](#))

f | --force-

”Ignore score corruption and version mismatch warnings in “converter mode

h | -? | --help-

(Display an overview of invocation instructions (doesn’t work on Windows

I | --dump-midi-in-

Display all MIDI input on the console

i | --load-icons-

Load icons from the filesystem; useful if you want to edit the MuseScore icons and preview the changes

j | --job file.json-

(Process a conversion job (see [EXAMPLES](#) below

L | --layout-debug-

Start MuseScore in layout debug mode

M | --midi-operations file-

(Specify MIDI import operations file (see [EXAMPLES](#) below

m | --no-midi-

Disable MIDI input

n | --new-score-

Start with the New Score wizard regardless whether it’s enabled or disabled in the user preferences

O | --dump-midi-out-

Display all MIDI output on the console

o | --export-to file-

Export the given (or currently opened) file to the specified output *file*. The file type depends on the extension of the *filename* given. This option switches to “converter mode” and avoids the graphical user interface

P | --export-score-parts-

When converting to PDF with the **-o** option, append each part’s pages to the created PDF file. If the score has no *.parts*, all default parts will temporarily be generated automatically

p | --plugin name-

Execute the named plugin

R | --revert-settings-

Use only the standard built-in presets (“factory settings”) but do not delete user preferences; compare with the **F** option

r | --image-resolution DPI-

Set image resolution for conversion to PNG files. Default: 300 DPI (actually, the value of “Resolution” of the PNG (option group in the [Export tab of the preferences](#)

S | --style style-

Load a style file first; useful for use with the **-o** option

s | --no-synthesizer-

Disable the integrated software synthesizer

T | --trim-image margin-

Trim exported PNG and SVG images to remove whitespace surrounding the score. The specified *margin*, in pixels, will be retained (use 0 for a tightly cropped image). When exporting to SVG, this option only works with single-page *.scores*

t | --test-mode-

Set test mode flag for all files, includes **--template-mode**

v | --version-

Display the name and version of the application without starting the graphical user interface (doesn’t work on (Windows

w | --no-webview-

Disable the web view component in the Start Center

x | --gui-scaling factor-

Scale the score display and other GUI elements by the specified *factor*; intended for use with high-resolution displays

diff--

Print a conditioned diff between the given scores

long-version--

Display the full name, version and git revision of the application without starting the graphical user interface (doesn’t (work on Windows

no-fallback-font--

Don’t use Bravura as fallback musical font

raw-diff--

Print a raw diff between the given scores

run-test-script--

Run script tests listed in the command line arguments

score-media--

Export all media (except MP3) for a given score as a single JSON document to stdout

highlight-config--

Set highlight to svg, generated from a given score

score-meta--

Export score metadata to JSON document and print it to stdout

score-mp3--

Generate an MP3 for the given score and export it as a single JSON document to stdout

score-parts--

Generate parts data for the given score and save them to separate mscz files

score-parts-pdf--

Generate parts data for the given score and export it as a single JSON document to stdout

score-transpose--

Transpose the given score and export the data to a single JSON file, print it to stdout

source-update--

Update the source in the given score

template-mode--

(Save files in template mode (e.g. without page sizes

.MuseScore also supports the [automatic Qt command line options](#) ↗

Batch conversion job JSON format

The argument to the -j option must be the pathname of a file comprised of a valid JSON document honoring the following specification

- The top-level element must be a JSONArray, which may be empty

- Each array element must be a JSONObject with the following keys

- `.in`: Value is the name of the input file (score to convert), as JSONString
- `plugin`: Value is the filename of a plugin (with the `.qml` extension), which will be read from either the global or per-user plugin path and executed before the conversion output happens, as JSONString. Optional, but at least one of `plugin` and `out` *must* be given
- `out`: Value is the conversion output target, as defined below. Optional, but at least one of `plugin` and `out` *must* be given

- The conversion output target may be a filename (with extension, which decided the format to convert to), as JSONString

- The conversion output target may be a JSONArray of filenames as JSONString, as above, which will cause the score to be written to multiple output files (in multiple output formats) sequentially, without being closed, re-opened and re-processed in between

- If the conversion output target is a JSONArray, one or more of its elements may also be, each, a JSONArray of two JSONStrings (called first and second half in the following description). This will cause part extraction: for each such two-tuple, all extant parts of the score will be saved *individually*, with filenames being composed by concatenating the first half, the name (title) of the part, and the second half. The resulting string must be a valid filename (with extension, determining the output format). If a score has no parts (excerpts) defined, this will be silently ignored without error

- Valid file extensions for output are

- flac (Free Lossless Audio Codec (compressed audio
- metajson (various score metadata (JSON
- mid standard MIDI file
- midi

	standard MIDI file	
		mlog
	(internal file sanity check log (JSON	
		mp3
	(MPEG Layer III (lossy compressed audio	
		mpos
	(measure positions (XML	
		mscx
	uncompressed MuseScore file	
		mscz
	compressed MuseScore file	
		musicxml
	uncompressed MusicXML file	
		mxl
	compressed MusicXML file	
		ogg
	(OGG Vorbis (lossy compressed audio	
		pdf
	(portable document file (print	
portable network graphics (image)—Individual files, one per score page, with a hyphen-minus followed by the		png
.page number placed before the file extension, will be generated		
		spos
	(segment positions (XML	
		svg
	(scalable vector graphics (image	
		wav
	(RIFF Waveform (uncompressed audio	
		xml
	uncompressed MusicXML file	

.See below for an example

ENVIRONMENT

Set this (the value does not matter) to skip initialization of the JACK Audio Connection Kit library, in case it causes trouble

SKIP_LIBJACK

.User configuration location; defaults to `~/.config` if unset

XDG_CONFIG_HOME

.User data location; defaults to `~/.local/share` if unset

XDG_DATA_HOME

Note that MuseScore also supports the normal Qt environment variables such as `QT_QPA_GENERIC_PLUGINS`, `QT_QPA_PLATFORM`, `QT_QPA_PLATFORMTHEME`, `QT_QPA_PLATFORM_PLUGIN_PATH`, `QT_STYLE_OVERRIDE`, `DISPLAY`, etc

FILES

`usr/share/mscore-3.0/` contains the application support data (demos, instruments, localization, system-wide plugins, soundfonts, styles, chords, templates and wallpapers). In the Debian packages, system-wide soundfonts are installed into `usr/share/sounds/sf2/`, `usr/share/sounds/sf3/` or `usr/share/sounds/sfz/`, respectively, instead

The per-user data (extensions, plugins, soundfonts, styles, templates) and files (images, scores) are normally installed into subdirectories under `~/MuseScore3/` but may be changed in the configuration. Note that snapshot, alpha and beta versions use `MuseScore3Development` instead of `MuseScore3` in all of these paths

`XDG_CONFIG_HOME/MuseScore/MuseScore3.ini` contains the user preferences, list of recently used files and their locations, window sizes and positions, etc. See above for development version paths

`XDG_DATA_HOME/data/MuseScore/MuseScore3/` contains updated localization files downloaded from within the program, plugins information, cached scores, credentials for the *musescore.com* community site, session information, synthesizer settings, custom key and time signatures and shortcuts. See above for development version paths

EXAMPLES

Convert a score to PDF from the command line

```
'mscore -o 'My Score.pdf' 'My Score.mscz
```

Run a batch job converting multiple documents

```
mscore -j job.json
```

:This requires the file `job.json` in the current working directory to have content similar to the following

```
    ],
    "in": "Reunion.mscz"
  },
  "out": "Reunion-coloured.pdf"
  "plugin": "colornotes.qml"
},
{
  "in": "Reunion.mscz"
  ]:"out"
  "Reunion.pdf"
  ["Reunion (part for ", ").pdf" ]
  ,"Reunion.musicxml"
  "Reunion.mid"
}
{
  "in": "Piece with excerpts.mscz"
  ]:"out"
  ,"Piece with excerpts (Partitura).pdf"
  ["Piece with excerpts (part for ", ").pdf" ]
  "Piece with excerpts.mid"
}
{
  [
```

The last part of the job would, for example, cause files like `Piece with excerpts (part for Violin).pdf` to be generated alongside the conductor's partitura and a MIDI file with the full orchestra sound, whereas the equivalent part of the Reunion conversion (will be silently ignored (because the Reunion piece (a MuseScore demo) has no excerpts defined

MIDI import operations

.The attached [midi_import_options.xml](#) is a sample MIDI import operations file for the **-M** option

DIAGNOSTICS

.The **mscore** utility exits 0 on success, and >0 if an error occurs

SEE ALSO

(fluidsynth(1), midicsv(1), timidity(1), qtoptions(7

<https://musescore.org/handbook>

Online Handbook, full user manual

<https://musescore.org/forum>

Support Forum

<https://musescore.org/en/node/278582>

(Reverting to factory settings (troubleshooting

<https://musescore.org/project/issues>

Project Issue Tracker—Please check first to if the bug you're encountering has already been reported. If you just need help with something, then please use the [support forum](#) instead

...<http://doc.qt.io/qt-5/qguiapplication.html#supported-command-line-optio>

Documentation of automatic Qt command line options

STANDARDS

:MuseScore attempts to implement the following standards

- (MusicXML 3.1 (score interchange format
- (SF2 (SoundFont 2.01
- (SF3 (SoundFont with OGG Vorbis-compressed samples
- (SFZ (Sforzato soundfont
- (SMuFL (Standard Music Font Layout 1.20

HISTORY

.MuseScore was split off the MusE sequencer in 2002 and has since become the foremost Open Source notation software

AUTHORS

.MuseScore is developed by **MuseScore BVBA** and others

.<This manual page was written by *mirabilos* <tg@debian.org> ↗

CAVEATS

The automatic Qt command line options are removed from the argument vector before the application has a chance at option processing; this means that an invocation like `mscore -S -reverse` has no chance at working because the `-reverse` is removed by Qt first

BUGS

- .MuseScore does not honor `/etc/papersize`
- .(Probably some more; check the project's bug tracker (cf. [SEE ALSO](#))

MuseScore—January 12, 2021

New features in MuseScore 3.6

New score setup and layout features


MuseScore 3.6 introduces a new music font, Leland, a new default text font, Edwin (a version of New Century Schoolbook), and many new default settings. It also introduces a number of new features which are available in all newly-created scores by default, and which can also be applied automatically or manually to existing scores

:The three main features, which are interrelated, are

- Automatic instrument ordering
- Automatic brackets and braces
- Vertical justification of staves

The first two features apply at score creation time and are available in the New Score Wizard, though they can also be accessed later in the Instruments panel. Previously, it was up to the user to arrange instruments and add brackets manually once the score was created. The aim of these new features is to save time and give a better default result in the majority of cases, but it is not intended to accommodate every possible score setup. For unusual layouts, the results can be customised after the score is created, the features can be turned off completely, or a template could be used

Automatic instrument ordering



When creating a new score via 'Choose Instruments', there is now an 'Ordering' dropdown showing the current system of instrument ordering. 'Orchestral' is the default. As instruments are added to the score, they will be added in the correct position according to the selected ordering. (Previously, each instrument would appear below whichever was currently selected in the right-hand list.) This also makes it easy to, for instance, add a double wind section, by selecting Flute, Oboe, Clarinet and Bassoon in the left-hand list, and clicking 'Add to score' twice

Each ordering defines a position in the score for solo instruments. For example, in an orchestral ordering, this is above the strings. With an instrument selected in the right-hand list, the 'Make soloist' button will move it to that position. You can designate multiple soloists; within the soloist 'section' the overall ordering will apply. Solo instruments will have "solo" added to their name by default, and will be numbered separately from non-solo instruments, where relevant. Note that the soloist designation is a score layout feature only and has no impact on playback

One quirk is that, for now, only a single soloist position is defined per ordering, so a work with a chorus plus both vocal and instrumental soloists will place the instrumental soloists above the chorus. These will need to be moved manually

As before, instruments can be moved up and down manually with the buttons that are now to the right of the list. In the dropdown the ordering will have '(Customised)' appended to its name. The customised ordering is saved with the score. You can reset the order by selecting the original ordering (or a different one) from the dropdown. Selecting the 'Custom' ordering disables this feature entirely, as well as the automatic bracketing

Automatic brackets and braces


The predefined ordering assigns instrument families (flutes, oboes, clarinets, etc.) and arranges those families into sections (woodwind, brass, percussion, etc.). Brackets are added automatically according to these simple rules

- A heavy bracket is applied to all adjacent instruments of the same section, assuming there is more than one
- (a thin square bracket is applied to all adjacent identical instruments (four horns, for example
- a curly brace is applied to each single instrument which is notated on more than one staff (piano and harp, most commonly)

Again, while this should provide reasonable defaults for most scores, it won't give perfect results for every possible style or layout. Fortunately, it is easy to make adjustments once the score is created

Vertical justification of staves

There is a new algorithm for vertically justifying staves to properly fill the page, which is turned on by default for new scores in MuseScore 3.6. To turn this off, untick Format > Style > Page > Enable vertical justification of staves



The basic principle of the algorithm is to try to make the space between staves equal, subject to two settings (all in

The space either side of a system may be increased proportionally by adjusting the "Factor for distance above/below bracket" setting to a value greater than 1. For example, if this is set to 1.5, the algorithm will attempt to make the space either side of a bracket 1.5 times the 'standard' space used elsewhere. The same thing can be applied to braces with the "Factor for distance above/below brace" setting

The space between a brace and bracket will be determined by the larger of these two values. The "Max. great staff distance" setting is used to limit the amount of distance between staves joined by a curly brace. This is useful as these staves generally need to be read at once in a single glance by the player

The "Max. system distance" and "Max. stave distance" should have reasonably large values to enable the routine to fill even quite sparse pages. Sometimes a page will not have enough staves for it to make sense to justify. In this case, once the algorithm first equalises the space as described above, it then adds extra space between the staves up to a maximum of the setting given in "Max. page fill distance" (multiplied by any relevant factor setting). If you find many pages are not fully justified, but you'd like them to be, try adjusting this setting. In general, a low value is likely to be best for a score with a small number of staves per system, and a larger one for larger numbers of staves

The vertical justification is dynamic, and not tied to the section assignments of instruments used to determine the score order at the setup stage, so if you add or remove brackets the spacing will change accordingly. In the same way, if empty staves are hidden on a given system, the spacing will be determined only by the brackets which are present on that system


Hopefully the default settings give good results in most cases, but it might take a bit of experimentation with the settings depending on the makeup of a score. If you are used to using spacers to achieve similar results, it is best to try to find settings which give a good result for the majority of the score, and use spacers only where local adjustments are necessary. It is planned for future versions to make this more configurable. For example, extra space could be suppressed for a specific bracket, or the value might be increased or decreased for a particular page or system

Indentation of first systems

This new option, which is turned on by default, is found in Style > Score > Enable indentation on first system. As the name suggests, it will indent the first system of a section in the customary way for classical scores. (The old workaround of using a frame for this is no longer necessary.) If there are instrument labels present, the maximum of either the value given for this setting or the length of the labels will apply

Applying new features to existing scores

When opening an old score, a dialog box gives the option to apply either the new notation font Leland, or the new text font Edwin, or both. Each of these applies a subset of the new default 3.6 style settings beyond just the font changes, for example, line widths and text sizes, but does not apply every one of the the new defaults, in the interest of minimising disruptive layout changes



To apply *all* of the new defaults, including these text and notation font changes, open the Format > Style window and click the "Reset All Styles to Default" button at the bottom. This was formerly the Format > Reset Style menu option. The button behaves the same way, except that it no longer resets the page layout options which are set in the Format > Page Settings window; that window now has its own equivalent button, which will reset only those settings it contains. This means that the new style options can be tried out without completely ruining the layout of the score, though a few settings in the Score and Page settings of the Style window may need to be re-set manually

If it is an option, delete any non-essential system and page breaks, then select the whole score and select Format > Stretch > Reset Layout Stretch. Also delete spacers if you want to see the default results of the new vertical justification algorithm (see below)

Edwin has wider character sizes in general than FreeSerif (though slightly smaller default point sizes are used) so it is quite likely that the Edwin option will cause layout changes, particularly in scores with lyrics. Leland will affect the spacing less radically, but some adjustments may still be necessary

Text items which have local style overrides applied will not have those customisations removed, either as part of the score migration process, or via the Reset Styles options. This may result in an inconsistent score where some text retains its old font face or size. The new menu option Format > Reset Text Style Overrides will remove these customisations, resetting all text items to match the currently defined text styles. (This is equivalent to clicking 'Reset to style default' for each attribute in the Text area of the Inspector.) Note that this does *not* remove Custom Formatting, which must be done manually if required

Applying new automatic instrument ordering and bracketing

Press I to open the Instruments panel, or choose the Edit > Instruments menu item. Assuming the score was created pre-3.6, the selected ordering will be 'Custom'. If you wish to apply a standard ordering, select one from the menu, for example 'Orchestral'. The instruments in the score will be reordered according to that definition, and have brackets and braces applied accordingly. Note that any existing brackets and braces will be deleted

Applying vertical justification of staves

If you want to use this feature but have previously been using spacers to create extra or fixed distance between staves, it would be best to delete all those spacers first, as they will distort how the new algorithm works. A quick way to do this is by right-clicking any spacer, choosing Select > All Similar Elements, and pressing Delete

Turn this feature on by selecting Style > Page > Enable vertical justification of staves. Then you can reintroduce spacers if there are specific places where the default spacing needs adjustment

Other engraving changes in 3.6

In the process of investigating style settings, engraving issues, and creating a new music font, many issues were uncovered which needed to be corrected and which may have a small impact on the appearance of existing scores. In some cases it is possible to undo these manually

Beam spacing

A long-standing error in the interpretation of the beamDistance setting that is defined alongside SMuFL fonts meant that this value was frequently half as big as it ought to be in MuseScore, including with Emmentaler and Bravura. (MuseScore defines the distance between beams as a percentage of the thickness of a beam, but for SMuFL the setting is an absolute distance in stave spaces. The normal thickness of a beam is 0.5sp, and the standard distance between beams is also 0.25sp, which MuseScore interpreted as 25% of 0.5sp, i.e. 0.125sp

The new correct interpretation of this value, 50%, will be applied even to existing scores, unless this value had been explicitly overridden. The extra space is added inwards, so the position of the outermost beams remains the same. If you really want the old, very-tight spacing, set Style > Beams > Beam distance manually to 25%

:(Before (beam distance 25%



:(After (beam distance 50%



Ledger line length

In a similar way, MuseScore interpreted this SMuFL value as the total extension of the ledger line beyond the notehead (i.e. $x/2$ at each side), when the value is meant to be the extension at each side. This error was also masked by a square cap being used for the line, rather than a straight cap, thus also adding half of the line thickness at each end

As with beam spacing, if this setting was not explicitly overridden in the file, a new default will be applied even in old scores, but this will give identical results. If you did adjust this value, this value will be preserved, but will produce ledger lines that are too long. You can convert the value manually with the formula

$$(new\ value = (x / 2) - (y / 2)$$

where x is the previous 'Ledger line length' value, and y is the 'Ledger line thickness' value. Or, just use the now correctly-interpreted default settings for each font

- Leland: 0.35sp •
- Bravura, Gonville, Petaluma: 0.40sp •
- Emmentaler: 0.38sp •

Stem caps and flag positions

Round caps were previously drawn on stems. This has been replaced with a flat cap. Partly this is to make the length of the stem more exact, but mainly it is so that the round cap does not obscure the design of the tip of the flag symbols in each font. Emmentaler's flags, for instance, are designed with a flat tip; Bravura and Leland have rounded tips which are not exactly symmetrical

The placement of flags was also previously at odds with SMuFL fonts: a calculation was made of how much to extend the stem for a given number of flags, and then the flag symbol was drawn with the top or bottom of its bounding box at the end of the stem. Now, the presence of flags does not affect stem length (i.e. a normal length stem is used for a note according to its vertical position and stem direction) and the flag symbol is then placed with its $y=0$ at the end of the stem.

Any 'extension' of the stem is thus determined by the extent to which the flag symbol extends above or below $y=0$. The flags in Emmentaler, as used within MuseScore, have been repositioned to reflect this, and to match other SMuFL fonts

The result of this is that flags may appear slightly lower or higher than they did previously; however, their positioning now reflects the intentions of the designers of each of the available fonts. Beamed notes are not affected

: (Before (Bravura, in 3.5



: (After (Bravura, in 3.6



Bracketed accidentals

Previously MuseScore did not add any space between the bounding boxes of accidentals and brackets around them. Now a small amount of padding is added, which can be customised via [Style > Accidentals > Padding inside parentheses](#)

: (Before (Bravura, in 3.5



: (After (Bravura, in 3.6



Accidentals in Emmetaler

.These have been replaced with those taken from Parnassus. For details, see [PR #6747](#)

New features in MuseScore 3

MuseScore 3 includes a number of new and improved features. For a brief summary, see the [Release notes for MuseScore 3](#). More details can be found in the summaries below and by referring to the relevant pages of the handbook

Automatic Placement

MuseScore initially places elements in the score according to (a) the properties specified in [style defaults](#) and (b) any manual adjustments made. For elements that have automatic placement enabled, however, MuseScore will attempt to avoid collisions by moving one or more of them as needed

.See [Automatic placement](#)

Default position

The default position for most elements is controlled by settings in [Format → Style](#). You can either change the default there, or, in the [Inspector](#), apply a manual adjustment (see below) and then use the "Set as style" control (the S to the

.(right of the value you wish to set

:The specific properties you can set vary by element type but include

- (placement (whether the element appears above or below the staff by default
- (position above/below (specific positions when placed above or below
- (offset (same as position above/below, for which placement is the default
- (autoplace min distance (minimum distance from other elements when autoplace is enabled

.See [Automatic placement](#)

Manual adjustments

Many elements can be placed either above or below the staff. To flip an element from above to below or vice versa, use
.the "Placement" setting in the [Inspector](#), or press the shortcut "X

Manual adjustments to position can be performed by dragging or by changing the offsets in the Inspector. Neither method
will allow you to position an element in a way that causes a collision, however. To take full control of the position of an
element, you can disable automatic placement for it

.See [Automatic placement](#)

Disabling automatic placement

To disable automatic placement for an element, untick the "Automatic placement" box in the Inspector. The element will
.revert to its default position, and it will no longer be considered when automatically placing other elements

.See [Automatic placement](#)

Stacking order

The "Stacking order" setting in the Inspector controls which elements overlap which in the cases where they actually do
.overlap and are not moved due to autoplacement

.See [Automatic placement](#)

Text Formatting

:Formatting of text is controlled by three factors

- .The [text style](#) associated with the element sets the defaults for properties such as the font, alignment, and frame
- .Changes to these text properties can be applied to selected elements via the Inspector
- .Custom formatting can be applied to specific characters within the text using the text toolbar

.See [Text basics](#), [Text styles and properties](#)

Text Styles

Each text element has a [text style](#) associated with it. The default style for an element is determined by the type of the
element itself - staff text defaults to the Staff text style, dynamics to the Dynamics text style, etc. This text style determines
.the default font face, size, style (bold/italic/underline), alignment, and frame properties

You can change the defaults for any of these text styles using [Format → Style → Text Styles](#). For instance, you can make
rehearsal marks bigger, or change lyrics to be italicized. This will affect all existing elements using that style as well as
elements you add later. Some elements also contain a limited set of text style controls in their own sections of the [Format](#)
→ [Style](#) dialog (although this might not be the case in the final release). The settings are linked: you can change the font
size for measure numbers in either [Format → Style → Measure Numbers](#), or in [Format → Style → Text Styles: Measure](#)
[Number](#). The effect is the same: all measure numbers in the score will take on this size. You can also change the defaults
.for a text style using the Inspector; see [Text Properties](#) below

For most text elements that you create directly (like staff text, rehearsal marks, and lyrics), you can apply a different text
style using the Style control in the Inspector. This will cause them to display using that style instead of the "native" style for
the element. For example, you can select one or more staff text elements and give them the Tempo style to force them to
.display as if they were tempo markings

.See [Text basics](#), [Text styles and properties](#)

Text Properties

The text style controls the default properties for elements using that style, but you can override any of these properties for
selected elements using the Inspector. For example, you can select a handful of staff text elements using [Ctrl+click](#), then
use the Inspector to make them larger. The Reset to Default button next to each property control returns it to the default.

You can also click the Set as Style button to change the style to match. So another way to change the size of all .measures numbers is to select one, change its size in the Inspector, then click Set as Style

.See [Text basics](#), [Text styles and properties](#)

Custom Formatting

Custom formatting is applied to text using the [toolbar](#) at the bottom of the main window in the same manner as in previous releases. Thus, you can embolden one word in a sentence while the rest is normal, or superscript a particular character etc. You can also remove all custom formatting from select text elements using the "Remove Custom Formatting" button .in the Inspector. This returns the text to the settings currently shown in the Inspector

.See [Text editing](#)

Staff Type Change

You can change various staff properties mid-score, including staff size, notehead scheme (e.g., for pitch name noteheads), generation of time signatures, and others. The staff type change element is found on the Text palette (currently, but see [#278205: Move Staff Type Change to another palette \(it is not text\)](#) - it may move). Add it to the measure where you want the change to occur, then use the Inspector to change properties of the staff type change .element

See [Staff Type Change](#)

Temporary and Cutaway Staves

To create a temporary staff that appears on certain systems only: first add the staff normally (Edit / Instruments), then add notes, then right-click the staff, click [Staff Properties](#), and set "Hide when empty" to "Always". This will cause the staff to show only where needed even without needing to turn on "Hide empty staves" for the whole score (in Format / Style). The default for "Hide when empty" is "Auto", meaning the staff will be hidden when empty if "Hide empty staves" is enabled.

Additional values include "Never" (the staff will not be hidden when empty even if "Hide empty staves" is enabled) and ("Instrument" (for instruments containing multiple staves, the staff is hidden only if all staves for that instrument are empty

To create a cutaway staff in which only the measures containing notes are visible (for ossia or cutaway scores, for example), right-click the staff, click Staff Properties, and enable the "Cutaway" option. This can be used independently of .""Hide when empty" or "Hide empty staves

System Dividers

System dividers are a set of short diagonal lines that are used to visually separate systems on a page. MuseScore can add these to your score automatically. In [Format → Style → System](#), you can enable dividers on the left, right, or both, and you can set their default position. You can also adjust the position of individual dividers in your score manually or .(mark them invisible (this currently does not survive saving

Staff Spacing

As part of the automatic placement in MuseScore, staves are now spaced automatically, so you can set a comfortable minimum distance and depend on MuseScore to open up more space where needed. You can use staff spacers as in MuseScore 2 to *increase* distance between staves, but MuseScore 3 now also provides a way to *decrease* it—the "fixed" staff spacer, found on the Breaks & Spacers palette. Just add the spacer and adjust its height. This will also prevent .MuseScore from automatically adding more space to avoid collisions, allowing you to manage this yourself

.See [Spacers](#)

Don't Break

Currently disabled

In addition to the system, page, and section breaks familiar from MuseScore 2, the "Breaks & Spacers" palette now contains a new "Don't Break" element. This allows you to force two measures to be kept together, for example, if there is some complex passage that spans the measures and you want to make sure they are adjacent. If both measures don't fit on a system, MuseScore moves them both to the next system. (currently, this leaves a "hole" at the end of the first staff - (?is this a bug or is there some purpose behind it

Parts from Voices

In addition to the ability to generate [parts](#) from the different instruments in your score, you can now also associate a part with a specific staff within the instrument or even a specific voice within a specific staff. This allows you to combine .multiple parts (e.g., Flute 1 & 2) onto a single staff in the score while still generating separate parts

The Parts dialog now contains two sections at the bottom, Instruments in Score and Instruments in Part. Once you have

generated a part (or all parts) using the New and New All buttons, you can select any part at the top and use the controls at the bottom to control not only what instrument is in the part, but also which staves and voices within the instrument are included.

To add an instrument to a part, select it from "Instruments in Score" and press "+". To remove an instrument from a part, select it from "Instruments in Part" and press "-". To customize the part at the staff or voice level, click the arrow next to the instrument in "Instruments in Part" to expand the listing to show all staves and voices of the instrument. You can remove a staff by selecting it and pressing "-", or remove a voice by unchecking it.

Limitations: If you select only voice 1 for a given staff, then only the content in voice 1 for that staff will be included in the part. Thus, in order to share flute 1 & 2 on the same staff, you will need to enter all notes onto both voices, even in passages where they share content. You also cannot enter the two parts as chords in the passages where they share rhythms.

Explode and Implode

Explode has been updated to allow separation of voices as well as notes. See [Explode](#).

The implode tool (Tools / Implode) works in one of two modes.

With a single staff selected, the implode command merges notes in different voices into chords where possible (when notes are on the same beat and have the same duration). This is the same as recent versions of MuseScore, although some bugs have been fixed.

With multiple staves selected, the implode command combines the content of the first four non-empty voices (on any staves) into multiple voices on the top selected staff. This is different from MuseScore 2, where notes would be combined into chords rather than using multiple voices, and thus required the rhythms to match. The MuseScore 3 approach preserves the original rhythms even where they differ, and is intended to produce the expected results when combining two different parts onto one staff for use with the parts from voices feature, or when reducing an open (four-stave) SATB score into a closed (two-stave) version. To further merge the voices into chords where possible, simply run the command again.

See [Tools](#).

Insert mode

You can insert and delete notes and have the measure automatically expand or contract to accommodate the change. This can be useful in creating unmetred music or in ordinary editing.

To insert a note before the currently-selected note, press **Ctrl+Shift** while adding the note normally. For example, in note input mode, **Ctrl+Shift+click** will insert a note of the currently-selected duration at that location. **Ctrl+Shift+B** will insert a B of the currently-selected duration before the note at the current cursor position. You can also switch to Insert mode using the dropdown menu next to the note input button on the toolbar. In this mode, all notes you add act as if you were pressing **Ctrl+Shift** - they are inserted rather than replacing the existing notes or rests at that location.

To delete notes, you must be in normal (not note input) mode. Select either a single note or a range and press **Ctrl+Del**.

(See [Note input modes](#), [Remove selected range](#) (Tools).

Split/Join Measures

To split a measure before a given note, simply insert a barline from the palette at that point while holding **Ctrl**. For example, you can select the note, and **Ctrl+double-click** the barline in the palette, or **Ctrl+drag** the barline to the note. You can also use Tools → Measure → Split Measure Before Selected Note/Rest.

To join two measures, **Ctrl+Del** the barline between them. You can also use the menu command Tools → Measure → Join Measures.

See [Measure operations](#).

Timeline

The Timeline presents a graphical overview of your score. To access it, use View → Timeline (F12). The top portion of the Timeline shows the location of tempo, key, and time signature changes as well as rehearsal marks, repeats, and double barlines. The bottom portion shows the staves of your score, with non-empty measures highlighted. You can click anywhere within this view to jump to the corresponding spot in the score.

See [Timeline](#).

Score Comparison Tool

The Score Comparison Tool (View / Score Comparison Tool) allows you to compare two versions of a score to find the

differences between them. Select the two scores you want to compare and whether you want to compare the current version or the last saved version (note you can compare the current version of a score against the last saved version of the same score to see what you have changed since the last save), then click the Compare button. A list of differences will be displayed to the right. The score view will automatically change to Documents Side by Side, with the two scores you have selected displayed within. Double-click on a difference from the list and both score views will automatically pan to show you the changed element, which will also be highlighted

Normally you would want the default Intelligent comparison, which displays the differences in human-readable format (e.g. "Measure 1: Note: property pitch changed from B4 to C5"). There is also a Raw mode to show the results according to the actual XML code

.See [Score comparison](#)

Mixer

.See [Mixer](#)

Piano Roll Editor

.(See [Piano roll editor](#) (preliminary page

Capo changes



Capo changes are now a property of staff text, and can be used to automatically change the pitch of all notes that follow them, up until another capo change

.See [Capo playback](#)

Fretboard Diagrams

.New UI. See [Fretboard diagrams](#)

External links

- [Release notes for MuseScore 3.x](#) 
- [Transitioning from version 2 to version 3](#) 

Known limitations of MuseScore 3.x

While all members of the development team did their best to make the software easy to use and bug-free, there are some known issues and limitations in MuseScore 3.x

Local time signatures

The local time signature feature, which allows you to have different time signatures in different staves at the same time, is very limited. You can only add a local time signature to measures that are empty, and only if there are no linked parts.

When adding notes to measures with local time signatures, you can enter notes normally via note input mode, but copy and paste does not work correctly and may lead to corruption or even crashes. The join and split commands are disabled for measures with local time signatures

Regroup Rhythms

The Regroup Rhythms command found under the Tools menu may have unintended side effects, including changing the spelling of pitches and deleting some elements like articulations, glissandos, tremolos, grace notes and, esp. on undo, ties. Use this tool with caution on limited selections, so that you can tell if any unwanted changes are made

Tablature staff linked with standard staff

When entering multiple-note chords on a standard staff in a linked staff/tablature system, the notes should be entered in order from the top (first) string to the bottom string to ensure correct fret assignment

This limitation does not apply if entering notes directly onto a tablature staff, or when using an unlinked staff/tablature system

Mixer

Changing settings in the mixer other than the sound doesn't mark the score 'dirty'. That means if you close a score you may not get the warning "Save changes to the score before closing?". Changing mixer values are also not undoable

There is no way to edit Header and Footer in a WYSIWYG manner. The fields in Format → Style → Header, Footer are plain text. They can contain "HTML like" syntax, but the text style, layout, etc. can't be edited with a WYSIWYG editor

Upgrade from MuseScore 1.x or 2.x

How to upgrade MuseScore

.Download and install the latest version from the [download](#) ↗ page as described at [Installation](#)

Installing MuseScore 3 won't uninstall 1.x nor 2.x —all three versions can coexist peacefully and can even be used in parallel. So this isn't really an upgrade but an installation of a new and different program

Opening 1.x or 2.x scores in MuseScore 3

MuseScore 3 significantly improved the typesetting quality to make scores attractive and easier to read. Improvements cover many items such as beam slope, stem height, layout of accidentals in chords and general note spacing. However, this means that sheet music made with MuseScore 1.x or 2.x looks slightly different from sheet music made with 3.x

.It also means that scores saved with 3.x won't open with 1.x nor 2.x

:To prevent you from accidentally overwriting your 1.x or 2.x scores, 3.x treats them as an import, which means

- The score gets marked as being modified, even if you haven't changed anything
- (On exiting MuseScore you're asked to save the score (as a result from the above
- MuseScore uses the "Save As" dialog to save it, not the "Save" dialog
- MuseScore uses the score's title to create a default filename rather than taking the old filename

Relayout

If you did not manually adjust the layout of a 1.x or 2.x score, then MuseScore uses the 3.x typesetting engine to layout the score. If you *did* touch the layout of the 1.x or 2.x score, the individual adjustments you may have made should remain after opening it in MuseScore 3.x, but due to slight changes in the surrounding layout they may still not appear correct in context. If you wish to reset even manual adjustments to use the 3.x typesetting engine throughout, select the complete (score with the shortcut Ctrl+A (Mac: Cmd+A) and reset the layout with Ctrl+R (Mac: Cmd+R

.Note: When you open a 1.x or 2.x file in MuseScore 3, it will ask you if you want to reset the layout to the defaults

Getting the sound from MuseScore 1.x

While the sound in 2.x/3.x has been much improved, you may still prefer the sound from MuseScore 1.x. In that case, you can get the 1.x sound in 3.x by downloading the 1.3 SoundFont and add it in 3.x. You can do this in two steps

1. [Download the 1.3 SoundFont named TimGM6mb](#)
2. [Install and use the TimGM6mb SoundFont in 2.0](#)

Known incompatibilities

Hardware incompatibilities

:The following software is known to crash MuseScore on startup

- Samson USB Microphone, driver name "Samson ASIO Driver", samsonasiodriver.dll. [More info](#)
- Digidesign MME Refresh Service. [More info](#)
- Windows XP SP3 + Realtek Azalia Audio Driver. [More info](#)
- Wacom tablet. [More info](#) and [QTBUG-6127](#)

Software incompatibilities

- .Maple virtual cable is [known to prevent MuseScore](#) from closing properly
- KDE (Linux) window settings can cause the whole window to move when dragging a note. [Changing the window settings of the operating system](#) avoids the problem
- Nitro PDF Creator may [prevent MuseScore 2 from starting](#) on Windows 10, if being used as the default printer. .Same for Amyuni/Quickbooks PDF Printer, see [here](#) and also some cloud printing services, see [here](#)
- .Creative Sound Blaster Z Series ASIO driver may [prevent MuseScore 2 from starting](#) on Windows 10
- Untrusted Font Blocking policy [prevents MuseScore 2 from starting](#) (except in debug mode, i.e. using the -d (option) on Windows 10. (Solution in [the links provided here](#))
- The SteelSeries Engine 3 Audio Visualizer will prevent MuseScore from starting up, or cause MuseScore to crash if .the Audio Visualizer is started when MuseScore is already running

MuseScore requires access to your internet connection with AVG. MuseScore doesn't need an internet connection to function, but if AVG blocks it, MuseScore hangs

.If AVG prompts you, **Allow** MuseScore and check "Save my answer as a permanent rule and do not ask me next time", if it doesn't prompt you anymore

- (Open the AVG user interface (right-click on the AVG icon, close to your clock -> Open AVG User Interface .1
- Click on *Firewall* .2
- Click *Advanced Settings* .3
- Click *Applications* .4
- Find MSCORE.EXE in the list and double-click it .5
- Change *Application Action* to **Allow for All** .6

Font problem on macOS

.MuseScore is known to display notes as square when some fonts are damaged on macOS
:To troubleshoot this issue

- Go to Applications -> Font Book .1
- Select a font and press ⌘+A to select them all .2
- Go to File -> Validate Fonts .3
- If any font is reported as damaged or with minor problems, select it and delete it .4
- Restart MuseScore if necessary .5

In [this forum article](#), a user believes to have found the font "Adobe Jenson Pro (ajenson)" to be the culprit, regardless of not being reported as broken, or problematic as per the above validation, and solved the problem by deleting that font, so this is worth checking too

Font problem on Linux

.If the default desktop environment application font is set to bold, MuseScore will not display the notes properly
:(To troubleshoot this issue (gnome 2.*/MATE users

- Right-click on your desktop and select Change Desktop background .1
- Click on Fonts tab .2
- Set Regular style for Application font .3
- Restart MuseScore if necessary .4

For GNOME 3/SHELL users

- "Open the shell and open "Advanced Settings .1
- Click on the Fonts option in the list .2
- Set the default font to something non-bold .3
- Restart MuseScore if necessary .4

Save As dialog empty on Linux

.Some users reported that the Save As dialog is empty on Debian 6.0 and Ubuntu 10.10
:To troubleshoot this issue

Type the following in a terminal .1

which mscore

The command will answer with the path of mscore. Edit it with your preferred text editor and add the following line at the beginning .2

```
export QT_NO_GLIB=1
```

.Launch MuseScore and the problem should be solved

Glossary

.The glossary is a work in progress—please help if you can. You can discuss this page in the [documentation forum](#)

The list below is a glossary of frequently used terms in MuseScore as well as their meaning. The differences between American English and British English are marked with "(AE)" and "(BE)", respectively

Acciaccatura



A short → grace note which appears as a small note with a stroke through the stem. It is quickly executed and .technically takes no value from its associated note

Accidental

A sign appearing in front of a note that raises or lowers its pitch. The most common accidentals are → sharps, → flats or → naturals, but double sharps and double flats are also used. Also → koron, and → sori and other quarter tone accidentals. Accidentals affect all notes on the same → staff position only for the remainder of the measure in which they occur, but they can be canceled by another accidental. In notes tied across a → barline, the accidental continues across the → barline to the tied note, but not to later untied notes on the same → staff position in that .measure

Ambitus

Note (or vocal) range used in a → staff. Used particularly in Early Music

Anacrusis

.See → Pickup measure

Anchor


The point of attachment to the score of objects such as Text and Lines: When the object is dragged, the anchor appears as small brown circle connected to the object by a dotted line. Depending on the object selected, its anchor .(may be attached to either (a) a note (e.g. fingering), (b) a staff line (e.g. staff text), or (c) a barline (e.g. repeats

Appoggiatura

A long → grace note which takes value from its associated note. Its functions include: passing tone, anticipation, .struck suspension, and escape tone

Arpeggio

An **arpeggio** tells the performer to break up the chord into the constituent notes, playing them separately and one after the other. An arrow on the arpeggio indicates the direction in which the player should play the notes of the .chord



B

(Bar (BE

.See → measure

Barline

.Vertical line through a → staff, staves, or a full → system that separates → measures

Beam

Notes with a duration of an → eighth or shorter either carry a → flag or a beam. Beams are used for grouping .notes

BPM

Beats Per Minute is the unit for measuring tempo, traditionally counted in quarter note durations. See → metronome

mark

Breve

Brevis

.A **double whole note** or **breve** is a note that has the duration of two whole notes

C

Caesura

A **caesura** (//) is a brief, silent pause. Time is not counted for this period, and music resumes when the director .signals

Cent

.An interval equal to one hundredth of a semitone

Chord

A group of two or more notes sounding together. To select a chord in MuseScore, press shift and click on a note. In .(the Inspector, however, the word "Chord" only covers notes in the same voice as the selected note(s

Clef

.Sign at the beginning of a → staff, used to tell which are the musical notes on the lines and **between** the lines .Clefs are very useful for → transposition

[Concert pitch](#)
(Enables you to switch between concert pitch and transposing pitch (see [Concert pitch](#) and [Transposition](#))
(Crotchet (BE)
.See → [Quarter note](#)

D

Double Flat
.A **double flat** (bb or $\flat\flat$) is a sign that indicates that the pitch of a note has to be lowered two semitones
Double Sharp
.A **double sharp** ($\sharp\sharp$ or $\sharp\sharp$) is a sign that indicates that the pitch of a note has to be raised two semitones
(Demisemiquaver (BE)
.A thirty-second note
Duplet
.See → [tuplet](#)

[Dynamic](#)

A symbol indicating the relative loudness of a note or phrase of music—such as **smf** (mezzoforte), **p** (piano), **f** (forte) etc., starting at that note
[Dynamic. Single note](#)
.A dynamic marking which applies *only to one note*—such as **sfz** (sforzando), **fp** (fortepiano) etc

E

[Edit mode](#)

.The program mode from which you can edit various score elements

Eighth note

.(A note whose duration is an eighth of a whole note (semibreve). Same as a **quaver** (BE

Endings

.See → [volta](#)

Enharmonic notes

.Notes that sound the same pitch but are written differently. Example: $G\sharp$ and $A\flat$ are enharmonic notes

F

Flag

.See → [beam](#)

Flat

.Sign (b) that indicates that the pitch of a note has to be lowered one semitone

G

[Grace note](#)

.Grace notes appear as small notes in front of a normal-sized main note. See → [acciaccatura](#) and → [appoggiatura](#)

(Grand Staff (AE

(Great Stave (BE

A system of two or more staves, featuring treble and bass clefs, used to notate music for keyboard instruments and the harp

H

Half Note

.(A note whose duration is half of a whole note (semibreve). Same as a **minim** (BE

(Hemidemisemiquaver (BE

.A sixty-fourth note

I

Interval

The difference in pitch between two notes, expressed in terms of the scale degree (e.g. major second, minor third, (perfect fifth etc.). See [Degree \(Music\)](#) ↗ (Wikipedia)

J

[Jump](#)

.In MuseScore, "jumps" are notations such as "D.S. al Coda", found in the "Repeats & Jumps" palette

K

[Key Signature](#)

Set of → [sharps](#) or → [flats](#) at the beginning of the → [staves](#). It gives an idea about the tonality and avoids repeating

.those signs all along the → staff

.A key signature with B flat means F major or D minor tonality

Koron

An Iranian → accidental which lowers the pitch of a note by a quarter tone (in comparison to the flat which lowers a note by a semitone). It is possible to use this accidental in a → key signature. See also → Sori

L

Longa

.A **longa** is a **quadruple whole note**

Ledger Line

.Line(s) that are added above or below the staff

M

(Measure (AE

A segment of time defined by a given number of beats. Dividing music into measures provides regular reference .(points to pinpoint locations within a piece of music. Same as → bar (BE

Metronome mark

Metronome marks are usually given by a note length equaling a certain playback speed in BPM. In MuseScore, .metronome marks are used in Tempo texts

(Minim (BE

.See → Half note

N

Natural

.A natural (♮) is a sign that cancels a previous alteration on notes of the same pitch

Normal mode

The operating mode of MuseScore *outside note input mode* or *edit mode*: press Esc to enter it. In **Normal mode** you can navigate through the score, select and move elements, adjust Inspector properties, and alter the pitches of existing notes

Note input mode

.The program mode used for entering music notation

O

Operating System

OS

Underlying set of programs which set up a computer, enabling additional programs (such as MuseScore). Popular .OSes are Microsoft Windows, macOS, and GNU/Linux .Not to be confused with a sheet music → system

P

Part

Music to be played or sung by one or a group of musicians using the same instrument. In a string quartet, 1st part = Violin 1, 2nd part = Violin 2, 3rd part = Viola, 4th part = Cello, in a choir there might be parts for soprano, alto, tenor .(and bass. A part has one or more → staves (e.g. Piano has 2 staves, Organ can have 2 or 3 staves

(Pickup Measure (also known as an Anacrusis or Upbeat

Incomplete first measure of a piece or a section of a piece of music. See Measure duration and Create new score: Pickup measure. Also Exclude from measure count

Q

Quadruplet

.See → tuplet

Quarter note

.(A note whose duration is a quarter of a whole note (semibreve). Same as a **crotchet** (BE

(Quaver (BE

.See → eighth note

Quintuplet

.See → tuplet

R

Respell Pitches

.(Tries to guess the right accidentals for the whole score (see Accidentals

Rest

.Interval of silence of a specified duration

Re-pitch mode

.Allows you to rewrite an existing passage of music by changing the note pitches without altering the rhythm

S

(Semibreve (BE

.A **whole note** (AE). It lasts a whole measure in 4/4 time

(Semiquaver (BE

.A sixteenth note

(Semihemidemisemiquaver (Quasihemidemisemiquaver) (BE

.An hundred and twenty eighth note

Sextuplet

.See → tuple

Slash chord

.(See Slash chord ↗ (Wikipedia

Slash notation

A form of music notation using slash marks placed on or above/below the staff to indicate the rhythm of an accompaniment: often found in association with chord symbols. There are two types: (1) *Slash notation* consists of a rhythm slash on each beat: the exact interpretation is left to the player (see Fill with slashes); (2) *Rhythmic slash notation* indicates the precise rhythm for the accompaniment (see Toggle rhythmic slash notation)

SFZ

A virtual instrument format supported by MuseScore (along with → SoundFonts). An SFZ library consists of one or more SFZ text files, each defining a particular instrument setup, and many audio sound samples

Sharp

.Sign (#) that indicates that the pitch of a note has to be raised one semitone

Slur

A curved line over or under two or more notes, meaning that the notes will be played smooth and connected

.(*legato*

.See also → tie

Sori

An Iranian → accidental which raises the pitch of a note by a quarter tone (in comparison to the sharp which raises it by a semitone). It is possible to use this accidental in a → key signature

.See also → Koron

SoundFont

A virtual instrument format supported by MuseScore (along with → SFZ). A **SoundFont** is a special type of file (extension .sf2, or .sf3 if compressed) containing sound samples of one or more musical instruments. In effect, a virtual synthesizer which acts as a sound source for MIDI files. MuseScore 2.2 comes with the SoundFont "MuseScore_General.sf3" pre-installed

(Spatium (plural: Spatia) / Space / Staff Space / sp. (abbr./unit

The distance between the midpoints of two lines of a music staff (or one-quarter the size of the full five-line staff, assuming a hypothetical staff line thickness of 0). The sizes of most elements in the score are based on this setting

.(See Page settings

(Staff (AE) / Staves (plural

A set of lines and spaces, each representing a pitch, on which music is written. In ancient music notation (before 11th century) the staff may have any number of lines

Staff Space

.(See Spatium (above

(Stave (BE

.(See Staff (above

Step-time input

.MuseScore's default note input mode, allowing you to enter music notation one note (or rest) at a time

System

.Set of staves to be read simultaneously in a score

.(See also → Operating System (OS

T

Tie

:A curved line between two or more notes on the same pitch to indicate a single note of combined duration

Quarter note + Tie + Quarter note = Half note •

Quarter note + Tie + Eighth note = Dotted Quarter note •

Quarter note + Tie + Eighth note + Tie + 16th note = Double Dotted Quarter note •

.See also → slur

Transposition

The act of moving the pitches of one or more notes up or down by a constant interval. There may be several reasons for transposing a piece, for example

